

# Multiagent Systems

## 14. Argumentation

B. Nebel, C. Becker-Asano, S. Wölfl

Albert-Ludwigs-Universität Freiburg

July 23, 2014

# Multiagent Systems

July 23, 2014 — 14. Argumentation

## 14.1 Motivation

## 14.2 Abstract Argumentation

## 14.3 Deductive Argumentation Systems

## 14.4 Argumentation-based Dialogue Systems

## 14.5 Summary

Where are we?

- ▶ Bargaining
- ▶ Alternating offers
- ▶ Negotiation decision functions
- ▶ Task-oriented domains
- ▶ Bargaining for resource allocation

Today ...

- ▶ Argumentation in Multiagent Systems

Motivation

## 14.1 Motivation

## Argumentation

- ▶ Agents may have mutually **contradicting beliefs**:  
I believe  $p$ ; you believe  $\neg p$   
I believe  $p$ ; from  $p$  follows  $q$ ; you believe  $\neg q$
- ▶ How can agents reach agreements about **what to believe**?
- ▶ **Argumentation** provides principled techniques for deciding what to believe in the face of inconsistencies
- ▶ We achieve this by comparing arguments that can be compiled from the agents' beliefs
- ▶ Arguments usually present beliefs and describe reasonable justifications

## What is an argument?

Intuitively, an argument consists of:

- ▶ a **claim**
- ▶ a set of reasons for the claim (**justification, support**)

Different types of arguments:

- ▶ **Rebutting argument**: an argument that claims the negation of another argument
- ▶ **Undercutting argument**: an argument with a claim that contradicts some assumption used to justify another argument
- ▶ **Counterargument**: Given some argument, a counterargument rebuts or undercuts the argument

## Modes of arguments

At least four different modes of arguments can be identified between humans (Gilbert, 1994):

- ▶ **Logical mode**: deductive, proof-like, concerned with making correct inferences
- ▶ **Emotional mode**: appeals to feelings, attitudes, etc.
- ▶ **Visceral mode**: physical, social aspects
- ▶ **Kisceral mode**: appeals to the intuitive, mystical or religious

↪ Different types are used/accepted in different situations  
(e.g. no emotional or kisceral mode arguments allowed in courts of law)

## 14.2 Abstract Argumentation

## Abstract argumentation system

We can decide what to believe while looking at arguments at the abstract level (Dung, 1995):

- ▶ Disregarding internal structures of arguments
- ▶ Focus on the attack relation between arguments  $(a, b, c, d, \dots)$ :  
 $a$  **attacks**  $b$  or  $a \rightarrow b$
- ▶ Not concerned with the origin of arguments or the attack relation

### Abstract argumentation system

An **abstract argumentation system**  $A = \langle X, \rightarrow \rangle$  is defined by:


- ▶ a set of **arguments**  $X$ ,
- ▶ a binary attack relation on arguments  $\rightarrow \subseteq X \times X$ .

## Example

Consider the following argumentation system:

$$\langle \{p, q, r, s\}, \{(r, q), (s, q), (q, p)\} \rangle,$$

i.e., with arguments:  $p, q, r, s$ , and attacks:  $r \rightarrow q, s \rightarrow q, q \rightarrow p$ .




$\rightsquigarrow$  Which sets of arguments can be considered **rationally justified**?

## Conditions for argument sets

Consider a Dung-style argumentation system (as in the definition).

- ▶ A set of arguments  $S$  is **conflict-free** if there is no pair of arguments  $a, b \in S$  such that  $a \rightarrow b$ .
- ▶ An argument  $a$  is **acceptable** with respect to a set  $S$  of arguments if each argument  $a'$  that attacks  $a$  is attacked by some argument in  $S$ .
- ▶ A conflict-free set of arguments  $S$  is **admissible** if each argument in  $S$  is acceptable wrt.  $S$ .

## Example (cont'd)



- ▶ The following argument sets are conflict-free:

$$\emptyset, \{p\}, \{q\}, \{r\}, \{s\}, \{r, s\}, \{p, r\}, \{p, s\}, \{p, r, s\}.$$

- ▶ The following argument sets are admissible:

$$\emptyset, \{r\}, \{s\}, \{r, s\}, \{p, r\}, \{p, s\}, \{p, r, s\}.$$

## Preferred extensions

Given a Dung-style argumentation system.


- ▶ An admissible set of arguments is called **preferred extension** if it is maximal (wrt. set inclusion).
- ▶ An argument is **sceptically accepted** if it is contained in each preferred extension.
- ▶ An argument is **credulously accepted** if it is contained in some preferred extension.

Preferred extensions help determine which arguments should be accepted but are not always useful:

- ▶ ... are not necessarily unique,
- ▶ the only preferred extension may be the empty set

Nevertheless, each argumentation system has at least some preferred extension (note, preferred extension need not be non-empty).

## Example



Which argument sets are preferred extensions?

## Reasoning tasks in argumentation systems

### Theorem

- ▶ The problem to check whether a given set of arguments is admissible can be decided in polynomial time.
- ▶ The problem to check whether a given set of arguments is a preferred extension is coNP-complete.
- ▶ The problem to check whether a given argument is contained in some preferred extension is NP-complete.
- ▶ The problem to check whether a given argumentation system has a stable extension is NP-complete (a **stable** extension is a set of arguments  $S$  such that each argument not in  $S$  is attacked by some argument in  $S$ ).

## Grounded extensions


An alternative notion of acceptability: the notion of **grounded extension**.

### Grounded extension

Given an abstract argumentation system  $\mathcal{A} = \langle V, \rightarrow \rangle$ , the **grounded extension** in  $\mathcal{A}$  is incrementally built as follows:

1. Mark all arguments that are not attacked as "in".
  2. Mark all arguments as "out" which are attacked by some argument marked as "in".
  3. Set  $V := V \setminus \{\text{"out"-nodes}\}$ ,  $\rightarrow := \rightarrow \cap V \times V$ .
  4. Iterate until the argumentation graph does not change.
- ▶ The grounded extension always exists and is guaranteed to be unique, but
  - ▶ ... may be empty (if no argument is not attacked initially)

## Example



Compute the grounded extension?

## Grounded extensions (fix-point characterization)

Let  $\mathcal{A} = \langle X, \rightarrow \rangle$  be an abstract argumentation system with finite  $X$ . Consider the following function:

$$F: 2^X \rightarrow 2^X, S \mapsto \{a \in X : a \text{ is acceptable wrt. } S\}$$

- ▶ The grounded extension of an argumentation system is the least fix-point of the function  $F$ .
- ▶ Consider the sequence:

$$E_0 := \emptyset$$

$$E_{i+1} := \{a \in X : a \text{ is acceptable wrt. } S\}$$

Then  $E = \bigcup E_i$  is the grounded extension of  $\mathcal{A}$ .

## Limitations of abstract argumentation systems

- ▶ In abstract argumentation systems all arguments are equally strong — which is not very realistic  
 ~> **Preference-based argumentation systems** (e.g., Amgoud et al. 1998f) model preference (weights) of arguments.
- ▶ Acceptability of arguments can depend on the target audience (e.g., newspaper vs. scientific article)  
 ~> **Value-based argumentation systems** (Bench-Capon et. al, 2003ff)
- ▶ Arguments in abstract argumentation systems do not have an internal (logical) structure  
 ~> **Deductive argumentation systems**

## 14.3 Deductive Argumentation Systems

## Deductive Argumentation Systems

The “purest”, most rational kind of argument: in classical logic, argument = sequence of inferences leading to a conclusion

Write  $\Gamma \vdash \varphi$  to denote that some sequence of inference steps from premises in  $\Gamma$  will allow us to establish proposition  $\varphi$

### Deductive argument

Let  $K$  be a set of formulae (intuitively, the formulae accepted by all participants of an argumentation, not necessarily consistent).

A **deductive argument** is a pair  $(\Gamma, \phi)$  where:

- ▶  $\Gamma \subseteq K$
- ▶  $\Gamma \vdash \varphi$
- ▶  $\Gamma$  is logically consistent
- ▶  $\Gamma$  is minimal (i.e. no proper subset of  $\Gamma$  satisfies these conditions)

## Argument types

Some important types of arguments:

- ▶ **Tautological arguments**:  $(\Gamma, \varphi)$  with  $\Gamma = \emptyset$
- ▶ **Non-trivial arguments**:  $(\Gamma, \varphi)$  with  $\Gamma \neq \emptyset$
- ▶ **Rebutting argument**:  $(\Gamma, \varphi)$  rebuts  $(\Gamma', \varphi')$  if  $\varphi \equiv \neg\varphi'$
- ▶ **Undercutting argument**:  $(\Gamma, \varphi)$  undercuts  $(\Gamma', \varphi')$  if  $\varphi \equiv \neg\gamma$  for some  $\gamma \in \Gamma'$
- ▶ **Defeating argument**:  $(\Gamma, \varphi)$  defeats against  $(\Gamma', \varphi')$  if it rebuts or undercuts the latter.

## Example

Consider the following example:

$\text{Arg}_1 := (\{\text{human}(\text{Heracles}), \text{human}(X) \rightarrow \text{mortal}(X)\},$   
 $\text{mortal}(\text{Heracles}))$

$\text{Arg}_2 := (\{\text{father}(\text{Heracles}, \text{Zeus}), \text{father}(X, \text{Zeus}) \rightarrow \text{divine}(X),$   
 $\text{divine}(X) \rightarrow \neg\text{mortal}(X)\},$   
 $\neg\text{mortal}(\text{Heracles}))$

$\text{Arg}_3 := (\{\neg(\text{father}(X, \text{Zeus}) \rightarrow \text{divine}(X))\},$   
 $\neg(\text{father}(X, \text{Zeus}) \rightarrow \text{divine}(X)))$

- ▶  $\text{Arg}_1$  and  $\text{Arg}_2$  are mutually rebutting
- ▶  $\text{Arg}_3$  undercuts  $\text{Arg}_2$

Which arguments are stronger, more acceptable?

## Argument Classes

We can identify five classes of argument type in order of increasing acceptability:

- ▶ A1: The class of all arguments that can be constructed
- ▶ A2: The class of all **non-trivial** arguments that can be constructed
- ▶ A3: The class of all arguments that can be constructed with **no rebutting arguments**
- ▶ A4: The class of all arguments that can be constructed with **no undercutting arguments**
- ▶ A5: The class of all **tautological arguments** that can be constructed

## Example: Argument classes

- ▶ Arguments  $\text{Arg}_1$  and  $\text{Arg}_2$  are in (A2) (mutually rebutting)
- ▶ Argument

$(\emptyset, \text{divine}(\text{Heracles}) \vee \neg \text{divine}(\text{Heracles}))$

is in (A5).

- ▶ Argument

$(\{\text{father}(\text{Apollo}, \text{Zeus}), \text{father}(X, \text{Zeus}) \rightarrow \text{divine}(X),$   
 $\text{divine}(X) \rightarrow \neg \text{mortal}(X)\}, \neg \text{mortal}(\text{Apollo}))$

is in (A4).

## 14.4 Argumentation-based Dialogue Systems

## Argumentation dialogue systems

Agents engage in dialogue to convince other agents of some state of affairs. Consider two agents 0 and 1 engaging in the following dialogue:

- ▶ Agent 0 attempts to convince 1 of some argument
- ▶ Agent 1 attempts to rebut or undercut it
- ▶ Agent 0 in turn attempts to defeat 1's argument
- ▶ and so on ...

Each steps in such a dialogue is a **move** (Player, Arg) (with  $\text{Player} \in \{0, 1\}, \text{Arg} \in A(DB)$ )

A **dialogue history** is a sequence of moves  $(m_0, \dots, m_k)$  s.t.:

- ▶  $\text{Player}_{2i} = 0, \text{Player}_{2i+1} = 1$  for all  $i \geq 0$
- ▶ If  $\text{Player}_i = \text{Player}_j$  and  $i \neq j$ , then  $\text{Arg}_i \neq \text{Arg}_j$
- ▶  $\text{Arg}_{i+1}$  defeats  $\text{Arg}_i$  for all  $i \geq 0$

A dialogue **ends** if no further moves are possible, the **winner** then is  $\text{Player}_k$ .

## Types of dialogue

Typology due to Walton and Krabbe (1995):

Type	Initial situation	Main goal	Participants' aim
Persuasion	conflict of opinion	resolve the issue	persuade other
Negotiation	conflict of interest	make a deal	get best deal
Inquiry	general ignorance	growth of knowledge	find a proof
Deliberation	need for action	reach a decision	influence outcome
Information seeking	personal ignorance	spread knowledge	gain or pass on knowledge
Eristics	conflict/ antagonism	reaching an accommodation	strike other party
Mixed	various	various	various

## 14.5 Summary

### ■ Thanks

## Summary

- ▶ Argumentation
- ▶ Abstract argumentation systems
- ▶ Deductive argumentation systems
- ▶ Argumentation-based dialogue
- ▶ **Next time:** Logics for Multiagent Systems

## Acknowledgments

These lecture slides are based on the following resources:

- ▶ Dr. Michael Rovatsos, The University of Edinburgh  
<http://www.inf.ed.ac.uk/teaching/courses/abs/abs-timetable.html>
- ▶ Michael Wooldridge: **An Introduction to MultiAgent Systems**, John Wiley & Sons, 2nd edition 2009.
- ▶ Paul E. Dunne & T.J.M. Bench-Capon: Coherence in finite argument systems. In: **Artificial Intelligence** 141 (2002), p. 187–203.
- ▶ P. Besnard & A. Hunter, **Elements of Argumentation**, MIT Press, 2008.
- ▶ Simon Parsons, Carles Sierra, & Nick Jennings: Agents that reason and negotiate by arguing, In: **Journal of Logic and computation**, 8(3), pp. 261-292, 1998.