## Game Theory

8. Interlude: Applications



Albert-Ludwigs-Universität Freiburg

Bernhard Nebel and Robert Mattmüller June 4th, 2018

## 1 Applications of Game Theory



AR B

Applications of Game Theory

Security Games

## Applications of Game Theory



## UNI FREIBURG

- Wide range of applications of game theory
- Originally: in economics
- Now: ubiquitous, also in computer science and AI
  - robotics
  - cloud computing
  - social networks
  - resource management
  - . . . .

(Tim will talk about some of them, and/or others, on Wednesday.)

Applications of Game Theory

Security Games



**Applications** 

- Motivation
- Setting
- Formalization
- Strategies and Payoffs
- Equilibria
- Theoretical Results

of Game Theory

#### Security Games

Motivation

Formalization

Strategies and

Pavoffs Equilibria

Theoretical Results



Payoffs
Equilibria

Theoretical Resul

Summary

#### Today: Security games [Tambe et al., 2007ff.]

- infrastructure security games (air travel, ports, trains)
- green security games (fisheries, wildlife)
- opportunistic crime security games (urban crime)

#### Some video lectures by M. Tambe:

- https://www.youtube.com/watch?v=wh15T07sMa8 (Infrastructure security games, 3 mins)
- https://www.youtube.com/watch?v=61yHC5c2c-E (Green security games, 8 mins)
- https://www.youtube.com/watch?v=D4sxZm8-NdM (ICAPS 2017 invited talk, 1 hour)



Applicat

of Game Theory Security

Games

Motivation

Setting

Formalization Strategies and

Equilibria

Trieoretical nesu

Summary

#### Common setting in security games:

- attacker and defender
- defender wants to protect targets using patrolling units
- defender chooses probability distribution over routes such that expected damage is minimized given that the probabilities can be observed by attacker



# REIBU

Unobservable vs. observable defense probabilities:

- Unobservable: strategic game
- Observable: extensive game

Example (Security game payoff matrix)

		<b>A</b> ttacker	
		С	d
<b>D</b> efender	а	1,1	3,0
	b	0,0	2,1

Applications of Game Theory

Security Games

Motivation

0-11--

Setting

Formalization Strategies and


Equilibria
Theoretical Page

Unobservable defense probabilities (strategic game): Only NE is (a,c).



## Example (Security game (ctd.))

Observable defense probabilities (extensive game, mixed strategies):



Applications of Game Theory

Security Games

Motivation

Setting Formalization

Strategies and Payoffs Equilibria

Theoretical Results

Summary


Subgame-perfect equilibrium  $(\alpha, d)$ .

A security game is a tuple  $\langle T, R, (S_i), U_d^c, U_d^u, U_a^c, U_a^u \rangle$ , where

- $T = \{t_1, \dots, t_n\}$  is a finite set of targets,
- $\blacksquare$   $R = \{r_1, \dots, r_K\}$  is a finite set of resources,
- $S_i \subseteq 2^T$  is the set of schedules that  $r_i$  can cover. A schedule  $s \in S_i$  is a set of targets that can be covered by  $r_i$  simultaneously.
- $U_y^x(t_i)$  is the utility of player  $y \in \{attacker, defender\}$ , if target  $t_i$  is attacked and is  $x \in \{covered, uncovered\}$ .



### Example (Federal air marshal service)



Applications of Game Theory

#### Security Games

Motivation

0-11--

Formalization

Strategies and Payoffs

Equilibria

i neoreticai Hesui



- - Theory
  - Security

  - Strategies and Pavoffs
  - Equilibria

- Attacker pure strategies:  $A_a = T$
- Attacker mixed strategies:  $\Delta(T)$
- Defender pure strategies: allocations of resources to schedules, i. e.,  $\bar{s} = (s_1, \dots, s_K) \in \prod_{i=1}^K S_i$ .

Target  $t_i$  is covered in  $\bar{s}$  iff  $t_i \in s_i$  for at least one j,  $1 \le i \le K$ . Allocation  $\bar{s}$  induces coverage vector

 $\bar{d} = (d_1, \dots, d_n) \in \{0, 1\}^n$  with  $d_i = 1$  iff  $t_i$  is covered in  $\bar{s}$ .

Let  $\mathcal{D}$  be the set of coverage vectors for which there is an allocation  $\bar{s}$  inducing it.



■ Defender mixed strategies:  $\Delta(\mathcal{D})$ . For  $\alpha_d \in \Delta(\mathcal{D})$ , let  $c_i = \sum_{\bar{d}=(d_1,\dots,d_n)\in\mathcal{D}} d_i \cdot \alpha_d(\bar{d})$  be the covering probability of target  $t_i$ .

Notation:  $\phi(\alpha_d) = (c_1, \dots, c_n)$ .

Example: 
$$\bar{d}_1 = (1, 1, 0), \ \bar{d}_2 = (0, 1, 1), \ \alpha_d(\bar{d}_1) = \alpha_d(\bar{d}_2) = \frac{1}{2}.$$
  
Then  $(c_1, c_2, c_3) = (\frac{1}{2}, 1, \frac{1}{2}).$ 

■ Payoffs: Let  $(\alpha_d, \alpha_a) \in \Delta(\mathcal{D}) \times \Delta(T)$  be a mixed strategy profile. Expected utility of player  $y \in \{a, d\}$ :

$$U_{y}(\alpha_{d},\alpha_{a}) = \sum_{i=1}^{n} \alpha_{a}(t_{i}) \cdot \left(c_{i} \cdot U_{y}^{c}(t_{i}) + (1-c_{i}) \cdot U_{y}^{u}(t_{i})\right).$$

Application of Game Theory

Security Games

Motivation

Formalization
Strategies and
Pavoffs

Equilibria Theoretical Resul

meoretical nesul

Equilibria



Applica

Definition of best responses, Nash equilibria (NE) and maximinimizers (MM) as usual/expected. Hence omitted here.

#### More interesting scenario:

- Defender first commits to a mixed defense strategy.
- Attacker observes it over extended time period and learns probabilities.
- Attacker choses response  $\alpha_a = g(\alpha_d)$  based on those observations. g is his response function.

of Game Theory

Security Games

Motivation

Setting

Formalization

Strategies and Payoffs

Equilibria

Theoretical Result

of Game

#### Definition (Strong Stackelberg equilibrium)

A pair  $\langle \alpha_d, g \rangle$  is called a strong Stackelberg equilibrium (SSE) if the following holds:

- $\blacksquare U_d(\alpha_d, g(\alpha_d)) \ge U_d(\alpha_d', g(\alpha_d'))$  for all  $\alpha_d'$ ;
- $U_a(\tilde{\alpha}_d, g(\tilde{\alpha}_d)) \geq U_a(\tilde{\alpha}_d, g'(\tilde{\alpha}_d))$  for all  $\tilde{\alpha}_d$  and all g'; and
- tie breaking:  $U_d(\tilde{\alpha}_d, g(\tilde{\alpha}_d)) \geq U_d(\tilde{\alpha}_d, \tau(\tilde{\alpha}_d))$  for all  $\tilde{\alpha}_d$  and all  $\tau(\tilde{\alpha}_d)$  that are attacker best responses to  $\tilde{\alpha}_d$ .

Theoretical Results



NI REIBUR

#### **Theorem**

Defender NE strategies and defender MM strategies are the same.

#### **Theorem**

NE strategies are interchangeable.

## VL Strategies are interchangeable.

#### **Theorem**

Defender SSE utilities are always at least as large as defender NE utilities.

Applications of Game Theory

Security

Motivation

Setting

Formalization Strategies and Payoffs

Equilibria
Theoretical Results

## Definition (Subsets of schedules are schedules property)

A security game satisfies the SSAS property ("subsets of schedules are schedules") if for all  $r_i \in R$ , for all  $s \in S_i$ , and for all  $s' \subseteq s$ , also  $s' \in S_i$ .

Remark: SSAS often "natural" to achieve, by "doing nothing".

#### **Theorem**

If SSAS holds, then every defender SSE strategy is also a defender NE strategy.

Consequence: When choosing between SSE and NE

of Game Theory

Games

Motivation

Formalization Strategies and Payoffs

Equilibria Theoretical Results

Summary

strategies (assuming being observed or not), for the defender it is unproblematic to restrict attention to SSE strategies. NE interchangeability  $\rightsquigarrow$  no risk of chosing a "wrong" NE strategy.

Theoretical Results



Applies

#### Outlook:

- With homogeneous resources and a small restriction on utility functions: then there exists unique defender MM strategy, which is also a unique SSE and NE strategy.
- Theory can be generalized to multiple attacker resources (attacking multiple targets simultaneously).

of Game Theory

Security Games

Motivation

Setting

Formalization Strategies and Payoffs

Equilibria
Theoretical Results

Theoretical Resul



Applications of Game Theory

Security Games



- Case study: security games (infrastructure, green, opportunistic crime)
- Modeled as Stackelberg games with strong Stackelberg equilibria (SSE)
- Results:
  - Though not zero-sum in general, similar results: defender NE = defender MM
    - → Nash equilibria interchangeable
    - → no equilibrium selection problem
  - Every defender SSE strategy also a NE strategy under reasonable assumption (SSAS)
    - $\rightsquigarrow$  not knowing whether being observed is unproblematic