

# Principles of Knowledge Representation and Reasoning

## Nonmonotonic Reasoning

Bernhard Nebel, Felix Lindner, and Thorsten Engesser

14.06. & 19.06.2018

---

# Introduction

## Introduction

- Motivation
- Different forms of reasoning
- Different formalizations

## Default Logic

## Complexity

## Special Kinds of Defaults

## Literature

# A reasoning task

---

- *If Mary has an essay to write, she will study late in the library.*
- *She has an essay to write.*

Introduction

**Motivation**

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# A reasoning task

---

- *If Mary has an essay to write, she will study late in the library.*
- *She has an essay to write.*

What do you conclude?

[Introduction](#)

**Motivation**

Different forms of reasoning

Different formalizations

[Default Logic](#)

[Complexity](#)

[Special Kinds of Defaults](#)

[Literature](#)

# A reasoning task

---

- *If Mary has an essay to write, she will study late in the library.*
- *She has an essay to write.*

In empirical studies 95% of all subjects conclude (modus ponens):

- *She will study late in the library.*

[Introduction](#)

**Motivation**

Different forms of reasoning

Different formalizations

[Default Logic](#)

[Complexity](#)

[Special Kinds of Defaults](#)

[Literature](#)

# A reasoning task

---

- *If Mary has an essay to write, she will study late in the library.*
- *If the library is open, she will study late in the library.*
- *She has an essay to write.*

What do you conclude now?

[Introduction](#)

**Motivation**

Different forms of reasoning

Different formalizations

[Default Logic](#)

[Complexity](#)

[Special Kinds of Defaults](#)

[Literature](#)

# A reasoning task

---

- *If Mary has an essay to write, she will study late in the library.*
- *If the library is open, she will study late in the library.*
- *She has an essay to write.*

In cognitive studies now only 60% of the subjects conclude:

- *She will study late in the library.*

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# A reasoning task

---

- *If Mary has an essay to write, she will study late in the library.*
- *She has an essay to write.*

Conclusion?

- *She will study late in the library.*

Reasoning tasks like this ([suppression task](#); Byrne, 1989) suggest that humans often do not reason as suggested by classical logics

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature



# Nonmonotonic reasoning

---

How can we deal with the reasoning task given in the example?

We can use a different representation that allows to restate the task as follows:

- *If Mary has an essay to write, she usually will study late in the library.*
- *She has an essay to write.*
- *If the library is not open, she will not study late in the library.*
- ...

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# Nonmonotonic reasoning

---

- All logics presented so far are monotonic.

Introduction

**Motivation**

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# Nonmonotonic reasoning

---

- All logics presented so far are monotonic.
- A logic is called **monotonic** if all (logical) conclusions from a knowledge base remain justified when new information is added to the knowledge base.

[Introduction](#)

**Motivation**

Different forms of reasoning

Different formalizations

[Default Logic](#)

[Complexity](#)

[Special Kinds of Defaults](#)

[Literature](#)

# Nonmonotonic reasoning

---

- All logics presented so far are monotonic.
- A logic is called **monotonic** if all (logical) conclusions from a knowledge base remain justified when new information is added to the knowledge base.
- Cognitive studies indicate that everyday reasoning is often nonmonotonic (Stenning & Lambalgen, 2008; Johnson-Laird, 2010, etc.).

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# Nonmonotonic reasoning

---

- All logics presented so far are monotonic.
- A logic is called **monotonic** if all (logical) conclusions from a knowledge base remain justified when new information is added to the knowledge base.
- Cognitive studies indicate that everyday reasoning is often nonmonotonic (Stenning & Lambalgen, 2008; Johnson-Laird, 2010, etc.).
- When humans reason they use:

## Introduction

### Motivation

Different forms of reasoning

Different formalizations

## Default Logic

## Complexity

## Special Kinds of Defaults

## Literature

# Nonmonotonic reasoning

---

- All logics presented so far are monotonic.
- A logic is called **monotonic** if all (logical) conclusions from a knowledge base remain justified when new information is added to the knowledge base.
- Cognitive studies indicate that everyday reasoning is often nonmonotonic (Stenning & Lambalgen, 2008; Johnson-Laird, 2010, etc.).
- When humans reason they use:
  - rules that may have **exceptions**:  
*If Mary has an essay to write, she **normally** will study late in the library.*

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# Nonmonotonic reasoning

---

- All logics presented so far are monotonic.
- A logic is called **monotonic** if all (logical) conclusions from a knowledge base remain justified when new information is added to the knowledge base.
- Cognitive studies indicate that everyday reasoning is often nonmonotonic (Stenning & Lambalgen, 2008; Johnson-Laird, 2010, etc.).
- When humans reason they use:
  - rules that may have **exceptions**:  
*If Mary has an essay to write, she **normally** will study late in the library.*
  - **default** assumptions:  
*The library is open.*

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# Defaults in knowledge bases

---

Often we use **default** assumptions when definite information is not available or when we want to fix a standard value:

- 1 employee(anne)
- 2 employee(bert)
- 3 employee(carla)
- 4 employee(detlef)
- 5 employee(thomas)
- 6 onUnpaidMPaternityLeave(thomas)

[Introduction](#)

**Motivation**

Different forms of reasoning

Different formalizations

[Default Logic](#)

[Complexity](#)

[Special Kinds of Defaults](#)

[Literature](#)



# Defaults in knowledge bases

---

Often we use **default** assumptions when definite information is not available or when we want to fix a standard value:

- 1 employee(anne)
- 2 employee(bert)
- 3 employee(carla)
- 4 employee(detlef)
- 5 employee(thomas)
- 6 onUnpaidMPaternityLeave(thomas)
- 7  $\text{employee}(X) \wedge \neg \text{onUnpaidMPaternityLeave}(X) \rightarrow \text{gettingSalary}(X)$

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# Defaults in knowledge bases

---

Often we use **default** assumptions when definite information is not available or when we want to fix a standard value:

- 1 employee(anne)
- 2 employee(bert)
- 3 employee(carla)
- 4 employee(detlef)
- 5 employee(thomas)
- 6 onUnpaidMPaternityLeave(thomas)
- 7  $\text{employee}(X) \wedge \neg \text{onUnpaidMPaternityLeave}(X) \rightarrow \text{gettingSalary}(X)$
- 8 **Typically:**  $\text{employee}(X) \rightarrow \neg \text{onUnpaidMPaternityLeave}(X)$

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# Defaults in common sense reasoning

---

- 1 **Tweety** is a **bird** like other birds.
- 2 During the summer he stays in **Northern Europe**, in the winter he stays in **Africa**.

Introduction

**Motivation**

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# Defaults in common sense reasoning

---

- 1 **Tweety** is a **bird** like other birds.
  - 2 During the summer he stays in **Northern Europe**, in the winter he stays in **Africa**.
- Would you expect Tweety to be able to fly?
  - How does Tweety get from Northern Europe to Africa?

Introduction

**Motivation**

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# Defaults in common sense reasoning

---

- 1 **Tweety** is a **bird** like other birds.
- 2 During the summer he stays in **Northern Europe**, in the winter he stays in **Africa**.
  - Would you expect Tweety to be able to fly?
  - How does Tweety get from Northern Europe to Africa?

How would you formalize this in **formal logic** so that you get the expected answers?

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# A formalization ...

---

- 1 `bird(tweety)`
- 2 `spend-summer(tweety, northern-europe) ∧  
spend-winter(tweety, africa)`
- 3  $\forall x(\text{bird}(x) \rightarrow \text{can-fly}(x))$
- 4 `far-away(northern-europe, africa)`
- 5  $\forall xyz(\text{can-fly}(x) \wedge \text{far-away}(y, z) \wedge \text{spend-summer}(x, y) \wedge \text{spend-winter}(x, z) \rightarrow \text{flies}(x, y, z))$

Introduction

**Motivation**

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# A formalization ...

---

- 1 `bird(tweety)`
  - 2 `spend-summer(tweety, northern-europe) ∧  
spend-winter(tweety, africa)`
  - 3  $\forall x(\text{bird}(x) \rightarrow \text{can-fly}(x))$
  - 4 `far-away(northern-europe, africa)`
  - 5  $\forall xyz(\text{can-fly}(x) \wedge \text{far-away}(y, z) \wedge \text{spend-summer}(x, y) \wedge \text{spend-winter}(x, z) \rightarrow \text{flies}(x, y, z))$
- **But:** The implication (3) is just a **reasonable assumption**.
  - What if Tweety is an **emu**?

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# Examples of such reasoning patterns

---

**Closed world assumption:** Database of **ground atoms**. All ground atoms not present are **assumed** to be false.

**Negation as failure:** In PROLOG, **NOT(P)** means “*P is not provable*” instead of “*P is provably false*”.

**Non-strict inheritance:** An attribute value is **inherited** only if there is no more specialized information contradicting the attribute value.

**Reasoning about actions:** When reasoning about actions, it is usually assumed that a property **changes** only if it **has to change**, i.e., properties by default do not change.

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature



# Default, defeasible, and nonmonotonic reasoning

---

**Default reasoning:** Jump to a conclusion if there is no information that contradicts the conclusion.

**Defeasible reasoning:** Reasoning based on assumptions that can turn out to be wrong: conclusions are defeasible. In particular, default reasoning is defeasible.

**Nonmonotonic reasoning:** In classical logic, the set of consequences grows monotonically with the set of premises. If reasoning is defeasible, then reasoning becomes nonmonotonic.

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# Approaches to nonmonotonic reasoning

---

- **Consistency-based:** **Extend** classical theory by rules that test whether an assumption is consistent with existing beliefs
- ⇒ Nonmonotonic logics such as **DL** (default logic), **NMLP** (nonmonotonic logic programming)

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# Approaches to nonmonotonic reasoning

---

- **Consistency-based:** Extend classical theory by rules that test whether an assumption is consistent with existing beliefs
- ⇒ Nonmonotonic logics such as DL (default logic), NMLP (nonmonotonic logic programming)
- **Entailment-based on normal models:** Models are ordered by normality. Entailment is determined by considering the most normal models only.
- ⇒ Circumscription, preferential and cumulative logics

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# NM Logic – Consistency-based

---

If  $\varphi$  typically implies  $\psi$ ,  $\varphi$  is given, and it is consistent to assume  $\psi$ , then conclude  $\psi$ .

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# NM Logic – Consistency-based

If  $\varphi$  typically implies  $\psi$ ,  $\varphi$  is given, and it is consistent to assume  $\psi$ , then conclude  $\psi$ .

1 Typically  $\text{bird}(x)$  implies  $\text{can-fly}(x)$

2  $\forall x(\text{emu}(x) \rightarrow \text{bird}(x))$

3  $\forall x(\text{emu}(x) \rightarrow \neg \text{can-fly}(x))$

4  $\text{bird}(\text{tweety})$

$\Rightarrow \text{can-fly}(\text{tweety})$

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# NM Logic – Consistency-based

If  $\varphi$  typically implies  $\psi$ ,  $\varphi$  is given, and it is consistent to assume  $\psi$ , then conclude  $\psi$ .

1 Typically  $\text{bird}(x)$  implies  $\text{can-fly}(x)$

2  $\forall x(\text{emu}(x) \rightarrow \text{bird}(x))$

3  $\forall x(\text{emu}(x) \rightarrow \neg \text{can-fly}(x))$

4  $\text{bird}(\text{tweety})$

$\Rightarrow \text{can-fly}(\text{tweety})$

5 ... +  $\text{emu}(\text{tweety})$

$\Rightarrow \neg \text{can-fly}(\text{tweety})$

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# NM Logic – Normal models

---

If  $\varphi$  typically implies  $\psi$ , then the models satisfying  $\varphi \wedge \psi$  should be more normal than those satisfying  $\varphi \wedge \neg\psi$ .

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# NM Logic – Normal models

If  $\varphi$  typically implies  $\psi$ , then the models satisfying  $\varphi \wedge \psi$  should be more normal than those satisfying  $\varphi \wedge \neg\psi$ .

*Similar idea:* try to minimize the interpretation of “Abnormality” predicates.

- 1  $\forall x(\text{bird}(x) \wedge \neg\text{Ab}(x) \rightarrow \text{can-fly}(x))$
- 2  $\forall x(\text{emu}(x) \rightarrow \text{bird}(x))$
- 3  $\forall x(\text{emu}(x) \rightarrow \neg\text{can-fly}(x))$
- 4  $\text{bird}(\text{tweety})$

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature



# NM Logic – Normal models

If  $\varphi$  typically implies  $\psi$ , then the models satisfying  $\varphi \wedge \psi$  should be more normal than those satisfying  $\varphi \wedge \neg\psi$ .

*Similar idea:* try to minimize the interpretation of “Abnormality” predicates.

- 1  $\forall x(\text{bird}(x) \wedge \neg\text{Ab}(x) \rightarrow \text{can-fly}(x))$
- 2  $\forall x(\text{emu}(x) \rightarrow \text{bird}(x))$
- 3  $\forall x(\text{emu}(x) \rightarrow \neg\text{can-fly}(x))$
- 4  $\text{bird}(\text{tweety})$

Minimize interpretation of Ab:  
 $\Rightarrow \text{can-fly}(\text{tweety})$

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# NM Logic – Normal models

If  $\varphi$  typically implies  $\psi$ , then the models satisfying  $\varphi \wedge \psi$  should be more normal than those satisfying  $\varphi \wedge \neg\psi$ .

*Similar idea:* try to minimize the interpretation of “Abnormality” predicates.

- 1  $\forall x(\text{bird}(x) \wedge \neg\text{Ab}(x) \rightarrow \text{can-fly}(x))$
- 2  $\forall x(\text{emu}(x) \rightarrow \text{bird}(x))$
- 3  $\forall x(\text{emu}(x) \rightarrow \neg\text{can-fly}(x))$
- 4  $\text{bird}(\text{tweety})$

Minimize interpretation of Ab:

$\Rightarrow \text{can-fly}(\text{tweety})$

- 5 ... +  $\text{emu}(\text{tweety})$

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

# NM Logic – Normal models

If  $\varphi$  typically implies  $\psi$ , then the models satisfying  $\varphi \wedge \psi$  should be more normal than those satisfying  $\varphi \wedge \neg\psi$ .

*Similar idea:* try to minimize the interpretation of “Abnormality” predicates.

$$1 \quad \forall x(\text{bird}(x) \wedge \neg\text{Ab}(x) \rightarrow \text{can-fly}(x))$$

$$2 \quad \forall x(\text{emu}(x) \rightarrow \text{bird}(x))$$

$$3 \quad \forall x(\text{emu}(x) \rightarrow \neg\text{can-fly}(x))$$

$$4 \quad \text{bird}(\text{tweety})$$

Minimize interpretation of Ab:

$\Rightarrow \text{can-fly}(\text{tweety})$

$$5 \quad \dots + \text{emu}(\text{tweety})$$

$\Rightarrow$  Now in all models (incl. the normal ones):  $\neg \text{can-fly}(\text{tweety})$

Introduction

Motivation

Different forms of reasoning

Different formalizations

Default Logic

Complexity

Special Kinds of Defaults

Literature

---

# Default Logic

Introduction

**Default Logic**

Basics

Extensions

Properties of  
extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds  
of Defaults

Literature

# Default Logic – Outline

---

## Introduction

## Default Logic

Basics

Extensions

Properties of extensions

Normal defaults

Default proofs

Decidability

## Complexity of Default Logic

## Special Kinds of Defaults

Introduction

Default Logic

Basics

Extensions

Properties of  
extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds  
of Defaults

Literature

# Reiter's default logic: motivation

---

- We want to express something like “typically birds fly”.
- Add non-logical inference rule

$$\frac{\text{bird}(x) : \text{can-fly}(x)}{\text{can-fly}(x)}$$

with the intended meaning:

*If  $x$  is a bird and if it is consistent to assume that  $x$  can fly, then conclude that  $x$  can fly.*

Introduction

Default Logic

Basics

Extensions

Properties of extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature

# Reiter's default logic: motivation

- We want to express something like “typically birds fly”.
- Add non-logical inference rule

$$\frac{\text{bird}(x) : \text{can-fly}(x)}{\text{can-fly}(x)}$$

with the intended meaning:

*If  $x$  is a bird and if it is consistent to assume that  $x$  can fly, then conclude that  $x$  can fly.*

- Exceptions can be represented as formulae:

$$\forall x(\text{penguin}(x) \rightarrow \neg \text{can-fly}(x))$$

$$\forall x(\text{emu}(x) \rightarrow \neg \text{can-fly}(x))$$

$$\forall x(\text{kiwi}(x) \rightarrow \neg \text{can-fly}(x))$$

Introduction

Default Logic

Basics

Extensions

Properties of extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature

# Formal framework

---

- FOL with classical provability relation  $\vdash$  and deductive closure:  $\text{Th}(\Phi) := \{\varphi \mid \Phi \vdash \varphi\}$

Introduction

Default Logic

Basics

Extensions

Properties of extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature



- **FOL** with classical provability relation  $\vdash$  and deductive closure:  $\text{Th}(\Phi) := \{\varphi \mid \Phi \vdash \varphi\}$
- **Default rules:**  $\frac{\alpha : \beta}{\gamma}$ 
  - $\alpha$ : **Prerequisite**: must have been derived before rule can be applied.
  - $\beta$ : **Consistency condition**: the negation may not be derivable.
  - $\gamma$ : **Consequence**: will be concluded.
- A default rule is **closed** if it does not contain free variables.
- **(Closed) default theory**: A pair  $\langle D, W \rangle$ , where  $D$  is a countable set of (closed) default rules and  $W$  is a countable set of FOL formulae.

# Extensions of default theories

---

Default theories **extend** the theory given by  $W$  using the default rules in  $D$  ( $\rightsquigarrow$  **extensions**). There may be zero, one, or many extensions.

Introduction

Default Logic

Basics

**Extensions**

Properties of extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature

# Extensions of default theories

Default theories **extend** the theory given by  $W$  using the default rules in  $D$  ( $\rightsquigarrow$  **extensions**). There may be zero, one, or many extensions.

## Example

$$W = \{a, \neg b \vee \neg c\}$$
$$D = \left\{ \frac{a: b}{b}, \frac{a: c}{c} \right\}$$

One **extension** contains  $b$ , the other contains  $c$ .

Introduction

Default Logic

Basics

Extensions

Properties of extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature

# Extensions of default theories

Default theories **extend** the theory given by  $W$  using the default rules in  $D$  ( $\rightsquigarrow$  **extensions**). There may be zero, one, or many extensions.

## Example

$$W = \{a, \neg b \vee \neg c\}$$
$$D = \left\{ \frac{a: b}{b}, \frac{a: c}{c} \right\}$$

One **extension** contains  $b$ , the other contains  $c$ .

**Intuitively**, an **extension** is a set of **beliefs** resulting from  $W$  and  $D$ .

Introduction

Default Logic

Basics

Extensions

Properties of extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature

# Decision problems about extensions in default logic

---

**Existence of extensions:** Does a default theory have an extension?

Introduction

Default Logic

Basics

**Extensions**

Properties of extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature

# Decision problems about extensions in default logic

---

Introduction

Default Logic

Basics

**Extensions**

Properties of extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature

**Existence of extensions:** Does a default theory have an extension?

**Credulous reasoning:** If  $\varphi$  is in at least one extension,  $\varphi$  is a **credulous default conclusion**.

**Skeptical reasoning:** If  $\varphi$  is in all extensions,  $\varphi$  is a **skeptical default conclusion**.

# Extensions (informally)

---

Desirable properties of an **extension**  $E$  of  $\langle D, W \rangle$ :

- 1 Contains all facts:  $W \subseteq E$ .
- 2 Is deductively closed:  $E = \text{Th}(E)$ .
- 3 All applicable default rules have been applied:

**If**

- 1  $(\frac{\alpha:\beta}{\gamma}) \in D$ ,
- 2  $\alpha \in E$ ,
- 3  $\neg\beta \notin E$

**then**  $\gamma \in E$ .

Introduction

Default Logic

Basics

**Extensions**

Properties of extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature

# Extensions (informally)

---

Desirable properties of an **extension**  $E$  of  $\langle D, W \rangle$ :

- 1 Contains all facts:  $W \subseteq E$ .
- 2 Is deductively closed:  $E = \text{Th}(E)$ .
- 3 All applicable default rules have been applied:

**If**

- 1  $(\frac{\alpha:\beta}{\gamma}) \in D$ ,
- 2  $\alpha \in E$ ,
- 3  $\neg\beta \notin E$

**then**  $\gamma \in E$ .

- Further requirement: Application of default rules must follow in sequence (**groundedness**).

Introduction

Default Logic

Basics

Extensions

Properties of extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature



## Example

$$W = \emptyset$$

$$D = \left\{ \frac{a : b}{b}, \frac{b : a}{a} \right\}$$

*Question:* Should  $\text{Th}(\{a, b\})$  be an extension?

Introduction

Default Logic

Basics

**Extensions**

Properties of  
extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds  
of Defaults

Literature

## Example

$$W = \emptyset$$

$$D = \left\{ \frac{a: b}{b}, \frac{b: a}{a} \right\}$$

*Question:* Should  $\text{Th}(\{a, b\})$  be an extension?

*Answer:* No!

$a$  can only be derived if we already have derived  $b$ .

$b$  can only be derived if we already have derived  $a$ .

Introduction

Default Logic

Basics

**Extensions**

Properties of extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature

# Extensions (formally)

## Definition

Let  $\Delta = \langle D, W \rangle$  be a closed default theory.

Let  $E$  be any set of closed formulae.

Define:

$$E_0 = W$$

$$E_i = \text{Th}(E_{i-1}) \cup \left\{ \gamma \mid \frac{\alpha : \beta}{\gamma} \in D, \alpha \in E_{i-1}, \neg\beta \notin E \right\}$$

Introduction

Default Logic

Basics

**Extensions**

Properties of extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature

# Extensions (formally)

## Definition

Let  $\Delta = \langle D, W \rangle$  be a closed default theory.

Let  $E$  be any set of closed formulae.

Define:

$$E_0 = W$$

$$E_i = \text{Th}(E_{i-1}) \cup \left\{ \gamma \mid \frac{\alpha : \beta}{\gamma} \in D, \alpha \in E_{i-1}, \neg\beta \notin E \right\}$$

$E$  is called an **extension** of  $\Delta$  if

$$E = \bigcup_{i=0}^{\infty} E_i.$$

Introduction

Default Logic

Basics

Extensions

Properties of  
extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds  
of Defaults

Literature

# How to use this definition?

---

- The definition does not tell us how to **construct** an extension.
- However, it tells us how to **check** whether a set is an extension:
  - 1 Guess a set  $E$ .
  - 2 Then construct sets  $E_i$  by starting with  $W$ .
  - 3 If  $E = \bigcup_{i=0}^{\infty} E_i$ , then  $E$  is an **extension** of  $\langle D, W \rangle$ .

Introduction

Default Logic

Basics

**Extensions**

Properties of extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature

# Examples

$$D = \left\{ \frac{a: b}{b}, \frac{b: a}{a} \right\}$$

$$W = \{a \vee b\}$$

$$D = \left\{ \frac{a: b}{\neg b} \right\}$$

$$W = \emptyset$$

$$D = \left\{ \frac{a: b}{\neg b} \right\}$$

$$W = \{a\}$$

$$D = \left\{ \frac{:a}{a}, \frac{:b}{b}, \frac{:c}{c} \right\}$$

$$W = \{b \rightarrow \neg a \wedge \neg c\}$$

$$D = \left\{ \frac{:c}{\neg d}, \frac{:d}{\neg e}, \frac{:e}{\neg f} \right\}$$

$$W = \emptyset$$

$$D = \left\{ \frac{:c}{\neg d}, \frac{:d}{\neg c} \right\}$$

$$W = \emptyset$$

$$D = \left\{ \frac{a: b}{c}, \frac{a: d}{e} \right\}$$

$$W = \{a, \neg b \vee \neg d\}$$

Introduction

Default Logic

Basics

Extensions

Properties of extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature

# Questions, questions, questions ...

---

- What can we say about the **existence** of extensions?
- How are the different extensions **related** to each other?
  - Can one extension be a **subset** of another one?
  - Are extensions **pairwise incompatible** (i.e. jointly inconsistent)?
- Can an extension be **inconsistent**?

Introduction

Default Logic

Basics

Extensions

**Properties of extensions**

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature

# Properties of extensions: existence

## Theorem

- 1 *If  $W$  is inconsistent, there is only one extension.*
- 2 *A closed default theory  $\langle D, W \rangle$  has an inconsistent extensions  $E$  if and only if  $W$  is inconsistent.*

Introduction

Default Logic

Basics

Extensions

Properties of extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature



# Properties of extensions: existence

## Theorem

- 1 *If  $W$  is inconsistent, there is only one extension.*
- 2 *A closed default theory  $\langle D, W \rangle$  has an inconsistent extensions  $E$  if and only if  $W$  is inconsistent.*

## Proof idea.

- 1 If  $W$  is inconsistent, no default rule is applicable and  $\text{Th}(W)$  is the only extension (which is inconsistent as well).
- 2 Claim 1  $\Rightarrow$  the **if**-part.  
For **only if**: Let  $W$  be consistent and assume that there exists an inconsistent extension  $E$ .  
Then there exists a consistent  $E_i$  such that  $E_{i+1}$  is inconsistent.  
That is, there is at least one applied default  $\alpha_i: \beta_i / \gamma_i$  with  $\gamma_i \in E_{i+1} \setminus \text{Th}(E_i)$ ,  $\alpha_i \in E_i$ , and  $\neg\beta_i \notin E$ .  
But this contradicts the inconsistency of  $E$ . □

Introduction

Default Logic

Basics

Extensions

Properties of extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature

# Properties of extensions

---

## Theorem

*If  $E$  and  $F$  are extensions of  $\langle D, W \rangle$  such that  $E \subseteq F$ , then  $E = F$ .*

Introduction

Default Logic

Basics

Extensions

**Properties of extensions**

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds  
of Defaults

Literature

# Properties of extensions

## Theorem

If  $E$  and  $F$  are extensions of  $\langle D, W \rangle$  such that  $E \subseteq F$ , then  $E = F$ .

## Proof sketch.

$E = \bigcup_{i=0}^{\infty} E_i$  and  $F = \bigcup_{i=0}^{\infty} F_i$ . Use induction to show  $F_i \subseteq E_i$ .

Base case  $i = 0$ : Trivially  $E_0 = F_0 = W$ .

Inductive case  $i \geq 1$ : Assume  $\gamma \in F_{i+1}$ . Two cases:

- 1  $\gamma \in \text{Th}(F_i)$  implies  $\gamma \in \text{Th}(E_i)$  (because  $F_i \subseteq E_i$  by IH), and therefore  $\gamma \in E_{i+1}$ .
- 2 Otherwise  $\frac{\alpha:\beta}{\gamma} \in D$ ,  $\alpha \in F_i$ ,  $\neg\beta \notin F$ . However, then we have  $\alpha \in E_i$  (because  $F_i \subseteq E_i$ ) and  $\neg\beta \notin E$  (because of  $E \subseteq F$ ), i.e.,  $\gamma \in E_{i+1}$ . □

Introduction

Default Logic

Basics

Extensions

Properties of extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature

# Normal default theories

---

All defaults in a **normal default theory** are **normal**:

$$\frac{\alpha : \beta}{\beta}.$$

Introduction

Default Logic

Basics

Extensions

Properties of  
extensions

**Normal defaults**

Default proofs

Decidability

Complexity

Special Kinds  
of Defaults

Literature

# Normal default theories

All defaults in a **normal default theory** are **normal**:

$$\frac{\alpha : \beta}{\beta}.$$

## Theorem

*Normal default theories have at least one extension.*

Introduction

Default Logic

Basics

Extensions

Properties of extensions

**Normal defaults**

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature

# Normal default theories

All defaults in a **normal default theory** are **normal**:

$$\frac{\alpha : \beta}{\beta}.$$

## Theorem

*Normal default theories have at least one extension.*

## Proof sketch.

If  $W$  inconsistent, trivial.

Otherwise construct

$$\begin{aligned} E_0 &= W \\ E_{i+1} &= \text{Th}(E_i) \cup T_i \end{aligned} \quad E = \bigcup_{i=0}^{\infty} E_i$$

where  $T_i$  is a maximal set s.t. (1)  $E_i \cup T_i$  is consistent and (2) if  $\beta \in T_i$  then there is  $\frac{\alpha : \beta}{\beta} \in D$  and  $\alpha \in E_i$ .

Introduction

Default Logic

Basics

Extensions

Properties of extensions

**Normal defaults**

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature

# Normal default theories: extensions are orthogonal

## Theorem (Orthogonality)

*Let  $E$  and  $F$  be distinct extensions of a normal default theory.  
Then  $E \cup F$  is inconsistent.*

## Proof.

Let  $E = \bigcup E_i$  and  $F = \bigcup F_j$

Introduction

Default Logic

Basics

Extensions

Properties of  
extensions

**Normal defaults**

Default proofs

Decidability

Complexity

Special Kinds  
of Defaults

Literature

# Normal default theories: extensions are orthogonal

## Theorem (Orthogonality)

*Let  $E$  and  $F$  be distinct extensions of a normal default theory.  
Then  $E \cup F$  is inconsistent.*

## Proof.

Let  $E = \bigcup E_i$  and  $F = \bigcup F_i$  with

$$E_{i+1} = \text{Th}(E_i) \cup \left\{ \beta \mid \frac{\alpha : \beta}{\beta} \in D, \alpha \in E_i, \neg \beta \notin E \right\}$$

Introduction

Default Logic

Basics

Extensions

Properties of  
extensions

**Normal defaults**

Default proofs

Decidability

Complexity

Special Kinds  
of Defaults

Literature



# Normal default theories: extensions are orthogonal

## Theorem (Orthogonality)

*Let  $E$  and  $F$  be distinct extensions of a normal default theory.  
Then  $E \cup F$  is inconsistent.*

## Proof.

Let  $E = \bigcup E_i$  and  $F = \bigcup F_i$  with

$$E_{i+1} = \text{Th}(E_i) \cup \left\{ \beta \mid \frac{\alpha: \beta}{\beta} \in D, \alpha \in E_i, \neg\beta \notin E \right\}$$

and the same for  $F$ .

Since  $E \neq F$ , there exists a smallest  $i$  such that  $E_{i+1} \neq F_{i+1}$ .

Introduction

Default Logic

Basics

Extensions

Properties of  
extensions

**Normal defaults**

Default proofs

Decidability

Complexity

Special Kinds  
of Defaults

Literature

# Normal default theories: extensions are orthogonal

## Theorem (Orthogonality)

*Let  $E$  and  $F$  be distinct extensions of a normal default theory.  
Then  $E \cup F$  is inconsistent.*

## Proof.

Let  $E = \bigcup E_i$  and  $F = \bigcup F_i$  with

$$E_{i+1} = \text{Th}(E_i) \cup \left\{ \beta \mid \frac{\alpha : \beta}{\beta} \in D, \alpha \in E_i, \neg \beta \notin E \right\}$$

and the same for  $F$ .

Since  $E \neq F$ , there exists a smallest  $i$  such that  $E_{i+1} \neq F_{i+1}$ . This means there exists  $\frac{\alpha : \beta}{\beta} \in D$  with  $\alpha \in E_i = F_i$ , but with, say,  $\beta \in E_{i+1}$  and  $\beta \notin F_{i+1}$ .

Introduction

Default Logic

Basics

Extensions

Properties of extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature

# Normal default theories: extensions are orthogonal

## Theorem (Orthogonality)

*Let  $E$  and  $F$  be distinct extensions of a normal default theory.  
Then  $E \cup F$  is inconsistent.*

## Proof.

Let  $E = \bigcup E_i$  and  $F = \bigcup F_i$  with

$$E_{i+1} = \text{Th}(E_i) \cup \left\{ \beta \mid \frac{\alpha: \beta}{\beta} \in D, \alpha \in E_i, \neg\beta \notin E \right\}$$

and the same for  $F$ .

Since  $E \neq F$ , there exists a smallest  $i$  such that  $E_{i+1} \neq F_{i+1}$ . This means there exists  $\frac{\alpha: \beta}{\beta} \in D$  with  $\alpha \in E_i = F_i$ , but with, say,  $\beta \in E_{i+1}$  and  $\beta \notin F_{i+1}$ . This is only possible if  $\neg\beta \in F$ .

This means,  $\beta \in E$  and  $\neg\beta \in F$ , i.e.,  $E \cup F$  is inconsistent. □

Introduction

Default Logic

Basics

Extensions

Properties of extensions

Normal defaults

Default proofs

Decidability

Complexity

Special Kinds of Defaults

Literature

# Default proofs in normal default theories

## Definition

A **default proof of  $\gamma$**  in a normal default theory  $\langle D, W \rangle$  is a finite sequence of defaults  $(\delta_i = \frac{\alpha_i : \beta_i}{\beta_i})_{i=1, \dots, n}$  in  $D$  such that

- 1  $W \cup \{\beta_1, \dots, \beta_n\} \vdash \gamma$ ,
- 2  $W \cup \{\beta_1, \dots, \beta_n\}$  is consistent, and
- 3  $W \cup \{\beta_1, \dots, \beta_k\} \vdash \alpha_{k+1}$ , for  $0 \leq k \leq n - 1$ .

Introduction

Default Logic

Basics

Extensions

Properties of extensions

Normal defaults

**Default proofs**

Decidability

Complexity

Special Kinds of Defaults

Literature

# Default proofs in normal default theories

## Definition

A **default proof** of  $\gamma$  in a normal default theory  $\langle D, W \rangle$  is a finite sequence of defaults  $(\delta_i = \frac{\alpha_i : \beta_i}{\beta_i})_{i=1, \dots, n}$  in  $D$  such that

- 1  $W \cup \{\beta_1, \dots, \beta_n\} \vdash \gamma$ ,
- 2  $W \cup \{\beta_1, \dots, \beta_n\}$  is consistent, and
- 3  $W \cup \{\beta_1, \dots, \beta_k\} \vdash \alpha_{k+1}$ , for  $0 \leq k \leq n - 1$ .

## Theorem

Let  $\Delta = \langle D, W \rangle$  be a normal default theory so that  $W$  is consistent. Then  $\gamma$  has a default proof in  $\Delta$  if and only if there exists an extension  $E$  of  $\Delta$  such that  $\gamma \in E$ .

Test 2 (**consistency**) in the proof procedure suggests that default provability is not even **semi-decidable**.

# Decidability

## Theorem

*It is not semi-decidable to test whether a formula follows (skeptically or credulously) from a default theory.*

## Proof.

Let  $\langle D, W \rangle$  be a default theory with  $W = \emptyset$  and  $D = \left\{ \frac{\cdot}{\beta} \right\}$  with  $\beta$  an arbitrary closed FOL formula. Clearly,  $\beta$  is in some/all extensions of  $\langle D, W \rangle$  if and only if  $\beta$  is satisfiable.

The existence of a semi-decision procedure for default proofs implies that there is a semi-decision procedure for satisfiability in FOL.

But this is not possible because FOL validity is semi-decidable and this together with semi-decidability of FOL satisfiability would imply decidability of FOL, which is not the case. □

Introduction

Default Logic

Basics

Extensions

Properties of extensions

Normal defaults

Default proofs

**Decidability**

Complexity

Special Kinds of Defaults

Literature

---

# Complexity of Default Logic

Introduction

Default Logic

**Complexity**

Propositional DL

Complexity of DL

Special Kinds  
of Defaults

Literature

# Propositional default logic

---

- Propositional DL is decidable.
- How difficult is reasoning in propositional DL?

Introduction

Default Logic

Complexity

Propositional DL

Complexity of DL

Special Kinds  
of Defaults

Literature



# Propositional default logic

---

- Propositional DL is decidable.
- How difficult is reasoning in propositional DL?
- The skeptical default reasoning problem (does  $\varphi$  follow from  $\Delta$  skeptically:  $\Delta \mid\sim \varphi$ ?) is called **PDS**, credulous reasoning is called **LPDS**.

Introduction

Default Logic

Complexity

Propositional DL

Complexity of DL

Special Kinds  
of Defaults

Literature

# Propositional default logic

---

- **Propositional DL** is decidable.
- How difficult is reasoning in propositional DL?
- The **skeptical default reasoning** problem (does  $\varphi$  follow from  $\Delta$  skeptically:  $\Delta \mid \sim \varphi$ ?) is called **PDS**, credulous reasoning is called **LPDS**.
- PDS is **coNP-hard**:  
consider  $D = \emptyset$ ,  $W = \emptyset$
- LPDS is **NP-hard**:  
consider  $D = \left\{ \frac{:\beta}{\beta} \right\}$ ,  $W = \emptyset$ .

Introduction

Default Logic

Complexity

Propositional DL

Complexity of DL

Special Kinds  
of Defaults

Literature

# Skeptical reasoning in propositional DL

## Lemma

$$PDS \in \Pi_2^p.$$

Introduction

Default Logic

Complexity

Propositional DL

Complexity of DL

Special Kinds  
of Defaults

Literature

# Skeptical reasoning in propositional DL

## Lemma

$$PDS \in \Pi_2^P.$$

## Proof sketch.

We show that the complementary problem **UNPDS** (is there an extension  $E$  such that  $\varphi \notin E$ ) is in  $\Sigma_2^P$ .

The **algorithm**:

- 1 **Guess** set  $T \subseteq D$  of defaults, those that are applied.



Introduction

Default Logic

Complexity

Propositional DL

Complexity of DL

Special Kinds  
of Defaults

Literature

# Skeptical reasoning in propositional DL

## Lemma

$$PDS \in \Pi_2^p.$$

## Proof sketch.

We show that the complementary problem **UNPDS** (is there an extension  $E$  such that  $\varphi \notin E$ ) is in  $\Sigma_2^p$ .

The **algorithm**:

- 1 **Guess** set  $T \subseteq D$  of defaults, those that are applied.
- 2 **Verify** that defaults in  $T$  lead to  $E$ , using a **SAT oracle** and the guessed  $E := \text{Th} \left( \left\{ \gamma: \frac{\alpha:\beta}{\gamma} \in T \right\} \cup W \right)$ .



Introduction

Default Logic

Complexity

Propositional DL

Complexity of DL

Special Kinds  
of Defaults

Literature

# Skeptical reasoning in propositional DL

## Lemma

$$PDS \in \Pi_2^p.$$

## Proof sketch.

We show that the complementary problem **UNPDS** (is there an extension  $E$  such that  $\varphi \notin E$ ) is in  $\Sigma_2^p$ .

The **algorithm**:

- 1 **Guess** set  $T \subseteq D$  of defaults, those that are applied.
- 2 **Verify** that defaults in  $T$  lead to  $E$ , using a **SAT oracle** and the guessed  $E := \text{Th} \left( \left\{ \gamma: \frac{\alpha:\beta}{\gamma} \in T \right\} \cup W \right)$ .
- 3 **Verify** that  $\left\{ \gamma: \frac{\alpha:\beta}{\gamma} \in T \right\} \cup W \not\models \varphi$  (**SAT oracle**).



Introduction

Default Logic

Complexity

Propositional DL

Complexity of DL

Special Kinds  
of Defaults

Literature

# Skeptical reasoning in propositional DL

## Lemma

$$PDS \in \Pi_2^p.$$

## Proof sketch.

We show that the complementary problem UNPDS (is there an extension  $E$  such that  $\varphi \notin E$ ) is in  $\Sigma_2^p$ .

The algorithm:

- 1 **Guess** set  $T \subseteq D$  of defaults, those that are applied.
  - 2 **Verify** that defaults in  $T$  lead to  $E$ , using a **SAT oracle** and the guessed  $E := \text{Th} \left( \left\{ \gamma: \frac{\alpha:\beta}{\gamma} \in T \right\} \cup W \right)$ .
  - 3 **Verify** that  $\left\{ \gamma: \frac{\alpha:\beta}{\gamma} \in T \right\} \cup W \not\models \varphi$  (**SAT oracle**).
- $\rightsquigarrow$  UNPDS  $\in \Sigma_2^p$ .



Introduction

Default Logic

Complexity

Propositional DL

Complexity of DL

Special Kinds  
of Defaults

Literature

# $\Pi_2^p$ -Hardness

## Lemma

*PDS is  $\Pi_2^p$ -hard.*

## Proof sketch.

Reduction from  $2\text{-}\forall\exists\text{-QBF}$  to PDS:

Introduction

Default Logic

Complexity

Propositional DL

Complexity of DL

Special Kinds  
of Defaults

Literature



# $\Pi_2^p$ -Hardness

## Lemma

*PDS is  $\Pi_2^p$ -hard.*

## Proof sketch.

Reduction from  $2\text{-}\forall\exists\text{-QBF}$  to PDS: For  $\forall \vec{a} \exists \vec{b} \varphi(\vec{a}, \vec{b})$  with  $\vec{a} = a_1, \dots, a_n$  and  $\vec{b} = b_1, \dots, b_m$  construct  $\Delta = \langle D, W \rangle$  with

$$D = \left\{ \frac{: a_i}{a_i}, \frac{: \neg a_i}{\neg a_i}, \frac{: \varphi(\vec{a}, \vec{b})}{\varphi(\vec{a}, \vec{b})} \right\}, \quad W = \emptyset$$

No extension contains both  $a_i$  and  $\neg a_i$ .

Introduction

Default Logic

Complexity

Propositional DL

Complexity of DL

Special Kinds  
of Defaults

Literature

# $\Pi_2^p$ -Hardness

## Lemma

*PDS is  $\Pi_2^p$ -hard.*

## Proof sketch.

Reduction from 2- $\forall\exists$ -QBF to PDS: For  $\forall \vec{a} \exists \vec{b} \varphi(\vec{a}, \vec{b})$  with  $\vec{a} = a_1, \dots, a_n$  and  $\vec{b} = b_1, \dots, b_m$  construct  $\Delta = \langle D, W \rangle$  with

$$D = \left\{ \frac{: a_i}{a_i}, \frac{: \neg a_i}{\neg a_i}, \frac{: \varphi(\vec{a}, \vec{b})}{\varphi(\vec{a}, \vec{b})} \right\}, \quad W = \emptyset$$

No extension contains both  $a_i$  and  $\neg a_i$ . Then:

Introduction

Default Logic

Complexity

Propositional DL

Complexity of DL

Special Kinds  
of Defaults

Literature

# $\Pi_2^p$ -Hardness

## Lemma

*PDS is  $\Pi_2^p$ -hard.*

## Proof sketch.

Reduction from 2- $\forall\exists$ -QBF to PDS: For  $\forall \vec{a} \exists \vec{b} \varphi(\vec{a}, \vec{b})$  with  $\vec{a} = a_1, \dots, a_n$  and  $\vec{b} = b_1, \dots, b_m$  construct  $\Delta = \langle D, W \rangle$  with

$$D = \left\{ \frac{: a_i}{a_i}, \frac{: \neg a_i}{\neg a_i}, \frac{: \varphi(\vec{a}, \vec{b})}{\varphi(\vec{a}, \vec{b})} \right\}, \quad W = \emptyset$$

No extension contains both  $a_i$  and  $\neg a_i$ . Then:

$$\Delta \mid \sim \varphi(\vec{a}, \vec{b})$$

Introduction

Default Logic

Complexity

Propositional DL

Complexity of DL

Special Kinds  
of Defaults

Literature

# $\Pi_2^p$ -Hardness

## Lemma

*PDS is  $\Pi_2^p$ -hard.*

## Proof sketch.

Reduction from 2- $\forall\exists$ -QBF to PDS: For  $\forall \vec{a} \exists \vec{b} \varphi(\vec{a}, \vec{b})$  with  $\vec{a} = a_1, \dots, a_n$  and  $\vec{b} = b_1, \dots, b_m$  construct  $\Delta = \langle D, W \rangle$  with

$$D = \left\{ \frac{: a_i}{a_i}, \frac{: \neg a_i}{\neg a_i}, \frac{: \varphi(\vec{a}, \vec{b})}{\varphi(\vec{a}, \vec{b})} \right\}, \quad W = \emptyset$$

No extension contains both  $a_i$  and  $\neg a_i$ . Then:

$$\Delta \models \varphi(\vec{a}, \vec{b}) \quad \text{iff for all } E: \varphi(\vec{a}, \vec{b}) \in E \text{ (by } \frac{: \varphi(\vec{a}, \vec{b})}{\varphi(\vec{a}, \vec{b})} \in D)$$

Introduction

Default Logic

Complexity

Propositional DL

Complexity of DL

Special Kinds  
of Defaults

Literature

# $\Pi_2^p$ -Hardness

## Lemma

*PDS is  $\Pi_2^p$ -hard.*

## Proof sketch.

Reduction from 2- $\forall\exists$ -QBF to PDS: For  $\forall \vec{a} \exists \vec{b} \varphi(\vec{a}, \vec{b})$  with  $\vec{a} = a_1, \dots, a_n$  and  $\vec{b} = b_1, \dots, b_m$  construct  $\Delta = \langle D, W \rangle$  with

$$D = \left\{ \frac{: a_i}{a_i}, \frac{: \neg a_i}{\neg a_i}, \frac{: \varphi(\vec{a}, \vec{b})}{\varphi(\vec{a}, \vec{b})} \right\}, \quad W = \emptyset$$

No extension contains both  $a_i$  and  $\neg a_i$ . Then:

$\Delta \models \varphi(\vec{a}, \vec{b})$  iff for all  $E$ :  $\varphi(\vec{a}, \vec{b}) \in E$  (by  $\frac{: \varphi(\vec{a}, \vec{b})}{\varphi(\vec{a}, \vec{b})} \in D$ )

iff for all consis.  $A \subseteq \{a_1, \neg a_1, \dots, a_n, \neg a_n\}$ :  $A \not\models \neg \varphi(\vec{a}, \vec{b})$

Introduction

Default Logic

Complexity

Propositional DL

Complexity of DL

Special Kinds  
of Defaults

Literature

# $\Pi_2^p$ -Hardness

## Lemma

*PDS is  $\Pi_2^p$ -hard.*

## Proof sketch.

Reduction from 2- $\forall\exists$ -QBF to PDS: For  $\forall \vec{a} \exists \vec{b} \varphi(\vec{a}, \vec{b})$  with  $\vec{a} = a_1, \dots, a_n$  and  $\vec{b} = b_1, \dots, b_m$  construct  $\Delta = \langle D, W \rangle$  with

$$D = \left\{ \frac{: a_i}{a_i}, \frac{: \neg a_i}{\neg a_i}, \frac{: \varphi(\vec{a}, \vec{b})}{\varphi(\vec{a}, \vec{b})} \right\}, \quad W = \emptyset$$

No extension contains both  $a_i$  and  $\neg a_i$ . Then:

$\Delta \models \varphi(\vec{a}, \vec{b})$  iff for all  $E$ :  $\varphi(\vec{a}, \vec{b}) \in E$  (by  $\frac{: \varphi(\vec{a}, \vec{b})}{\varphi(\vec{a}, \vec{b})} \in D$ )

iff for all consis.  $A \subseteq \{a_1, \neg a_1, \dots, a_n, \neg a_n\}$ :  $A \not\models \neg \varphi(\vec{a}, \vec{b})$

iff  $\forall \vec{a} \exists \vec{b} \varphi(\vec{a}, \vec{b})$  is true.  $\square$

Introduction

Default Logic

Complexity

Propositional DL

Complexity of DL

Special Kinds  
of Defaults

Literature

# Conclusions & remarks

## Theorem

*PDS is  $\Pi_2^P$ -complete, even for defaults of the form  $\frac{: \alpha}{\alpha}$ .*

## Theorem

*LPDS is  $\Sigma_2^P$ -complete, even for defaults of the form  $\frac{: \alpha}{\alpha}$ .*

Introduction

Default Logic

Complexity

Propositional DL

Complexity of DL

Special Kinds  
of Defaults

Literature

# Conclusions & remarks

## Theorem

*PDS is  $\Pi_2^p$ -complete, even for defaults of the form  $\frac{: \alpha}{\alpha}$ .*

## Theorem

*LPDS is  $\Sigma_2^p$ -complete, even for defaults of the form  $\frac{: \alpha}{\alpha}$ .*

- PDS is “easier” than reasoning in most modal logics.
- General and normal defaults have the same complexity.
- Polynomial special cases cannot be achieved by restricting, for example, to **Horn clauses** (satisfiability testing in polynomial time).
- It is necessary to restrict the underlying **monotonic reasoning problem** and the **number of extensions**.
- Similar results hold for other **nonmonotonic logics**.

Introduction

Default Logic

Complexity

Propositional DL

Complexity of DL

Special Kinds  
of Defaults

Literature



---

# Special Kinds of Defaults

Introduction

Default Logic

Complexity

**Special Kinds  
of Defaults**

Semi-normal  
defaults

Open defaults

Outlook

Literature

# Semi-normal defaults (1)

---

Semi-normal defaults are sometimes useful:

$$\frac{\alpha : \beta \wedge \gamma}{\beta}$$

Introduction

Default Logic

Complexity

Special Kinds  
of Defaults

**Semi-normal  
defaults**

Open defaults

Outlook

Literature

# Semi-normal defaults (1)

---

Semi-normal defaults are sometimes useful:

$$\frac{\alpha : \beta \wedge \gamma}{\beta}$$

Important when one has **interacting** defaults:

Introduction

Default Logic

Complexity

Special Kinds  
of Defaults

Semi-normal  
defaults

Open defaults

Outlook

Literature

# Semi-normal defaults (1)

Semi-normal defaults are sometimes useful:

$$\frac{\alpha : \beta \wedge \gamma}{\beta}$$

Important when one has **interacting** defaults:

$$\frac{\text{Adult}(x) : \text{Employed}(x)}{\text{Employed}(x)}$$

$$\frac{\text{Student}(x) : \text{Adult}(x)}{\text{Adult}(x)}$$

$$\frac{\text{Student}(x) : \neg\text{Employed}(x)}{\neg\text{Employed}(x)}$$

Introduction

Default Logic

Complexity

Special Kinds  
of Defaults

Semi-normal  
defaults

Open defaults

Outlook

Literature

# Semi-normal defaults (1)

Semi-normal defaults are sometimes useful:

$$\frac{\alpha : \beta \wedge \gamma}{\beta}$$

Important when one has **interacting** defaults:

$$\frac{\text{Adult}(x) : \text{Employed}(x)}{\text{Employed}(x)}$$

$$\frac{\text{Student}(x) : \text{Adult}(x)}{\text{Adult}(x)}$$

$$\frac{\text{Student}(x) : \neg\text{Employed}(x)}{\neg\text{Employed}(x)}$$

For **Student(TOM)** we get two extensions: one with **Employed(TOM)** and the other one with  $\neg\text{Employed(TOM)}$ .

Introduction

Default Logic

Complexity

Special Kinds  
of Defaults

Semi-normal  
defaults

Open defaults

Outlook

Literature

# Semi-normal defaults (1)

**Semi-normal** defaults are sometimes useful:

$$\frac{\alpha : \beta \wedge \gamma}{\beta}$$

Important when one has **interacting** defaults:

$$\frac{\text{Adult}(x) : \text{Employed}(x)}{\text{Employed}(x)}$$

$$\frac{\text{Student}(x) : \text{Adult}(x)}{\text{Adult}(x)}$$

$$\frac{\text{Student}(x) : \neg\text{Employed}(x)}{\neg\text{Employed}(x)}$$

For **Student(TOM)** we get two extensions: one with **Employed(TOM)** and the other one with  $\neg\text{Employed(TOM)}$ . Since the third rule is “**more specific**”, we may prefer it.

Introduction

Default Logic

Complexity

Special Kinds  
of Defaults

Semi-normal  
defaults

Open defaults

Outlook

Literature

## Semi-normal defaults (2)

---

- Since being a student is an exception, we could use a **semi-normal** default to exclude students from employed adults:

[Introduction](#)

[Default Logic](#)

[Complexity](#)

[Special Kinds  
of Defaults](#)

**Semi-normal  
defaults**

[Open defaults](#)

[Outlook](#)

[Literature](#)

## Semi-normal defaults (2)

---

- Since being a student is an exception, we could use a **semi-normal** default to exclude students from employed adults:

$$\frac{\text{Student}(x) : \neg\text{Employed}(x)}{\neg\text{Employed}(x)}$$
$$\frac{\text{Adult}(x) : \text{Employed}(x) \wedge \neg\text{Student}(x)}{\text{Employed}(x)}$$
$$\frac{\text{Student}(x) : \text{Adult}(x)}{\text{Adult}(x)}$$

Introduction

Default Logic

Complexity

Special Kinds  
of Defaults

Semi-normal  
defaults

Open defaults

Outlook

Literature



## Semi-normal defaults (2)

- Since being a student is an exception, we could use a **semi-normal** default to exclude students from employed adults:

$$\frac{\text{Student}(x) : \neg\text{Employed}(x)}{\neg\text{Employed}(x)}$$
$$\frac{\text{Adult}(x) : \text{Employed}(x) \wedge \neg\text{Student}(x)}{\text{Employed}(x)}$$
$$\frac{\text{Student}(x) : \text{Adult}(x)}{\text{Adult}(x)}$$

- Representing conflict-resolution by semi-normal defaults becomes clumsy when the number of default rules becomes high.

Introduction

Default Logic

Complexity

Special Kinds  
of Defaults

Semi-normal  
defaults

Open defaults

Outlook

Literature

## Semi-normal defaults (2)

- Since being a student is an exception, we could use a **semi-normal** default to exclude students from employed adults:

$$\frac{\text{Student}(x) : \quad \neg\text{Employed}(x)}{\neg\text{Employed}(x)}$$
$$\frac{\text{Adult}(x) : \quad \text{Employed}(x) \wedge \neg\text{Student}(x)}{\text{Employed}(x)}$$
$$\frac{\text{Student}(x) : \quad \text{Adult}(x)}{\text{Adult}(x)}$$

- Representing conflict-resolution by semi-normal defaults becomes clumsy when the number of default rules becomes high.
- A scheme for assigning **priorities** would be more elegant (there are indeed such schemes).

Introduction

Default Logic

Complexity

Special Kinds  
of Defaults

Semi-normal  
defaults

Open defaults

Outlook

Literature

# Open defaults (1)

---

- Our examples included **open defaults**, but the theory covers only **closed defaults**.
- If we have  $\frac{\alpha(\vec{x}):\beta(\vec{x})}{\gamma(\vec{x})}$ , then the variables should stand for all **nameable** objects.
- **Problem**: What about objects that have been introduced implicitly, e.g., via formulae such a  $\exists xP(x)$ .
- **Solution by Reiter**: Skolemization of all formulae in  $W$  and  $D$ .
- **Interpretation**: An open default stands for all the closed defaults resulting from substituting **ground terms** for the variables.

Introduction

Default Logic

Complexity

Special Kinds  
of Defaults

Semi-normal  
defaults

Open defaults

Outlook

Literature

# Open defaults (2)

---

Skolemization can create problems because it preserves satisfiability, but it is not an equivalence transformation

Introduction

Default Logic

Complexity

Special Kinds  
of Defaults

Semi-normal  
defaults

**Open defaults**

Outlook

Literature

# Open defaults (2)

Skolemization can create problems because it preserves satisfiability, but it is not an equivalence transformation.

## Example

$$\forall x(\text{Man}(x) \leftrightarrow \neg \text{Woman}(x))$$
$$\forall x(\text{Man}(x) \rightarrow (\exists y(\text{Spouse}(x, y) \wedge \text{Woman}(y)) \vee \text{Bachelor}(x)))$$
$$\text{Man}(\text{TOM})$$
$$\text{Spouse}(\text{TOM}, \text{MARY})$$
$$\text{Woman}(\text{MARY})$$
$$\frac{: \text{Man}(x)}{\text{Man}(x)}$$

Skolemization of  $\exists y$ : ... enables concluding  $\text{Bachelor}(\text{TOM})!$   
The reason is that for  $g(\text{TOM})$  we get  $\text{Man}(g(\text{TOM}))$  by default  
(where  $g$  is the Skolem function).

Introduction

Default Logic

Complexity

Special Kinds  
of Defaults

Semi-normal  
defaults

Open defaults

Outlook

Literature

# Open defaults (3)

---

It is even worse: Logically equivalent theories can have different extensions:

Introduction

Default Logic

Complexity

Special Kinds  
of Defaults

Semi-normal  
defaults

**Open defaults**

Outlook

Literature

# Open defaults (3)

---

It is even worse: Logically equivalent theories can have different extensions:

$$W_1 = \{ \exists x(P(c, x) \vee Q(c, x)) \}$$

$$W_2 = \{ \exists xP(c, x) \vee \exists xQ(c, x) \}$$

$$D = \left\{ \frac{P(x, y) \vee Q(x, y): R}{R} \right\}$$

Introduction

Default Logic

Complexity

Special Kinds  
of Defaults

Semi-normal  
defaults

Open defaults

Outlook

Literature

## Open defaults (3)

It is even worse: Logically equivalent theories can have different extensions:

$$\begin{aligned}W_1 &= \{\exists x(P(c, x) \vee Q(c, x))\} \\W_2 &= \{\exists xP(c, x) \vee \exists xQ(c, x)\} \\D &= \left\{ \frac{P(x, y) \vee Q(x, y): R}{R} \right\}\end{aligned}$$

$W_1$  and  $W_2$  are logically equivalent. However, the Skolemization of  $W_1$ , symbolically  $s(W_1)$ , is not equivalent with  $s(W_2)$ . The only extension of  $\langle D, W_1 \rangle$  is  $\text{Th}(s(W_1) \cup R)$ . The only extension of  $\langle D, W_2 \rangle$  is  $\text{Th}(s(W_2))$ .

Introduction

Default Logic

Complexity

Special Kinds  
of Defaults

Semi-normal  
defaults

Open defaults

Outlook

Literature



## Open defaults (3)

It is even worse: Logically equivalent theories can have different extensions:

$$\begin{aligned}W_1 &= \{\exists x(P(c, x) \vee Q(c, x))\} \\W_2 &= \{\exists xP(c, x) \vee \exists xQ(c, x)\} \\D &= \left\{ \frac{P(x, y) \vee Q(x, y): R}{R} \right\}\end{aligned}$$

$W_1$  and  $W_2$  are logically equivalent. However, the Skolemization of  $W_1$ , symbolically  $s(W_1)$ , is not equivalent with  $s(W_2)$ . The only extension of  $\langle D, W_1 \rangle$  is  $\text{Th}(s(W_1) \cup R)$ . The only extension of  $\langle D, W_2 \rangle$  is  $\text{Th}(s(W_2))$ .

**Note:** Skolemization is not the right method to deal with open defaults in the general case.

Introduction

Default Logic

Complexity

Special Kinds  
of Defaults

Semi-normal  
defaults

Open defaults

Outlook

Literature

Although Reiter's definition of DL makes sense, one can come up with a number of variations and extend the investigation ...

- Extensions can be defined differently (e.g., by remembering consistency conditions).
- ... or by removing the groundedness condition.
- Open defaults can be handled differently (more model-theoretically).
- General proof methods for the finite, decidable case
- Applications of default logic:
  - Diagnosis
  - Reasoning about actions

[Introduction](#)

[Default Logic](#)

[Complexity](#)

[Special Kinds of Defaults](#)

[Semi-normal defaults](#)

[Open defaults](#)

[Outlook](#)

[Literature](#)

# Literature

---

Introduction

Default Logic

Complexity

Special Kinds  
of Defaults

Literature



Raymond Reiter.

A logic for default reasoning.

**Artificial Intelligence**, 13(1):81–132, April 1980.



Georg Gottlob.

Complexity results for nonmonotonic logics.

**Journal for Logic and Computation**, 2(3), 1992.



Marco Cadoli and Marco Schaerf.

A survey of complexity results for non-monotonic logics.

**The Journal of Logic Programming** 17: 127–160, 1993.



Gerhard Brewka.

**Nonmonotonic Reasoning: Logical Foundations of Commonsense.**

Cambridge University Press, Cambridge, UK, 1991.