

Principles of Knowledge Representation and Reasoning

Propositional Logic

Albert-Ludwigs-Universität Freiburg



Bernhard Nebel, Stefan Wölfl, and Julien Hué

October 24, 2012

1 Why Logic?



Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

- Logic is one of the best developed systems for **representing knowledge**.
- Can be used for analysis, design and specification.
- Understanding formal logic is a prerequisite for understanding most research papers in KRR.

Why Logic?

Propositional Logic

Syntax

Semantics

Terminology

Decision Problems and Resolution

- Logics of different **orders** (1st, 2nd, ...)
- **Modal** logics
 - epistemic
 - temporal
 - dynamic (program)
 - multi-modal logics
 - ...
- **Many-valued** logics
- **Nonmonotonic** logics
- **Intuitionistic** logics
- ...

Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

- Define a **formal language**: logical & non-logical symbols, syntax rules
- Provide language with **compositional semantics**
 - Fix **universe** of discourse
 - Specify how the non-logical symbols can be **interpreted**: **interpretation**
 - Rules how to **combine** interpretation of single symbols
 - **Satisfying interpretation** = **model**
 - Semantics often entails concept of **logical implication/entailment**
- Specify a **calculus** that allows to **derive** new formulae from old ones – according to the entailment relation

Why Logic?

Propositional Logic

Syntax

Semantics

Terminology

Decision Problems and Resolution

2 Propositional Logic



Why Logic?

Propositional Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

- **Non-logical symbols:** propositional **variables** or **atoms**
 - representing **propositions** which cannot be decomposed
 - which can be **true** or **false** (for example: “Snow is white”, “It rains”)
- **Logical symbols:** propositional connectives such as:
and (\wedge), **or** (\vee), and **not** (\neg)
- **Formulae:** built out of atoms and connectives
- **Universe of discourse:** truth values

Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

3 Syntax



Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

Countable alphabet Σ of **atomic propositions**: a, b, c, \dots

Propositional formulae are built according to the following **rule**:

φ	\longrightarrow	a	atomic formula
		\perp	falsity
		\top	truth
		$\neg\varphi'$	negation
		$(\varphi' \wedge \varphi'')$	conjunction
		$(\varphi' \vee \varphi'')$	disjunction
		$(\varphi' \rightarrow \varphi'')$	implication
		$(\varphi' \leftrightarrow \varphi'')$	equivalence

Parentheses can be omitted if no ambiguity arises.

Operator precedence: $\neg > \wedge > \vee > \rightarrow = \leftrightarrow$.

Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

- $(a \vee b)$ is an expression of the language of **propositional logic**.
- $\varphi \longrightarrow a \mid \dots \mid (\varphi' \leftrightarrow \varphi'')$ is a statement about how expressions in the language of propositional logic can be formed. It is stated using **meta-language**.
- In order to describe how expressions (in this case formulae) can be formed, we use meta-language.
- When we describe how to interpret formulae, we use meta-language expressions.

Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

4 Semantics



Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

- Atomic propositions can be **true** (1, T) or **false** (0, F).
- Provided the truth values of the atoms have been fixed (**truth assignment** or **interpretation**), the truth value of a formula can be computed from the truth values of the atoms and the connectives.
- **Example:**

$$(a \vee b) \wedge c$$

is true **iff** c is true and, additionally, a or b is true.

Logical implication can then be defined as follows:

- ϕ is **implied** by a set of formulae Θ iff ϕ is true for all truth assignments (world states) that make all formulae in Θ true.

Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

An **interpretation** or **truth assignment** over Σ is a function:

$$\mathcal{I}: \Sigma \rightarrow \{T, F\}.$$

A formula ψ is **true under** \mathcal{I} or is **satisfied by** \mathcal{I} (symb. $\mathcal{I} \models \psi$):

$$\mathcal{I} \models a \quad \text{iff} \quad \mathcal{I}(a) = T$$

$$\mathcal{I} \models \top$$

$$\mathcal{I} \not\models \perp$$

$$\mathcal{I} \models \neg \varphi \quad \text{iff} \quad \mathcal{I} \not\models \varphi$$

$$\mathcal{I} \models \varphi \wedge \varphi' \quad \text{iff} \quad \mathcal{I} \models \varphi \text{ and } \mathcal{I} \models \varphi'$$

$$\mathcal{I} \models \varphi \vee \varphi' \quad \text{iff} \quad \mathcal{I} \models \varphi \text{ or } \mathcal{I} \models \varphi'$$

$$\mathcal{I} \models \varphi \rightarrow \varphi' \quad \text{iff} \quad \text{if } \mathcal{I} \models \varphi \text{ then } \mathcal{I} \models \varphi'$$

$$\mathcal{I} \models \varphi \leftrightarrow \varphi' \quad \text{iff} \quad \mathcal{I} \models \varphi \text{ if and only if } \mathcal{I} \models \varphi'$$

Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

Example

Given

$$\mathcal{I} : a \mapsto T, b \mapsto F, c \mapsto F, d \mapsto T,$$

Is $((a \vee b) \leftrightarrow (c \vee d)) \wedge (\neg(a \wedge c) \vee (c \wedge \neg d))$ true or false?

$$((a \vee b) \leftrightarrow (c \vee d)) \wedge (\neg(a \wedge c) \vee (c \wedge \neg d))$$

$$((a \vee b) \leftrightarrow (c \vee d)) \wedge (\neg(a \wedge c) \vee (c \wedge \neg d))$$

$$((a \vee b) \leftrightarrow (c \vee d)) \wedge (\neg(a \wedge c) \vee (c \wedge \neg d))$$

$$((a \vee b) \leftrightarrow (c \vee d)) \wedge (\neg(a \wedge c) \vee (c \wedge \neg d))$$

$$((a \vee b) \leftrightarrow (c \vee d)) \wedge (\neg(a \wedge c) \vee (c \wedge \neg d))$$

Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

5 Terminology



Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

An interpretation \mathcal{I} is a **model** of φ iff

$$\mathcal{I} \models \varphi$$

A formula φ is

- **satisfiable** if there is an \mathcal{I} such that $\mathcal{I} \models \varphi$;
- **unsatisfiable**, otherwise; and
- **valid** if $\mathcal{I} \models \varphi$ for each \mathcal{I} (or **tautology**);
- **falsifiable**, otherwise.

Two formulae φ and ψ are **logically equivalent** (symb. $\varphi \equiv \psi$) if for all interpretations \mathcal{I} ,

$$\mathcal{I} \models \varphi \text{ iff } \mathcal{I} \models \psi.$$

Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

Satisfiable, unsatisfiable, falsifiable, valid?

$$(a \vee b \vee \neg c) \wedge (\neg a \vee \neg b \vee d) \wedge (\neg a \vee b \vee \neg d)$$

\rightsquigarrow satisfiable: $a \mapsto T, b \mapsto F, d \mapsto F, \dots$

\rightsquigarrow falsifiable: $a \mapsto F, b \mapsto F, c \mapsto T, \dots$

$$((\neg a \rightarrow \neg b) \rightarrow (b \rightarrow a))$$

\rightsquigarrow satisfiable: $a \mapsto T, b \mapsto T$

\rightsquigarrow valid: Consider all interpretations or argue about falsifying ones.

Equivalence? $\neg(a \vee b) \equiv \neg a \wedge \neg b$

\rightsquigarrow Of course, equivalent (de Morgan).

Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

Proposition

ϕ is valid iff $\neg\phi$ is unsatisfiable and ϕ is satisfiable iff $\neg\phi$ is falsifiable.

Proposition

$\phi \equiv \psi$ iff $\phi \leftrightarrow \psi$ is valid.

Theorem

If $\phi \equiv \psi$ and χ' results from substituting ϕ by ψ in χ , then $\chi' \equiv \chi$.

Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

Some equivalences



simplifications	$\varphi \rightarrow \psi \equiv \neg\varphi \vee \psi$	$\varphi \leftrightarrow \psi \equiv (\varphi \rightarrow \psi) \wedge (\psi \rightarrow \varphi)$
idempotency	$\varphi \vee \varphi \equiv \varphi$	$\varphi \wedge \varphi \equiv \varphi$
commutativity	$\varphi \vee \psi \equiv \psi \vee \varphi$	$\varphi \wedge \psi \equiv \psi \wedge \varphi$
associativity	$(\varphi \vee \psi) \vee \chi \equiv \varphi \vee (\psi \vee \chi)$	$(\varphi \wedge \psi) \wedge \chi \equiv \varphi \wedge (\psi \wedge \chi)$
absorption	$\varphi \vee (\varphi \wedge \psi) \equiv \varphi$	$\varphi \wedge (\varphi \vee \psi) \equiv \varphi$
distributivity	$\varphi \wedge (\psi \vee \chi) \equiv (\varphi \wedge \psi) \vee (\varphi \wedge \chi)$	$\varphi \vee (\psi \wedge \chi) \equiv (\varphi \vee \psi) \wedge (\varphi \vee \chi)$
double negation	$\neg\neg\varphi \equiv \varphi$	
constants	$\neg\top \equiv \perp$	$\neg\perp \equiv \top$
De Morgan	$\neg(\varphi \vee \psi) \equiv \neg\varphi \wedge \neg\psi$	$\neg(\varphi \wedge \psi) \equiv \neg\varphi \vee \neg\psi$
truth	$\varphi \vee \top \equiv \top$	$\varphi \wedge \top \equiv \varphi$
falsity	$\varphi \vee \perp \equiv \varphi$	$\varphi \wedge \perp \equiv \perp$
taut./contrad.	$\varphi \vee \neg\varphi \equiv \top$	$\varphi \wedge \neg\varphi \equiv \perp$

Why Logic?

Propositional Logic

Syntax

Semantics

Terminology

Decision Problems and Resolution

How many different formulae are there ...

... for a given **finite** alphabet Σ ?

- Infinitely many: $a, a \vee a, a \wedge a, a \vee a \vee a, \dots$
- How many different logically distinguishable (not equivalent) formulae?
 - For Σ with $n = |\Sigma|$, there are 2^n different interpretations.
 - A formula can be characterized by its set of models (if two formulae are not logically equivalent, then their sets of models differ).
 - There are $2^{(2^n)}$ different sets of interpretations.
 - There are $2^{(2^n)}$ (logical) equivalence classes of formulae.

Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

- Extension of the relation \models to sets Θ of formulae:

$$\mathcal{I} \models \Theta \text{ iff } \mathcal{I} \models \varphi \text{ for all } \varphi \in \Theta.$$

- φ is **logically implied** by Θ (symbolically $\Theta \models \varphi$) iff φ is true in all models of Θ :

$$\Theta \models \varphi \text{ iff } \mathcal{I} \models \varphi \text{ for all } \mathcal{I} \text{ such that } \mathcal{I} \models \Theta$$

- Some consequences:

- **Deduction theorem:** $\Theta \cup \{\varphi\} \models \psi$ iff $\Theta \models \varphi \rightarrow \psi$
- **Contraposition:** $\Theta \cup \{\varphi\} \models \neg\psi$ iff $\Theta \cup \{\psi\} \models \neg\varphi$
- **Contradiction:** $\Theta \cup \{\varphi\}$ is unsatisfiable iff $\Theta \models \neg\varphi$

Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

Terminology:

- Atomic formulae a , negated atomic formulae $\neg a$, truth \top and falsity \perp are **literals**.
- A disjunction of literals is a **clause**.
- If \neg only occurs in front of an atom and there are no \rightarrow and \leftrightarrow , the formula is in **negation normal form (NNF)**.

Example: $(\neg a \vee \neg b) \wedge c$, **but not:** $\neg(a \wedge b) \wedge c$

- A conjunction of clauses is in **conjunctive normal form (CNF)**.

Example: $(a \vee b) \wedge (\neg a \vee c)$

- The dual form (disjunction of conjunctions of literals) is in **disjunctive normal form (DNF)**.

Example: $(a \wedge b) \vee (\neg a \wedge c)$

Why Logic?

Propositional Logic

Syntax

Semantics

Terminology

Decision Problems and Resolution

Theorem

For each propositional formula there is a logically equivalent formula in NNF.

Proof.

First eliminate \rightarrow and \leftrightarrow by the appropriate equivalences.

Base case: Claim is true for a , $\neg a$, \top , \perp .

Inductive case: Assume claim is true for all formulae φ (up to a certain number of connectives) and call its NNF $\text{nnf}(\varphi)$.

- $\text{nnf}(\varphi \wedge \psi) = (\text{nnf}(\varphi) \wedge \text{nnf}(\psi))$
- $\text{nnf}(\varphi \vee \psi) = (\text{nnf}(\varphi) \vee \text{nnf}(\psi))$
- $\text{nnf}(\neg(\varphi \wedge \psi)) = (\text{nnf}(\neg\varphi) \vee \text{nnf}(\neg\psi))$
- $\text{nnf}(\neg(\varphi \vee \psi)) = (\text{nnf}(\neg\varphi) \wedge \text{nnf}(\neg\psi))$
- $\text{nnf}(\neg\neg\varphi) = \text{nnf}(\varphi)$

□

Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

Theorem

For each propositional formula there are logically equivalent formulae in CNF and DNF, respectively.

Beweis.

The claim is true for a , $\neg a$, \top , \perp .

Let us assume it is true for all formulae φ (up to a certain number of connectives) and call its CNF $\text{cnf}(\varphi)$ (and its DNF $\text{dnf}(\varphi)$).

- $\text{cnf}(\neg\varphi) = \text{nnf}(\neg\text{dnf}(\varphi))$ and $\text{cnf}(\varphi \wedge \psi) = \text{cnf}(\varphi) \wedge \text{cnf}(\psi)$.
- Assume $\text{cnf}(\varphi) = \bigwedge_i \chi_i$ and $\text{cnf}(\psi) = \bigwedge_j \rho_j$ with χ_i, ρ_j being clauses.
Then
$$\text{cnf}(\varphi \vee \psi) = \text{cnf}((\bigwedge_i \chi_i) \vee (\bigwedge_j \rho_j)) = \bigwedge_i \bigwedge_j (\chi_i \vee \rho_j) \quad (\text{by distributivity})$$



Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

6 Decision Problems and Resolution



- Completeness
- Resolution Strategies
- Horn Clauses

Why Logic?

Propositional Logic

Syntax

Semantics

Terminology

Decision Problems and Resolution

Completeness

Resolution Strategies

Horn Clauses

How do we decide whether a formula is satisfiable, unsatisfiable, valid, or falsifiable?

Note: Satisfiability and falsifiability are **NP-complete**. Validity and unsatisfiability are **co-NP-complete**.

- A CNF formula is valid iff all clauses contain two complementary literals or \top .
- A DNF formula is satisfiable iff one disjunct does not contain \perp or two complementary literals.
- However, transformation to CNF or DNF may take exponential time (and space!).
- One can try out all truth assignments.
- One can test systematically for satisfying truth assignments (backtracking) \rightsquigarrow **Davis-Putnam-Logemann-Loveland**.

Why Logic?

Propositional Logic

Syntax

Semantics

Terminology

Decision Problems and Resolution

Completeness

Resolution Strategies

Horn Clauses

- We want to decide $\Theta \models \varphi$.
- Use deduction theorem and reduce to validity:

$$\Theta \models \varphi \text{ iff } \bigwedge \Theta \rightarrow \varphi \text{ is valid.}$$

- Now negate and test for unsatisfiability using DPLL.
- Different approach: Try to **derive** φ from Θ – find a **proof** of φ from Θ .
- Use **inference rules** to **derive** new formulae from Θ .
Continue to deduce new formulae until φ can be deduced.
- One particular calculus: **resolution**.

Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

Completeness

Resolution
Strategies

Horn Clauses

- We assume that all formulae are in CNF.
 - Can be generated using the described method.
 - Often formulae are already close to CNF.
 - There is a “cheap” conversion from arbitrary formulae to CNF that **preserves satisfiability** – which is enough as we will see.
- More convenient representation:
 - CNF formula is represented as a set.
 - Each clause is a set of literals.
 - $(a \vee \neg b) \wedge (\neg a \vee c) \rightsquigarrow \{\{a, \neg b\}, \{\neg a, c\}\}$
- Empty clause (symbolically \square) and empty set of clauses (symbolically \emptyset) are different!

Why Logic?

Propositional Logic

Syntax

Semantics

Terminology

Decision Problems and Resolution

Completeness

Resolution Strategies

Horn Clauses

Resolution: the inference rule

Let I be a literal and \bar{I} its complement.

The resolution rule

$$\frac{C_1 \cup \{I\}, C_2 \cup \{\bar{I}\}}{C_1 \cup C_2}$$

$C_1 \cup C_2$ is the **resolvent** of the **parent clauses** $C_1 \cup \{I\}$ and $C_2 \cup \{\bar{I}\}$. I and \bar{I} are the **resolution literals**.

Example: $\{a, b, \neg c\}$ resolves with $\{a, d, c\}$ to $\{a, b, d\}$.

Note: The resolvent is **not** logically equivalent to the set of parent clauses!

Notation:

$$R(\Delta) = \{C \mid C \text{ is resolvent of two clauses in } \Delta\}$$

Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

Completeness

Resolution
Strategies

Horn Clauses

D can be **derived** from Δ by resolution (symbolically $\Delta \vdash D$) if there is a sequence C_1, \dots, C_n of clauses such that

1 $C_n = D$ and

$C_i \in R(\Delta \cup \{C_1, \dots, C_{i-1}\})$, for all $i \in \{1, \dots, n\}$.

Define $R^*(\Delta) = \{D \mid \Delta \vdash D\}$.

Theorem (Soundness of resolution)

Let D be a clause. If $\Delta \vdash D$ then $\Delta \models D$.

Proof idea.

Show $\Delta \models D$ if $D \in R(\Delta)$ and use induction on proof length.

Let $C_1 \cup \{I\}$ and $C_2 \cup \{\bar{I}\}$ be the parent clauses of $D = C_1 \cup C_2$.

Assume $\mathcal{I} \models \Delta$, we have to show $\mathcal{I} \models D$.

Case 1: $\mathcal{I} \models I$ then $\exists m \in C_2$ s.t. $\mathcal{I} \models m$. This implies $\mathcal{I} \models D$.

Case 2: $\mathcal{I} \models \bar{I}$ similarly, $\exists m \in C_1$ s.t. $\mathcal{I} \models m$.

This means that each model \mathcal{I} of Δ also satisfies D , i.e., $\Delta \models D$.



Why Logic?

Propositional Logic

Syntax

Semantics

Terminology

Decision Problems and Resolution

Completeness

Resolution Strategies

Horn Clauses

Resolution: completeness?

Do we have

$$\Delta \models \varphi \text{ implies } \Delta \vdash \varphi?$$

Of course, could only hold for CNF. However:

$$\left\{ \{a, b\}, \{\neg b, c\} \right\} \models \{a, b, c\}$$
$$\left\{ \{a, b\}, \{\neg b, c\} \right\} \not\models \{a, b, c\}$$

However, one can show that resolution is **refutation-complete**:

$$\Delta \text{ is unsatisfiable iff } \Delta \vdash \square.$$

Entailment: Reduce to unsatisfiability testing and decide by resolution.

Why Logic?

Propositional Logic

Syntax

Semantics

Terminology

Decision Problems and Resolution

Completeness

Resolution Strategies

Horn Clauses

- Trying out all different resolutions can be very costly,
- and might not be necessary.
- There are different **resolution strategies**.
- Examples:
 - **Input resolution** ($R_I(\cdot)$): In each resolution step, one of the parent clauses must be a clause of the input set.
 - **Unit resolution** ($R_U(\cdot)$): In each resolution step, one of the parent clauses must be a unit clause.
 - Not all strategies are (refutation) completeness preserving. Neither input nor unit resolution is. However, there are others.

Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

Completeness

Resolution
Strategies

Horn Clauses

Horn clauses: Clauses with at most one positive literal

Example: $(a \vee \neg b \vee \neg c), (\neg b \vee \neg c)$

Proposition

Unit resolution is refutation-complete for Horn clauses.

Proof idea.

Consider $R_U^*(\Delta)$ of Horn clause set Δ . We have to show that if

$\square \notin R_U^*(\Delta)$, then $\Delta (\equiv R_U^*(\Delta))$ is satisfiable.

- Assign **true** to all unit clauses in $R_U^*(\Delta)$.
- Those clauses that do not contain a literal l such that $\{l\}$ is one of the unit clauses have at least one negative literal.
- Assign true to these literals.
- Results in satisfying truth assignment for $R_U^*(\Delta)$ (and $\Delta \subseteq R_U^*(\Delta)$).

□

Why Logic?

Propositional Logic

Syntax

Semantics

Terminology

Decision Problems and Resolution

Completeness

Resolution Strategies

Horn Clauses



Harry R. Lewis and Christos H. Papadimitriou.

Elements of the Theory of Computation.

Prentice-Hall, Englewood Cliffs, NJ, 1981 (Chapters 8 & 9).



Volker Sperschneider and Grigorios Antoniou.

Logic – A Foundation for Computer Science.

Addison-Wesley, Reading, MA, 1991 (Chapters 1–3).



H.-P. Ebbinghaus, J. Flum, and W. Thomas.

Einführung in die mathematische Logik.

Wissenschaftliche Buchgesellschaft, Darmstadt, 1986.



U. Schöning.

Logik für Informatiker.

Spektrum-Verlag, 5th edition, 2000.

Why Logic?

Propositional
Logic

Syntax

Semantics

Terminology

Decision
Problems and
Resolution

Completeness

Resolution
Strategies

Horn Clauses