

# Principles of Knowledge Representation and Reasoning

## Dynamics of belief

Albert-Ludwigs-Universität Freiburg



Bernhard Nebel, Stefan Wölfl, and Julien Hué  
Winter Semester 2012/2013

## 1 Introduction



Introduction  
Link between  
revision and update

Belief  
revision

Several  
sources -  
belief  
merging

Bibliography

- Link between revision and update

Nebel, Wölfl, Hué – KRR

3 / 52

## Principles



Introduction  
Link between  
revision and update

Belief  
revision

Several  
sources -  
belief  
merging

Bibliography

Propositional logic flaws:

- The world is not always static.
- The knowledge about the world is sometimes uncertain or imprecise

Therefore:

- Need the possibility to incorporate new (possibly contradictory) beliefs;
- Need to take into account change in the world;

Nebel, Wölfl, Hué – KRR

4 / 52

## The Guettier argument



Introduction  
Link between  
revision and update

Belief  
revision

Several  
sources -  
belief  
merging

Bibliography

Plato - Theaetetus: A knowledge (a rightful opinion) is a piece of

- 1 Justified True Belief

Agrippa's trilemma - A problem with the justification:

- 1 Either the justification stops to some unjustified belief;
- 2 The justification is infinite (Socrates' clouds);
- 3 The justification is supported by affirmations it is supposed to justify (Baron Münchhausen's hair).

Nebel, Wölfl, Hué – KRR

5 / 52

Three solutions:

**Foundationalism** Allow for unjustified beliefs

- Formalization issues
- Humans don't keep track of sources
- **TMS System**

**"Infinitism"** Allow for infinite justification

- Does it really make sense?

**Coherentism** Allow for circular justifications

- What is a solid belief?
- **Belief revision/update**

- In any cases, information is extremely important and should not be discarded carelessly.

Arrow's impossibility theorem - there is no voting system which respects:

- Non-dictatorship  
(all voters should be taken into account);
- Universality  
(complete and deterministic ranking);
- Independence of irrelevant alternatives  
(ranking between  $x$  and  $y$  depends only on  $x$  and  $y$ );
- Pareto efficiency  
(if all preferences states  $x < y$ , then so must the results).

- We have a theory about the world, and the new information is meant to **correct** our theory

↪ **belief revision**: change your belief state minimally in order to accommodate the new information

- We have a (supposedly) correct theory about the current state of the world, and the new information is meant to record a **change** in the world

↪ **belief update**: incorporate the change by assuming that the world has changed minimally

Assume the new information is consistent with our old beliefs.

- In case of **belief revision**, we would like to add the new information monotonically to our old beliefs.
- For **belief update** this is not necessarily the case.
  - Assume we know that the **door is open or the window is open**.
  - Assume we learn that the world has changed and the **door is now closed**.
- In this case, we do not want to add this information monotonically to our theory, since we would be forced to conclude that **the window is open**.

## Overview of an operation

What are the criteria for definition of a belief revision operation?

Gärdenfors and Rott - belief revision (1995):

- 1 How are beliefs represented?
- 2 What is the relation between beliefs represented explicitly in the belief base and beliefs which can be derived from them?
- 3 In the face of a contradiction, how to deal with both new and old information?

## Belief base, belief set or interpretation?

General assumption:

- A **belief set** is a deductively closed theory, i.e.,  $K = \text{Cn}(K)$  with Cn the **consequence operator**
- $\mathcal{L}$ : logical language (propositional logic)
- $\text{Th}_{\mathcal{L}}$ : set of deductively closed theories (or belief sets) over  $\mathcal{L}$

### Belief change operations

Monotonic addition:  $+: \text{Th}_{\mathcal{L}} \times \mathcal{L} \rightarrow \text{Th}_{\mathcal{L}}$

$$K + \psi = \text{Cn}(K \cup \{\psi\})$$

Revision:  $\dot{+}: \text{Th}_{\mathcal{L}} \times \mathcal{L} \rightarrow \text{Th}_{\mathcal{L}}$

## Semantic or syntactic

Consider  $K = \{a, b\}$  and  $K' = \{a \wedge b\}$ . What is happening to  $K \dot{+} \{\neg a\}$ ?

### Semantic

- No difference between  $K$  and  $K'$

$a$	$b$	$\mathcal{I}$
0	0	0
0	1	0
1	0	0
1	1	1

### Syntactic

- $X = \{b\}$  is the only maximal subset of  $K$  s.t.  $X \cup \{\neg a\}$  is consistent.
- $X' = \emptyset$  is the only maximal subset of  $K'$  s.t.  $X' \cup \{\neg a\}$  is consistent.

## 2 Belief revision

- Formal properties
- Standard revision operations
- Semantic approaches

# What is a good revision operator?

- Consistency: a revision has to produce a consistent set of beliefs;
- Minimality of change: a revision has to change the fewest possible beliefs;
- Priority to the new information: the 'new' information is considered more important than the 'old' one.

# The AGM postulates

Characterization for belief sets' revision

## AGM postulates:

- (+1)  $K \dot{+} \phi \in \text{Th}_{\mathcal{L}}$ ;
- (+2)  $\phi \in K \dot{+} \phi$ ;
- (+3)  $K \dot{+} \phi \subseteq K + \phi$ ;
- (+4) If  $\neg\phi \notin K$ , then  $K + \phi \subseteq K \dot{+} \phi$ ;
- (+5)  $K \dot{+} \phi = \text{Cn}(\perp)$  only if  $\vdash \neg\phi$ ;
- (+6) If  $\vdash \phi \leftrightarrow \psi$  then  $K \dot{+} \phi = K \dot{+} \psi$ ;
- (+7)  $K \dot{+} (\phi \wedge \psi) \subseteq (K \dot{+} \phi) + \psi$ ;
- (+8) If  $\neg\psi \notin K \dot{+} \phi$ , then  $(K \dot{+} \phi) + \psi \subseteq K \dot{+} (\phi \wedge \psi)$ .

# The Levi identity

Revision can be defined in terms of two suboperations.

- $+$  (**expansion**) denotes the simple union of beliefs;
- $-$  (**contraction**) denotes the removal of information contradicting the input.

## The Levi identity

$$K \dot{+} \phi \equiv \text{Cn}[(K - \neg\phi) + \phi]$$

## Example

$$K = \{a, a \rightarrow b\} \quad \phi = \{ \neg b \}?$$

$$K - \neg\phi = \{a\} \text{ or } \{a \rightarrow b\}$$

$$K \dot{+} \neg\phi = \{a, \neg b\} \text{ or } \{a \rightarrow b, \neg b\}$$

# Full-meet contraction

## Definition

We denote by  $K \perp \phi$  the set of maximal (wrt set-theoretic inclusion) subsets  $J$  of  $K$  such that  $J \not\vdash \phi$ .

## Definition

**Full-meet contraction** is defined by  $K - \phi = \bigcap (K \perp \phi)$ .

Is full-meet contraction reasonable?

- No! It is far too cautious.
- It can nevertheless be used as a lower bound to any reasonable operator.

$K \dot{+} \phi = \bigcap (K \perp \phi) + \phi$  is referred to as the **full-meet revision**.

# Full-meet contraction

Properties



## Proposition

Full-meet revision respects all AGM postulates.

## Proof

(+1) and (+2) are true by construction

(+3) Two cases: (1) If  $K + \varphi$  is consistent then  $K - \varphi = K$  and  $K \dot{+} \varphi = K + \varphi$ . (2) If  $K + \varphi$  is inconsistent then  $K + \varphi = \text{Cn}(\perp)$  and  $K \dot{+} \varphi \subseteq K + \varphi$ .

(+4) Because  $K \not\vdash \neg\varphi$  then  $K \perp \varphi = \{K\}$  and thus  $K \dot{+} \varphi = K + \varphi$ .

(+5)  $K \dot{+} \varphi = \text{Cn}(\bigcap_{\alpha \in (K \perp \varphi)} \alpha \cup \varphi)$ . But  $\forall \alpha, \alpha \cup \varphi \not\vdash \perp$ , therefore  $\bigcap_{\alpha \in (K \perp \varphi)} \alpha \cup \varphi \not\vdash \perp$  (as PL is monotonic).

(+6) Lets assume that  $\alpha \in K \perp \varphi$  but  $\alpha \notin K \perp \Psi$ . Two cases: (1)  $\alpha \cup \Psi \vdash \perp \xrightarrow{(\varphi \leftrightarrow \Psi)} \alpha \cup \varphi \vdash \perp$  which is not possible. (2)  $\exists \beta$  s.t.  $\alpha \subsetneq \beta$  and  $\beta \cup \Psi \not\vdash \perp \xrightarrow{(\varphi \leftrightarrow \Psi)} \beta \cup \varphi \not\vdash \perp$  which is not possible.

(+7) and (+8) Left as exercises...

Introduction

Belief revision

Formal properties  
Standard revision operations  
Semantic approaches

Several sources - belief merging

Bibliography

# Maxi-choice contraction



On the other side, one can ask for the principle of minimality to be strictly respected.

## Definition

A selection function for  $K$  is a function  $\gamma$  such that for all sentences  $\varphi$ :

- 1 If  $K \perp \varphi$  is non-empty, then  $\gamma(K \perp \varphi)$  is a non-empty subset of  $K \perp \varphi$ , and
- 2 If  $K \perp \varphi$  is empty, then  $\gamma(K \perp \varphi) = \{K\}$ .

## Definition

Maxichoice contraction is defined as  $K - \varphi = \gamma(K \perp \varphi)$  where  $\gamma$  is a selection function.

Introduction

Belief revision

Formal properties  
Standard revision operations  
Semantic approaches

Several sources - belief merging

Bibliography

# Partial-meet contraction

Maxi-choice can be too bold: there is sometimes no reason to trust one piece more than one another.

## Definition

A partial-meet revision operation is an operation defined as:

$$K \dot{+} \varphi = \bigcap \gamma(K \perp \varphi) + \varphi$$

Seems to be a good compromise between full-meet and maxi-choice

Introduction

Belief revision

Formal properties  
Standard revision operations  
Semantic approaches

Several sources - belief merging

Bibliography

# Distance-based revision operations



## Definition

The Dalal revision operation, denoted by  $\dot{+}_D$ , is defined as:

$$K \dot{+}_D \varphi = \min(\text{extMod}(\varphi), \leq_K)$$

where  $d_H$  is the Hamming Distance and

$\alpha \leq_K \beta$  iff  $\exists \omega \in \text{extMod}(K), \forall \omega' \in \text{extMod}(K), d_H(\alpha, \omega) \leq d_H(\beta, \omega')$

## Example

	a	b	c
$\mathcal{I}_{\varphi_1}$	0	0	0
$\mathcal{I}_{\varphi_2}$	0	0	1
	0	1	0
$\mathcal{I}_{K_1}$	0	1	1
	1	0	0
$\mathcal{I}_{K_2}$	1	0	1
	1	1	0
$\mathcal{I}_{K_3}$	1	1	1

Let  $\varphi = \{\neg a, \neg b\}$  and  $K = \{(a \vee b) \wedge c\}$ :

$$d(\mathcal{I}_{\varphi_1}, \mathcal{I}_{K_1}) = 2 \quad d(\mathcal{I}_{\varphi_2}, \mathcal{I}_{K_1}) = 1$$

$$d(\mathcal{I}_{\varphi_1}, \mathcal{I}_{K_2}) = 2 \quad d(\mathcal{I}_{\varphi_2}, \mathcal{I}_{K_2}) = 1$$

$$d(\mathcal{I}_{\varphi_1}, \mathcal{I}_{K_3}) = 3 \quad d(\mathcal{I}_{\varphi_2}, \mathcal{I}_{K_3}) = 2$$

Introduction

Belief revision

Formal properties  
Standard revision operations  
Semantic approaches

Several sources - belief merging

Bibliography

## Some complexity result

### Formula-based approaches

The question does  $\Psi$  belongs to  $K \dot{+} \varphi$  (if  $\dot{+}$  is a full-meet revision operator) is  $\Delta_2^P - (\Sigma_1^P \cup \Pi_1^P)$  provided that  $NP \neq co-NP$ .

#### proof

If  $\dot{+}$  is a full-meet revision,  $\Psi \in Cn(K) \dot{+} \varphi$  can be solved by the following algorithm: if  $K \not\models \neg\Psi$ , then  $K \cup \Psi \models \varphi$  else  $\Psi \models \varphi \rightarrow$  Membership in  $\Delta_2^P$ .

Furthermore, SAT can be polynomially transformed to full-meet revision by solving  $\Psi \in Cn(\Psi) \dot{+} \top$  and UNSAT can be polynomially transform to full-meet revision by solving  $\perp \in Cn(\emptyset) \dot{+} \Psi$ . Hence, assuming that full-meet revision belongs to both NP and co-NP would lead to  $NP = co-NP$ .

Introduction

Belief revision

Formal properties  
Standard revision operations  
Semantic approaches

Several sources - belief merging

Bibliography

## 3 Several sources - belief merging

- Postulational aspects
- Distance-based merging
- Syntactic merging

Introduction

Belief revision

Several sources - belief merging

Postulational aspects  
Distance-based merging  
Syntactic merging

Bibliography

## Principles of belief merging

There is not only one source for the information:

- Voting procedure;
- Expert system;
- Distributed databases;
- multisource knowledge acquisition.

Constructing a belief base which represents the several sources and which:

- solves the contradiction;
- reduces the redundancies;
- is consistent.

Introduction


Belief revision

Several sources - belief merging

Postulational aspects  
Distance-based merging  
Syntactic merging

Bibliography

## Merging in the general case



Introduction

Belief revision

Several sources - belief merging

Postulational aspects  
Distance-based merging  
Syntactic merging

Bibliography

## General assumption:

- $K_1, \dots, K_n$  are belief bases;
- $E = \{K_1, \dots, K_n\}$  is a **multi-set** of belief bases and is called a **belief profile**;
- $IC$  is a propositional formula standing for constraints;
- $\sqcup$  stands for multi-set union.

Introduction

Belief revision

Several sources - belief merging

Postulational aspects  
Distance-based merging  
Syntactic merging

Bibliography

## Operation

Belief merging operation:  $\Delta : \mathcal{L}^n \times \mathcal{L} \rightarrow \mathcal{L}$

Sometimes also called **fusion** operation.

- (KP0)  $\Delta_{IC}(E) \models IC$ .
- (KP1) If  $IC$  is consistent, then  $\Delta_{IC}(E)$  is consistent.
- (KP2) If  $\bigwedge E \wedge IC$  is consistent, then  $\Delta_{IC}(E) = \bigwedge E \wedge IC$ .
- (KP3) If  $E_1 \equiv E_2$  and  $IC_1 \equiv IC_2$ , then  $\Delta_{IC_1}(E_1) \equiv \Delta_{IC_2}(E_2)$ .
- (KP4) If  $K_1 \models IC$  and  $K_2 \models IC$ , then  $\Delta_{IC}(K_1 \sqcup K_2) \wedge K_1 \not\models \perp$  implies  $\Delta_{IC}(K_1 \sqcup K_2) \wedge K_2 \not\models \perp$ .
- (KP5)  $\Delta_{IC}(E_1) \wedge \Delta_{IC}(E_2) \models \Delta_{IC}(E_1 \sqcup E_2)$ .
- (KP6) If  $\Delta_{IC}(E_1) \wedge \Delta_{IC}(E_2)$  is consistent, then  $\Delta_{IC}(E_1 \sqcup E_2) \models \Delta_{IC}(E_1) \wedge \Delta_{IC}(E_2)$ .
- (KP7)  $\Delta_{IC_1}(E) \wedge IC_2 \models \Delta_{IC_1 \wedge IC_2}(E)$ .
- (KP8) If  $\Delta_{IC_1}(E) \wedge IC_2$  is consistent, then  $\Delta_{IC_1 \wedge IC_2}(E) \models \Delta_{IC_1}(E) \wedge IC_2$ .

Introduction

Belief revision

Several sources - belief merging

Postulational aspects  
Distance-based merging  
Syntactic merging

Bibliography

## Arbitration (Arb)

$$\left. \begin{array}{l} \Delta_{IC_1}(K_1) \leftrightarrow \Delta_{IC_2}(K_2) \\ \Delta_{IC_1 \leftrightarrow \neg IC_2}(K_1 \sqcup K_2) \leftrightarrow (IC_1 \leftrightarrow \neg IC_2) \\ IC_1 \neg \vdash IC_2 \\ IC_2 \neg \vdash IC_1 \end{array} \right\} \Rightarrow \Delta_{IC_1 \vee IC_2}(K_1 \sqcup K_2) \leftrightarrow \Delta_{IC_1}(K_1)$$

Introduction

Belief revision

Several sources - belief merging

Postulational aspects  
Distance-based merging  
Syntactic merging

Bibliography

## Majority (Maj)

$$\exists n, \Delta_{IC}(K_1 \sqcup K_2^n) \vdash \Delta_{IC}(K_2)$$

## Independence from majority (IM)

$$\forall n, \Delta_{IC}(K_1 \sqcup K_2^n) \leftrightarrow \Delta_{IC}(K_1 \sqcup K_2)$$

## Theorem

*There exists no merging operator satisfying all the KP postulates and (IM).*

## Proof

Consider  $E_1 = \{K, \neg K\}$  and  $E_2 = \{K\}$  be two belief profiles.

(IM) leads to  $\Delta_{\top}(E_1 \sqcup E_2) = \Delta_{\top}(E_1)$ .

(KP4) allows for  $\Delta_{\top}(E_1) \not\models K$  and  $\Delta_{\top}(E_1) \not\models \neg K$ .

From (KP2), we have that  $\Delta_{\top}(E_2) \vdash K$  and thus  $\Delta_{\top}(E_1) \wedge \Delta_{\top}(E_2)$  is consistent and from (KP6) we obtain  $\Delta_{\top}(E_1 \sqcup E_2) \vdash \Delta_{\top}(E_1) \wedge \Delta_{\top}(E_2)$ , i.e.,  $\Delta_{\top}(E_1) \vdash \Delta_{\top}(E_1) \wedge K$  and thus  $\Delta_{\top}(E_1) \vdash K$  contradicting (KP4).

Introduction

Belief revision

Several sources - belief merging

Postulational aspects  
Distance-based merging  
Syntactic merging

Bibliography

## Theorem

If a merging operator satisfies (KP1) and (KP2) then it can not satisfies (IM) and (Maj) at the same time.

## Proof

From (IM) and (Maj), we have for all  $E_1, K$  that

$$\Delta_{\top}(E_1 \sqcup K) \leftrightarrow \Delta_{\top}(E_1 \sqcup K'') \vdash \Delta_{\top}(K).$$

From (KP2), we deduce that  $\forall K, \Delta_{\top}(E_1 \sqcup K) \vdash K$ .

Consider  $K'$  such that  $K \wedge K' \vdash \perp$ . Then with  $E = K'$ , we have

$\Delta_{\top}(K' \sqcup K) \vdash K$ . And also that  $\Delta_{\top}(K \sqcup K') \vdash K'$  and thus that

$\Delta_{\top}(K' \sqcup K) \vdash K \wedge K'$ . Finally,  $\Delta_{\top}(K' \sqcup K) \vdash \perp$  contradicting (KP1).

## Definition

A syncretic assignment is a function which associates to a belief profile  $E$  a pre-order  $\leq_E$  over the interpretations such that for every belief profile  $E, E_1, E_2$  and every belief base  $K, K'$  the following conditions hold:

- 1 If  $\omega \models E$  and  $\omega' \models E$  then  $\omega \simeq_E \omega'$
- 2 If  $\omega \models E$  and  $\omega' \not\models E$  then  $\omega <_E \omega'$
- 3 If  $E_1 \leftrightarrow E_2$  then  $\leq_{E_1} = \leq_{E_2}$
- 4  $\forall \omega \models K, \exists \omega' \models K', \omega' \leq_{K \sqcup K'} \omega$
- 5 If  $\omega \leq_{E_1} \omega'$  and  $\omega \leq_{E_2} \omega'$  then  $\omega \leq_{E_1 \sqcup E_2} \omega'$
- 6 If  $\omega <_{E_1} \omega'$  and  $\omega \leq_{E_2} \omega'$  then  $\omega <_{E_1 \sqcup E_2} \omega'$

## Definition

A majority syncretic assignment is a syncretic assignment which satisfies the following condition:

- 7 If  $\omega <_{E_2} \omega'$ , then  $\exists n, \omega <_{E_1 \sqcup E_2^n} \omega'$

## Definition

A fair syncretic assignment is a syncretic assignment which satisfies the following condition:

8

$$\left. \begin{array}{l} \omega <_K \omega' \\ \omega <_{K'} \omega'' \\ \omega' \simeq_{K \sqcup K'} \omega'' \end{array} \right\} \Rightarrow \omega <_{K \sqcup K'} \omega'$$

## Theorem

We consider  $\Delta_{IC}$  a merging operation.  $\Delta_{IC}$  respects all (KP) postulates iff there exists a syncretic assignment which associates to every belief profile  $E$  a total pre-order  $\leq_E$  such that the result of the merging operation  $\Delta_{IC}(E)$  as the set of minimal elements of  $\text{Mod}(IC)$  according to the pre-order  $\leq_E$ .

## Theorem

An operator  $\Delta$  is a majority (resp. arbitration) merging operation iff there exists a majority (resp. fair) syncretic assignment which associates to every belief profile  $E$  a total pre-order  $\leq_E$  such that the result of the merging operation  $\Delta_{IC}(E)$  as the set of minimal elements of  $\text{Mod}(IC)$  according to the pre-order  $\leq_E$ .



# Distances and aggregation functions

## Definition

### Distances

$d : \Omega \times \Omega \rightarrow \mathbb{N}$  is a distance between interpretations iff it respects

- 1  $\forall \omega_1, \omega_2 \in \Omega, d(\omega_1, \omega_2) = d(\omega_2, \omega_1)$
- 2  $d(\omega_1, \omega_2) = 0$  iff  $\omega_1 = \omega_2$

It induces the distance between an interpretation and a formula:

$$d(\omega, \varphi) = \min_{\omega' \models \varphi} d(\omega, \omega')$$

### Aggregation function

$f : \mathbb{N}^n \rightarrow \mathbb{N}$  is an aggregation function iff it respects

- 1  $f$  is non-decreasing in each argument;
- 2  $\forall (x_1, \dots, x_n), f(x_1, \dots, x_n) = 0$  iff  $x_1 = \dots = x_n = 0$ ;
- 3  $\forall x_1, f(x_1) = x_1$

# Distances and aggregation functions

## Example

Some distance functions:

drastic  $d_D(\omega_1, \omega_2) = 0$  if  $\omega_1 = \omega_2$ , 1 otherwise

Hamming  $d_H(\omega_1, \omega_2) = |\{x \in \mathcal{L} \mid \omega_1(x) \neq \omega_2(x)\}|$

Some aggregation functions: max, sum and lex.

### Lexicographic aggregation

Given two vectors of numbers  $\vec{a} = (a_1, \dots, a_n)$  and  $\vec{b} = (b_1, \dots, b_n)$ . Let  $\sigma$  and  $\sigma'$  be two permutations on  $\{1, \dots, n\}$  s.t.  $\forall i, a_{\sigma(i)} \geq a_{\sigma(i+1)}$  and  $b_{\sigma'(i)} \geq b_{\sigma'(i+1)}$ .

$\vec{a} \leq_{lex} \vec{b}$  iff  $\forall i, a_{\sigma(i)} = b_{\sigma'(i)}$  or  $\exists i \geq 1$  s.t.  $a_{\sigma(i)} < b_{\sigma'(i)}$  and  $a_{\sigma(j)} = b_{\sigma'(j)}$  for all  $1 \leq j < i$ .

# Distance-based merging

## Distance-based merging operators

$d$  is a distance,  $f$  and  $g$  are aggregation functions,  
 $E = \{K_1, \dots, K_n\}$  is belief profile and  $C$  is a formula:

$$\text{Mod}(\Delta_{IC}^{d,f,g}(E)) = \{\omega \in \text{Mod}(IC) \mid d(\omega, E) \text{ is minimal}\}$$

where

$$d(\omega, E) = g(d(\omega, K_1), \dots, d(\omega, K_n))$$

and for every  $K_i = \{\varphi_{i,1}, \dots, \varphi_{i,n_i}\}$

$$d(\omega, K_i) = f(d(\omega, \varphi_{i,1}), \dots, d(\omega, \varphi_{i,n_i}))$$

# Distance-based merging: example

## Example

$E = \{K_1, K_2, K_3, K_4\}$  under the integrity constraint  $IC = \top$  where

$$K_1 = \{a \wedge b \wedge c, a \rightarrow \neg b\}$$

$$K_2 = \{a \wedge b\}$$

$$K_3 = \{\neg a \wedge \neg b, \neg b\}$$

$$K_4 = \{a, a \rightarrow b\}$$

$\Delta_{H, \text{sum}, \text{lex}}$  Operator.

	$a \wedge b \wedge c$	$a \rightarrow \neg b$	$a \vee b$	$\neg a \wedge \neg b$	$\neg b$	$a$	$a \rightarrow b$	$K_1, K_2, K_3, K_4$	$E$
000	3	0	2	0	0	1	0	3, 2, 0, 1	3210
001	2	0	2	0	0	1	0	2, 2, 0, 1	2210
010	2	0	1	1	1	1	0	2, 1, 2, 1	2211
011	1	0	1	1	1	1	0	1, 1, 2, 1	2111
100	2	0	1	1	0	0	1	2, 1, 1, 1	2111
101	1	0	1	1	0	0	1	1, 1, 1, 1	1111
110	1	1	0	2	1	0	0	2, 0, 3, 0	3200
111	0	1	0	2	1	0	0	1, 0, 3, 0	3100

## Table of complexity

### Complexity for $d_D$

$f/g$	max	sum	lex
max	$BH_2$	$\Theta_2^p$	$\Theta_2^p$
sum	$\Theta_2^p$	$\Theta_2^p$	$\Delta_2^p$

### Complexity for $d_H$

$f/g$	max	sum	lex
max	$\Theta_2^p$	$\Theta_2^p$	$\Delta_2^p$
sum	$\Theta_2^p$	$\Theta_2^p$	$\Delta_2^p$

Introduction

Belief  
revision

Several  
sources -  
belief  
merging

Postulational  
aspects

Distance-based  
merging

Syntactic merging

Bibliography

## Removed Sets Fusion: Principle

3 steps :

- subset of formulas which restore consistency: Potential Removed Sets
- minimal subset of formulas which restore consistency: Removed Sets
- profile without these formulas: Removed Sets Fusion operation

Introduction

Belief  
revision

Several  
sources -  
belief  
merging

Postulational  
aspects

Distance-based  
merging

Syntactic merging

Bibliography

## Potential Removed Set

$E = \{K_1, \dots, K_n\}$  : a belief profile     $IC$  : constraints  
s.t.  $K_1 \sqcup \dots \sqcup K_n \sqcup IC$  is inconsistent.  
 $X$  : a subset of formulas from  $K_1 \sqcup \dots \sqcup K_n$ .

### Definition (Potential Removed Set)

$X$  is a potential Removed Set of  $E$  constrained by  $IC$  iff  
 $((K_1 \sqcup \dots \sqcup K_n) \setminus X) \sqcup IC$  is consistent.

Introduction

Belief  
revision

Several  
sources -  
belief  
merging

Postulational  
aspects

Distance-based  
merging

Syntactic merging

Bibliography

## Potential Removed Sets

$$K_1 = \{a \quad b\} \quad K_2 = \{\neg a \vee \neg b\}$$

### Example

#### Potential Removed Sets

$$\begin{aligned} R_1 &= \{a\} \\ R_2 &= \{b\} \\ R_3 &= \{\neg a \vee \neg b\} \\ R_4 &= \{a \quad b\} \\ R_5 &= \{b \quad \neg a \vee \neg b\} \\ R_6 &= \{\neg a \vee \neg b \quad a\} \\ R_7 &= \{\neg a \vee \neg b \quad a \quad b\} \end{aligned}$$

#### Consistent subset

$$\begin{aligned} E \setminus R_1 &= \{\neg a \vee \neg b \quad b\} \\ E \setminus R_2 &= \{\neg a \vee \neg b \quad a\} \\ E \setminus R_3 &= \{a \quad b\} \\ E \setminus R_4 &= \{\neg a \vee \neg b\} \\ E \setminus R_5 &= \{a\} \\ E \setminus R_6 &= \{b\} \\ E \setminus R_7 &= \emptyset \end{aligned}$$

Introduction

Belief  
revision

Several  
sources -  
belief  
merging

Postulational  
aspects

Distance-based  
merging

Syntactic merging

Bibliography

## Removed Sets according to $P$

$E = \{K_1, \dots, K_n\}$  : a belief profile  $IC$  : constraints  
s.t.  $K_1 \sqcup \dots \sqcup K_n \sqcup IC$  is inconsistent.  
 $P$  : a merging strategy.

### Definition (Removed Set)

$X$  is a Removed Set of  $E$  constrained by  $IC$  according to  $P$  iff :

- $X$  is a potential Removed Set of  $E$  constrained by  $IC$ ;
- $\nexists X' \subseteq K_1 \sqcup \dots \sqcup K_n$  s.t.  $X' \subset X$ ;
- $\nexists X' \subseteq K_1 \sqcup \dots \sqcup K_n$  s.t.  $X' <_P X$ .

Introduction

Belief  
revision

Several  
sources -  
belief  
merging

Postulational  
aspects  
Distance-based  
merging  
Syntactic merging

Bibliography

## Removed Sets

$$K_1 = \{a \ b\} \quad K_2 = \{\neg a \vee \neg b\}$$

### Example

#### Removed Sets

$$R_1 = \{a\}$$

$$R_2 = \{b\}$$

$$R_3 = \{\neg a \vee \neg b\}$$

$$R_4 = \{a \ b\}$$

$$R_5 = \{b \ \neg a \vee \neg b\}$$

$$R_6 = \{\neg a \vee \neg b \ a\}$$

$$R_7 = \{\neg a \vee \neg b \ a \ b\}$$

#### Consistent subset

$$E \setminus R_1 = \{\neg a \vee \neg b \ b\}$$

$$E \setminus R_2 = \{\neg a \vee \neg b \ a\}$$

$$E \setminus R_3 = \{a \ b\}$$

$$E \setminus R_4 = \{\neg a \vee \neg b\}$$

$$E \setminus R_5 = \{a\}$$

$$E \setminus R_6 = \{b\}$$

$$E \setminus R_7 = \emptyset$$

Introduction

Belief  
revision

Several  
sources -  
belief  
merging

Postulational  
aspects  
Distance-based  
merging  
Syntactic merging

Bibliography

## Definition of the merging operator

$E = \{K_1, \dots, K_n\}$  : a belief profile  $IC$  : constraints  
 $P$  : a merging strategy.

$\mathcal{F}_{P,IC}\mathcal{R}(E)$  : the set of Removed Sets of  $E$  constrained by  $IC$  according to  $P$ .

### Definition ( $\Delta_{P,IC}^{RSF}(E)$ )

$$\Delta_{P,IC}^{RSF}(E) = \bigvee_{X \in \mathcal{F}_{P,IC}\mathcal{R}(E)} \{((K_1 \sqcup \dots \sqcup K_n) \setminus X) \sqcup IC\}$$

### Example

$$K_1 = \{a \ b\} \quad K_2 = \{\neg a \vee \neg b\}$$

$$\Delta_{\Sigma,IC}^{RSF}(E) = \{\neg a \vee \neg b \ b\} \vee \{\neg a \vee \neg b \ a\} \vee \{a \ b\}$$

Introduction

Belief  
revision

Several  
sources -  
belief  
merging

Postulational  
aspects  
Distance-based  
merging  
Syntactic merging

Bibliography

## Pre-order $\Sigma$

$E = \{K_1, \dots, K_n\}$  : a belief profile.

$X, X'$  : two potential Removed Sets of  $E$ .

### Definition ( $\leq_\Sigma$ )

$$X \leq_\Sigma X' \text{ iff } \sum_{1 \leq i \leq n} |X \cap K_i| \leq \sum_{1 \leq i \leq n} |X' \cap K_i|$$

Introduction

Belief  
revision

Several  
sources -  
belief  
merging

Postulational  
aspects  
Distance-based  
merging  
Syntactic merging

Bibliography

## The *Sum* strategy

Profile  $E = \{K_1, K_2, K_3\}$

$$K_1 = \{\neg d, s \vee o, s\} \quad K_2 = \{\neg s, d \vee o, \neg d \vee \neg o\}$$

$$K_3 = \{s, d, o\}$$

6	$s \vee o$	$s$	$d \vee o$	$s$	$d$	$o$
5	$s \vee o$	$\neg d$	$s$	$s$	$o$	
4	$\neg d$	$s$	$\neg d \vee \neg o$	$s$		
—	$d \vee o$	$\neg s$	$d$	$o$		
3		$s$	$s$	$d$		
—	$\neg d$	$\neg s$	$o$			
—	$\neg d$	$\neg s$	$\neg d \vee \neg o$			
2		$\neg s$	$d$			

$$\Delta_{\Sigma, IC}^{RSF}(E) = \{\neg d \quad s \vee o \quad s \quad d \vee o \quad \neg d \vee \neg o \quad s \quad o\}$$

## 4 Bibliography

## Literature I



Peter Gärdenfors and Hans Rott,  
**Belief revision**,  
Handbook of Logic in AI and LP, 1995.



Carlos E. Alchourrón, Peter Gärdenfors, David Makinson,  
**On the Logic of Theory Change: Partial Meet Contraction and  
Revision Functions**,  
Journal of Symbolic Logic, 1985.



Bernhard Nebel  
**Base Revision Operations and Schemes: Semantics,  
Representation and Complexity**  
ECAI, 1994.



Sébastien Konieczny, Jérôme Lang, Pierre Marquis:  
**DA2 merging operators**  
Artificial Intelligence, 2004.

## Literature II



Julien Hué, Eric Würbel, Odile Papini:  
**Removed Sets Fusion: Performing Off The Shelf**  
ECAI, 2008.