

Principles of Knowledge Representation and Reasoning

Semantic Networks and Description Logics III: Description Logics – Reasoning Services and Reductions

Albert-Ludwigs-Universität Freiburg



Bernhard Nebel, Stefan Wöfl, and Julien Hué
January 17, 2013

1 Motivation



Motivation
Basic Reasoning Services
Eliminating the TBox
General TBox Reasoning Services
General ABox Reasoning Services
Summary and Outlook

January 17, 2013

Nebel, Wöfl, Hué – KRR

3 / 37

Example TBox & ABox



Motivation
Basic Reasoning Services
Eliminating the TBox
General TBox Reasoning Services
General ABox Reasoning Services
Summary and Outlook

Male $\hat{=}$ \neg Female	DIANA: Woman
Human \sqsubseteq Living_entity	ELIZABETH: Woman
Woman $\hat{=}$ Human \sqcap Female	CHARLES: Man
Man $\hat{=}$ Human \sqcap Male	EDWARD: Man
Mother $\hat{=}$ Woman $\sqcap \exists$ has-child.Human	ANDREW: Man
Father $\hat{=}$ Man $\sqcap \exists$ has-child.Human	DIANA: Mother-without-daughter
Parent $\hat{=}$ Father \sqcup Mother	(ELIZABETH, CHARLES): has-child
Grandmother	(ELIZABETH, EDWARD): has-child
$\hat{=}$ Woman $\sqcap \exists$ has-child.Parent	(ELIZABETH, ANDREW): has-child
Mother-without-daughter	(DIANA, WILLIAM): has-child
$\hat{=}$ Mother $\sqcap \forall$ has-child.Male	(CHARLES, WILLIAM): has-child
Mother-with-many-children	
$\hat{=}$ Mother $\sqcap (\geq 3$ has-child)	

January 17, 2013

Nebel, Wöfl, Hué – KRR

4 / 37

Motivation: Reasoning services



Motivation
Basic Reasoning Services
Eliminating the TBox
General TBox Reasoning Services
General ABox Reasoning Services
Summary and Outlook

What do we want to know?

- We want to check whether the **knowledge base** is reasonable:
 - Is each defined concept in a TBox satisfiable?
 - Is a given TBox satisfiable?
 - Is a given ABox satisfiable?
- What can we **conclude** from the represented knowledge?
 - Is concept X **subsumed** by concept Y ?
 - Is an object a **instance** of a concept X ?
- These problems can be **reduced** to logical satisfiability or implication – using the logical semantics.
- **However**, we take a different route: we will try to simplify these problems and then we specify **direct inference methods**.

January 17, 2013

Nebel, Wöfl, Hué – KRR

5 / 37

2 Basic Reasoning Services



- Satisfiability without a TBox
- Satisfiability in TBox

Motivation
Basic Reasoning Services
Satisfiability without a TBox
Satisfiability in TBox
Eliminating the TBox
General TBox Reasoning Services
General ABox Reasoning Services
Summary and Outlook

Satisfiability of concept descriptions



Satisfiability of concept descriptions

Given a concept description C in “isolation”, i.e., in an **empty** TBox, is C **satisfiable**?

Test:

- Does there exist an **interpretation** \mathcal{I} such that $C^{\mathcal{I}} \neq \emptyset$?
- Translated into FOL: Is the formula $\exists x C(x)$ satisfiable?

Example

$\text{Woman} \sqcap (\leq 0 \text{ has-child}) \sqcap (\geq 1 \text{ has-child})$ is unsatisfiable.

Motivation
Basic Reasoning Services
Satisfiability without a TBox
Satisfiability in TBox
Eliminating the TBox
General TBox Reasoning Services
General ABox Reasoning Services
Summary and Outlook

Satisfiability of concept descriptions in a TBox



Satisfiability of concept descriptions in a TBox

Given a TBox \mathcal{T} and a concept description C , is C **satisfiable**?

Test:

- Does there exist a **model** \mathcal{I} of \mathcal{T} such that $C^{\mathcal{I}} \neq \emptyset$?
- Translated into FOL: Is the formula $\exists x C(x)$ together with the formulae resulting from the translation of \mathcal{T} satisfiable?

Example

$\text{Mother-without-daughter} \sqcap \forall \text{has-child.Female}$ is unsatisfiable, given our previously specified family TBox.

Motivation
Basic Reasoning Services
Satisfiability without a TBox
Satisfiability in TBox
Eliminating the TBox
General TBox Reasoning Services
General ABox Reasoning Services
Summary and Outlook

3 Eliminating the TBox



- Normalization
- Unfolding

Motivation
Basic Reasoning Services
Eliminating the TBox
Normalization
Unfolding
General TBox Reasoning Services
General ABox Reasoning Services
Summary and Outlook

Reduction: Getting rid of the TBox



We can **reduce** satisfiability problem of concept descriptions in a TBox to the satisfiability problem of concept descriptions in the empty TBox.

Idea:

- Since TBoxes are **cycle-free**, one can understand a concept definition as a kind of “macro”.
- For a given TBox \mathcal{T} and a given concept description C , all defined concept symbols appearing in C can be **expanded** until C contains only undefined concept symbols.
- An **expanded** concept description is then satisfiable if and only if C is satisfiable in \mathcal{T} .
- **Problem:** What do we do with partial definitions (using \sqsubseteq)?

Motivation

Basic Reasoning Services

Eliminating the TBox

Normalization Unfolding

General TBox Reasoning Services

General ABox Reasoning Services

Summary and Outlook

Normalized terminologies



- A terminology is called **normalized** when it does not contain definitions to the form $A \sqsubseteq C$.
- In order to **normalize** a terminology, replace

$$A \sqsubseteq C$$

by

$$A \doteq A^* \sqcap C,$$

where A^* is a **fresh** concept symbol (not appearing elsewhere in \mathcal{T}).

- If \mathcal{T} is a terminology, the normalized terminology is denoted by $\tilde{\mathcal{T}}$.

Motivation

Basic Reasoning Services

Eliminating the TBox

Normalization Unfolding

General TBox Reasoning Services

General ABox Reasoning Services

Summary and Outlook

Normalizing is reasonable



Theorem (Normalization invariance)

If \mathcal{I} is a model of the terminology \mathcal{T} , then there exists a model \mathcal{I}' of $\tilde{\mathcal{T}}$ such that for all concept symbols A occurring in \mathcal{T} , it holds $A^{\mathcal{I}} = A^{\mathcal{I}'}$, and *vice versa*.

Proof.

“ \Rightarrow ”: Let \mathcal{I} be a model of \mathcal{T} . This model should be **extended** to \mathcal{I}' so that the freshly introduced concept symbols also get interpretations. Assume $(A \sqsubseteq C) \in \mathcal{T}$, i.e., we have $(A \doteq A^* \sqcap C) \in \tilde{\mathcal{T}}$. Then set $A^{*\mathcal{I}'} := A^{\mathcal{I}}$. \mathcal{I}' obviously satisfies $\tilde{\mathcal{T}}$ and has the same interpretation for all symbols in \mathcal{T} .

“ \Leftarrow ”: Given a model \mathcal{I}' of $\tilde{\mathcal{T}}$, its restriction to symbols of \mathcal{T} is the interpretation we look for. \square

Motivation

Basic Reasoning Services

Eliminating the TBox

Normalization Unfolding

General TBox Reasoning Services

General ABox Reasoning Services

Summary and Outlook

TBox unfolding



- We say that a **normalized TBox** is **unfolded by one step** when all defined concept symbols on the right sides are replaced by their defining terms.
- **Example:** $\text{Mother} \doteq \text{Woman} \sqcap \dots$ is unfolded to $\text{Mother} \doteq (\text{Human} \sqcap \text{Female}) \sqcap \dots$
- We write $U(\mathcal{T})$ to denote a one-step unfolding and $U^n(\mathcal{T})$ to denote an **n -step unfolding**.
- We say that \mathcal{T} is **unfolded** if $U(\mathcal{T}) = \mathcal{T}$.
- $U^n(\mathcal{T})$ is called the **unfolding** of \mathcal{T} if $U^n(\mathcal{T}) = U^{n+1}(\mathcal{T})$. If such an unfolding exists, it is denoted by $\hat{\mathcal{T}}$.

Motivation

Basic Reasoning Services

Eliminating the TBox

Normalization Unfolding

General TBox Reasoning Services

General ABox Reasoning Services

Summary and Outlook

Theorem (Existence of unfolded terminology)

Each normalized terminology \mathcal{T} can be unfolded, i.e., its unfolding $\hat{\mathcal{T}}$ exists.

Proof idea.

The main reason is that terminologies have to be **cycle-free**. The proof can be done by induction of the **definition depth** of concepts. \square

Theorem (Model equivalence for unfolded terminologies)

\mathcal{I} is a model of a normalized terminology \mathcal{T} if and only if it is a model of $\hat{\mathcal{T}}$.

Proof sketch.

“ \Rightarrow ”: Let \mathcal{I} be a model of \mathcal{T} . Then it is also a model of $U(\mathcal{T})$, since on the right side of the definitions only terms with identical interpretations are substituted. However, then it must also be a model of $\hat{\mathcal{T}}$.

“ \Leftarrow ”: Let \mathcal{I} be a model for $U(\mathcal{T})$. Clearly, this is also a model of \mathcal{T} (with the same argument as above). This means that any model $\hat{\mathcal{T}}$ is also a model of \mathcal{T} . \square

- All concept and role names **not occurring on the left hand side of definitions** in a terminology \mathcal{T} are called **primitive components**.
- Interpretations restricted to primitive components are called **initial interpretations**.

Theorem (Model extension)

For each initial interpretation \mathcal{J} of a normalized TBox, there exists a unique interpretation \mathcal{I} extending \mathcal{J} and satisfying \mathcal{T} .

Proof idea.

Use $\hat{\mathcal{T}}$ and compute an interpretation for all defined symbols. \square

Corollary (Model existence for TBoxes)

Each TBox has at least one model.

- Similar to the unfolding of TBoxes, we can define the **unfolding of a concept description**.
- We write \hat{C} for the **unfolded version** of C .

Theorem (Satisfiability of unfolded concepts)

An concept description C is satisfiable in a terminology \mathcal{T} if and only if \hat{C} satisfiable in an empty terminology.

Proof.

“ \Rightarrow ”: trivial.

“ \Leftarrow ”: Use the interpretation for all the symbols in \hat{C} to generate an initial interpretation of \mathcal{T} . Then extend it to a full model \mathcal{I} of \mathcal{T} . This satisfies \mathcal{T} as well as \hat{C} . Since $\hat{C}^{\mathcal{I}} = C^{\mathcal{I}}$, it satisfies also C . \square

4 General TBox Reasoning Services



- Subsumption
- Subsumption vs. Satisfiability
- Classification

Motivation

Basic Reasoning Services

Eliminating the TBox

General TBox Reasoning Services

Subsumption vs. Satisfiability

General ABox Reasoning Services

Summary and Outlook

Subsumption in a TBox



Subsumption in a TBox

Given a terminology \mathcal{T} and two concept descriptions C and D , is C **subsumed by** (or a **sub-concept** of) D in \mathcal{T} (symb. $C \sqsubseteq_{\mathcal{T}} D$)?

Test:

- Is C interpreted as a subset of D in each model \mathcal{I} of \mathcal{T} , i.e. $C^{\mathcal{I}} \subseteq D^{\mathcal{I}}$?
- Is the formula $\forall x (C(x) \rightarrow D(x))$ a logical consequence of the translation of \mathcal{T} into FOL?

Example

Given our family TBox, it holds $\text{Grandmother} \sqsubseteq_{\mathcal{T}} \text{Mother}$.

Motivation

Basic Reasoning Services

Eliminating the TBox

General TBox Reasoning Services

Subsumption vs. Satisfiability

General ABox Reasoning Services

Summary and Outlook

Subsumption (without a TBox)



Subsumption (without a TBox)

Given two concept descriptions C and D , is C **subsumed by** D regardless of a TBox (or in an **empty TBox**) (symb. $C \sqsubseteq D$)?

Test:

- Is C interpreted as a subset of D for **all interpretations** \mathcal{I} ($C^{\mathcal{I}} \subseteq D^{\mathcal{I}}$)?
- Is the formula $\forall x (C(x) \rightarrow D(x))$ **logically valid**?

Example

Clearly, $\text{Human} \sqcap \text{Female} \sqsubseteq \text{Human}$.

Motivation

Basic Reasoning Services

Eliminating the TBox

General TBox Reasoning Services

Subsumption vs. Satisfiability

General ABox Reasoning Services

Summary and Outlook

Reductions



- Subsumption in a TBox can be reduced to subsumption in the empty TBox:
... **normalize** and **unfold** TBox and concept descriptions.
- Subsumption in the empty TBox can be reduced to unsatisfiability:
... $C \sqsubseteq D$ iff $C \sqcap \neg D$ is unsatisfiable.
- Unsatisfiability can be reduced to subsumption:
... C is unsatisfiable iff $C \sqsubseteq (C \sqcap \neg C)$.

Motivation

Basic Reasoning Services

Eliminating the TBox

General TBox Reasoning Services

Subsumption vs. Satisfiability

General ABox Reasoning Services

Summary and Outlook

Classification

Compute all subsumption relationships (and represent them using only a minimal number of relationships)!

Motivation

Basic Reasoning Services

Eliminating the TBox

General TBox Reasoning Services

Subsumption

Subsumption vs. Satisfiability

Classification


General ABox Reasoning Services

Summary and Outlook

Useful in order to:

- check the modeling
- use the precomputed relations later when subsumption queries have to be answered

Example



Problem can be reduced to subsumption checking: then it is a **generalized sorting** problem!

Motivation

Basic Reasoning Services

Eliminating the TBox

General TBox Reasoning Services

General ABox Reasoning Services

ABox Satisfiability

Instances

Realization and Retrieval

- ABox Satisfiability
- Instances
- Realization and Retrieval

Satisfiability of an ABox

Given an ABox \mathcal{A} , does this set of assertions have a model?

Motivation

Basic Reasoning Services

Eliminating the TBox

General TBox Reasoning Services

General ABox Reasoning Services

ABox Satisfiability

Summary and Outlook

- **Notice:** ABoxes **representing** the real world, should always have a **model**.

Example

The ABox

$$X : (\forall r. \neg C), \quad Y : C, \quad (X, Y) : r$$

is not satisfiable.

ABox satisfiability in a TBox

Given an ABox \mathcal{A} and a TBox \mathcal{T} , is \mathcal{A} consistent with the terminology introduced in \mathcal{T} , i.e., is $\mathcal{T} \cup \mathcal{A}$ satisfiable?

Motivation

Basic Reasoning Services

Eliminating the TBox

General TBox Reasoning Services

General ABox Reasoning Services

ABox Satisfiability

Summary and Outlook

Example

If we extend our example with

MARGRET: Woman
(DIANA, MARGRET): has-child,

then the ABox becomes unsatisfiable in the given TBox.

- Problem is reducible to satisfiability of an ABox:
... **normalize** terminology, then **unfold** all concept and role descriptions in the ABox

Instance relations

Which additional ABox formulae of the form $a : C$ follow logically from a given ABox and TBox?

- Is $a^{\mathcal{I}} \in C^{\mathcal{I}}$ true in all models \mathcal{I} of $\mathcal{T} \cup \mathcal{A}$?
- Does the formula $C(a)$ logically follow from the translation of \mathcal{A} and \mathcal{T} to predicate logic?

Reductions:

- Instance relations wrt. an ABox and a TBox can be reduced to instance relations wrt. ABox: use **normalization** and **unfolding**
- Instance relations in an ABox can be reduced to ABox unsatisfiability:

$a : C$ holds in $\mathcal{A} \iff \mathcal{A} \cup \{a : \neg C\}$ is unsatisfiable

Motivation
Basic Reasoning Services
Eliminating the TBox
General TBox Reasoning Services
General ABox Reasoning Services
ABox Satisfiability
Instances
Realization and Retrieval
Summary and Outlook

Example

- ELIZABETH: Mother-with-many-children?
yes
- WILLIAM: \neg Female?
yes
- ELIZABETH: Mother-without-daughter?
no (no CWA!)
- ELIZABETH: Grandmother?
no (only male, but not necessarily human!)

Motivation
Basic Reasoning Services
Eliminating the TBox
General TBox Reasoning Services
General ABox Reasoning Services
ABox Satisfiability
Instances
Realization and Retrieval
Summary and Outlook

Realization

For a given object a , determine the **most specialized concept symbols** such that a is an instance of these concepts

Motivation:

- Similar to **classification**
- Is the minimal representation of the instance relations (in the set of concept symbols)
- Will give us faster answers for instance queries!

Reduction: Can be reduced to (a sequence of) instance relation tests.

Motivation
Basic Reasoning Services
Eliminating the TBox
General TBox Reasoning Services
General ABox Reasoning Services
ABox Satisfiability
Instances
Realization and Retrieval
Summary and Outlook

Retrieval

Given a concept description C , determine the set of all (specified) instances of the concept description.

Example

We ask for all instances of the concept **Male**.
For our TBOX/ABox we will get the answer **CHARLES, ANDREW, EDWARD, WILLIAM**.

- **Reduction:** Compute the set of instances by testing the instance relation for each object!
- **Implementation:** Realization can be used to speed this up

Motivation
Basic Reasoning Services
Eliminating the TBox
General TBox Reasoning Services
General ABox Reasoning Services
ABox Satisfiability
Instances
Realization and Retrieval
Summary and Outlook

6 Summary and Outlook



Motivation
Basic Reasoning Services
Eliminating the TBox
General TBox Reasoning Services
General ABox Reasoning Services
Summary and Outlook

Reasoning services – summary



Motivation
Basic Reasoning Services
Eliminating the TBox
General TBox Reasoning Services
General ABox Reasoning Services
Summary and Outlook

- Satisfiability of concept descriptions
 - in a given TBox or in an empty TBox
- Subsumption between concept descriptions
 - in a given TBox or in an empty TBox
- Classification
- Satisfiability of an ABox
 - in a given TBox or in an empty TBox
- Instance relations in an ABox
 - in a given TBox or in an empty TBox
- Realization
- Retrieval

Outlook



Motivation
Basic Reasoning Services
Eliminating the TBox
General TBox Reasoning Services
General ABox Reasoning Services
Summary and Outlook

- How to determine **subsumption** between two concept descriptions (in the empty TBox)?
- How to determine **instance relations/ABox satisfiability**?
- How to implement the mentioned reductions **efficiently**?
- Does normalization and unfolding introduce another source of **computational complexity**?