

# Principles of Knowledge Representation and Reasoning

## Nonmonotonic Reasoning III: Cumulative Logics

Bernhard Nebel, Malte Helmert and Stefan Wöfl

Albert-Ludwigs-Universität Freiburg

June 3, 2008

KRR

Nebel,  
Helmert,  
Wöfl

System C

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Motivation

- Conventional NM logics are based on (ad hoc) modifications of the logical machinery (proofs/models).
- *Nonmonotonicity* is only a **negative** characterization: If we have  $\Theta \vdash \varphi$ , we do not necessarily have  $\Theta \cup \{\psi\} \vdash \varphi$ .
- Could we have a constructive **positive** characterization of default reasoning?

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Plausible Consequences

- In conventional logic, we have the logical consequence relation  $\alpha \models \beta$ : If  $\alpha$  is true, then also  $\beta$  is true.
- Instead, we will study the relation of **plausible consequence**  $\alpha \sim \beta$ : if  $\alpha$  is all we know, can we conclude  $\beta$ ?
- $\alpha \sim \beta$  does not imply  $\alpha \wedge \alpha' \sim \beta$ !  
Compare to conditional probability:  $P(\beta|\alpha) \neq P(\beta|\alpha, \alpha')$ !
- Find rules characterizing  $\sim$ : for example, if  $\alpha \sim \beta$  and  $\alpha \sim \gamma$ , then  $\alpha \sim \beta \wedge \gamma$ .
- Write down all such rules!
- Perhaps we find a **semantic characterization** of  $\sim$ .

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Desirable Properties 1: Reflexivity

- Reflexivity:

$$\overline{\alpha \sim \alpha}$$

- **Rationale:** If  $\alpha$  holds, this *normally implies*  $\alpha$ .
- **Example:** Tom goes to a party *normally implies* that Tom goes to a party.

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Reflexivity in Default Logic

## Plausible consequence as Reasoning in Default Logic

Let us consider relations  $\vdash_{\Delta}$  that are defined in terms of Default Logic.

$\alpha \vdash_{\langle D, W \rangle} \beta$  means that  $\beta$  is a skeptical conclusion of  $\langle D, W \cup \{\alpha\} \rangle$ .

## Proposition

*Default Logic satisfies Reflexivity.*

## Proof.

The question is: does  $\alpha$  skeptically follow from  $\Delta = \langle D, W \cup \{\alpha\} \rangle$ ?

For all extensions  $E$  of  $\Delta$ ,  $W \cup \{\alpha\} \subseteq E$  by definition. Hence  $\alpha \in E$  and  $\alpha$  belongs to all extensions of  $\Delta$ .  $\square$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Reflexivity in Default Logic

## Plausible consequence as Reasoning in Default Logic

Let us consider relations  $\vdash_{\Delta}$  that are defined in terms of Default Logic.

$\alpha \vdash_{\langle D, W \rangle} \beta$  means that  $\beta$  is a skeptical conclusion of  $\langle D, W \cup \{\alpha\} \rangle$ .

## Proposition

*Default Logic satisfies Reflexivity.*

## Proof.

The question is: does  $\alpha$  skeptically follow from  $\Delta = \langle D, W \cup \{\alpha\} \rangle$ ?

For all extensions  $E$  of  $\Delta$ ,  $W \cup \{\alpha\} \subseteq E$  by definition. Hence  $\alpha \in E$  and  $\alpha$  belongs to all extensions of  $\Delta$ .  $\square$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in C

Undesirable Properties

Reasoning

Semantics

Preferential Reasoning

Probabilistic Semantics

Literature

# Reflexivity in Default Logic

## Plausible consequence as Reasoning in Default Logic

Let us consider relations  $\vdash_{\Delta}$  that are defined in terms of Default Logic.

$\alpha \vdash_{\langle D, W \rangle} \beta$  means that  $\beta$  is a skeptical conclusion of  $\langle D, W \cup \{\alpha\} \rangle$ .

## Proposition

*Default Logic satisfies Reflexivity.*

## Proof.

The question is: does  $\alpha$  skeptically follow from  $\Delta = \langle D, W \cup \{\alpha\} \rangle$ ?

For all extensions  $E$  of  $\Delta$ ,  $W \cup \{\alpha\} \subseteq E$  by definition. Hence  $\alpha \in E$  and  $\alpha$  belongs to all extensions of  $\Delta$ .  $\square$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in C

Undesirable Properties

Reasoning

Semantics

Preferential Reasoning

Probabilistic Semantics

Literature

# Desirable Properties 2: Left Logical Equivalence

- Left Logical Equivalence:

$$\frac{\models \alpha \leftrightarrow \beta, \alpha \sim \gamma}{\beta \sim \gamma}$$

- **Rationale:** It is not the syntactic form, but the logical content that is responsible for what we conclude normally.
- **Example:** Assume that Tom goes or Peter goes *normally implies* Mary goes. Then we would expect that Peter goes or Tom goes *normally implies* Mary goes.

KRR

Nebel,  
Helmert,  
Wölfl

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature



# Left Logical Equivalence in Default Logic

## Proposition

*Default Logic satisfies Left Logical Equivalence.*

## Proof.

Assume that  $\models \alpha \leftrightarrow \beta$  and  $\gamma$  is in all extensions of  $\langle D, W \cup \{\alpha\} \rangle$ . The definition of extensions is invariant under replacing any formula by an equivalent formula. Hence  $\langle D, W \cup \{\beta\} \rangle$  has exactly the same extensions, and  $\gamma$  is in every one of them. □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Left Logical Equivalence in Default Logic

## Proposition

*Default Logic satisfies Left Logical Equivalence.*

## Proof.

Assume that  $\models \alpha \leftrightarrow \beta$  and  $\gamma$  is in all extensions of  $\langle D, W \cup \{\alpha\} \rangle$ . The definition of extensions is invariant under replacing any formula by an equivalent formula. Hence  $\langle D, W \cup \{\beta\} \rangle$  has exactly the same extensions, and  $\gamma$  is in every one of them.  $\square$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Left Logical Equivalence in Default Logic

KRR

Nebel,  
Helmert,  
Wölfel

## Proposition

*Default Logic satisfies Left Logical Equivalence.*

## Proof.

Assume that  $\models \alpha \leftrightarrow \beta$  and  $\gamma$  is in all extensions of  $\langle D, W \cup \{\alpha\} \rangle$ . The definition of extensions is invariant under replacing any formula by an equivalent formula. Hence  $\langle D, W \cup \{\beta\} \rangle$  has exactly the same extensions, and  $\gamma$  is in every one of them. □

System C

Motivation

Properties

Derived Rules in C

Undesirable Properties

Reasoning

Semantics

Preferential Reasoning

Probabilistic Semantics

Literature

# Desirable Properties 3: Right Weakening

- **Right Weakening:**

$$\frac{\models \alpha \rightarrow \beta, \gamma \vdash \alpha}{\gamma \vdash \beta}$$

- **Rationale:** If something can be concluded normally, then everything classically implied should also be concluded normally.
- **Example:** Assume that Mary goes *normally implies* Clive goes *and* John goes. Then we would expect that Mary goes *normally implies* Clive goes.
- From 1 & 3 **supraclassicality** follows:

$$\alpha \vdash \alpha + \frac{\models \alpha \rightarrow \beta, \alpha \vdash \alpha}{\alpha \vdash \beta} \Rightarrow \frac{\alpha \models \beta}{\alpha \vdash \beta}$$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in C

Undesirable Properties

Reasoning

Semantics

Preferential Reasoning

Probabilistic Semantics

Literature

# Right Weakening in Default Logic

KRR

Nebel,  
Helmert,  
Wölfel

## Proposition

*Default Logic satisfies Right Weakening.*

## Proof.

Assume  $\alpha$  is in all extensions of a default theory  $\langle D, W \cup \{\gamma\} \rangle$  and  $\models \alpha \rightarrow \beta$ . Extensions are closed under logical consequence. Hence also  $\beta$  is in all extensions. □

System C

Motivation

Properties

Derived Rules in C

Undesirable Properties

Reasoning

Semantics

Preferential Reasoning

Probabilistic Semantics

Literature

# Right Weakening in Default Logic

KRR

Nebel,  
Helmert,  
Wölfel

## Proposition

*Default Logic satisfies Right Weakening.*

## Proof.

Assume  $\alpha$  is in all extensions of a default theory  $\langle D, W \cup \{\gamma\} \rangle$  and  $\models \alpha \rightarrow \beta$ . Extensions are closed under logical consequence. Hence also  $\beta$  is in all extensions. □

System C

Motivation

Properties

Derived Rules in C

Undesirable Properties

Reasoning

Semantics

Preferential Reasoning

Probabilistic Semantics

Literature

# Right Weakening in Default Logic

KRR

Nebel,  
Helmert,  
Wölfel

## Proposition

*Default Logic satisfies Right Weakening.*

## Proof.

Assume  $\alpha$  is in all extensions of a default theory  $\langle D, W \cup \{\gamma\} \rangle$  and  $\models \alpha \rightarrow \beta$ . Extensions are closed under logical consequence. Hence also  $\beta$  is in all extensions.  $\square$

System C

Motivation

Properties

Derived Rules in C

Undesirable Properties

Reasoning

Semantics

Preferential Reasoning

Probabilistic Semantics

Literature

# Desirable Properties 4: Cut

- **Cut:**

$$\frac{\alpha \sim \beta, \alpha \wedge \beta \sim \gamma}{\alpha \sim \gamma}$$

- **Rationale:** If part of the premise is plausibly implied by another part of the premise, then the latter is enough for the plausible conclusion.
- **Example:** Assume that  
John goes *normally implies* Mary goes.  
Assume further that  
John goes *and* Mary goes *normally implies* Clive goes.  
Then we would expect that  
John goes *normally implies* Clive goes.

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature



# Cut in Default Logic

## Proposition

*Default Logic satisfies Cut.*

## Proof idea.

Show that every extension  $E$  of  $\Delta = \langle D, W \cup \{\alpha\} \rangle$  is also an extension of  $\Delta' = \langle D, W \cup \{\alpha \wedge \beta\} \rangle$ .

Consistency of justifications of defaults is tested against  $E$  both in the  $W \cup \{\alpha\}$  case and in the  $W \cup \{\alpha \wedge \beta\}$  case.

The preconditions that are derivable when starting from  $W \cup \{\alpha\}$  are also derivable when starting from  $W \cup \{\alpha \wedge \beta\}$ .

$W \cup \{\alpha \wedge \beta\}$  does not allow deriving further preconditions because also with  $W \cup \{\alpha\}$  at some point  $\beta$  is derived.

Hence  $E$  is also an extension of  $\Delta'$ .

Hence, because  $\gamma$  belongs to all extensions of  $\Delta'$ , it also belongs to all extensions of  $\Delta$ . □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Cut in Default Logic

## Proposition

*Default Logic satisfies Cut.*

## Proof idea.

Show that every extension  $E$  of  $\Delta = \langle D, W \cup \{\alpha\} \rangle$  is also an extension of  $\Delta' = \langle D, W \cup \{\alpha \wedge \beta\} \rangle$ .

Consistency of justifications of defaults is tested against  $E$  both in the  $W \cup \{\alpha\}$  case and in the  $W \cup \{\alpha \wedge \beta\}$  case.

The preconditions that are derivable when starting from  $W \cup \{\alpha\}$  are also derivable when starting from  $W \cup \{\alpha \wedge \beta\}$ .

$W \cup \{\alpha \wedge \beta\}$  does not allow deriving further preconditions because also with  $W \cup \{\alpha\}$  at some point  $\beta$  is derived.

Hence  $E$  is also an extension of  $\Delta'$ .

Hence, because  $\gamma$  belongs to all extensions of  $\Delta'$ , it also belongs to all extensions of  $\Delta$ . □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Cut in Default Logic

## Proposition

*Default Logic satisfies Cut.*

## Proof idea.

Show that every extension  $E$  of  $\Delta = \langle D, W \cup \{\alpha\} \rangle$  is also an extension of  $\Delta' = \langle D, W \cup \{\alpha \wedge \beta\} \rangle$ .

Consistency of justifications of defaults is tested against  $E$  both in the  $W \cup \{\alpha\}$  case and in the  $W \cup \{\alpha \wedge \beta\}$  case.

The preconditions that are derivable when starting from  $W \cup \{\alpha\}$  are also derivable when starting from  $W \cup \{\alpha \wedge \beta\}$ .

$W \cup \{\alpha \wedge \beta\}$  does not allow deriving further preconditions because also with  $W \cup \{\alpha\}$  at some point  $\beta$  is derived.

Hence  $E$  is also an extension of  $\Delta'$ .

Hence, because  $\gamma$  belongs to all extensions of  $\Delta'$ , it also belongs to all extensions of  $\Delta$ . □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Cut in Default Logic

## Proposition

*Default Logic satisfies Cut.*

## Proof idea.

Show that every extension  $E$  of  $\Delta = \langle D, W \cup \{\alpha\} \rangle$  is also an extension of  $\Delta' = \langle D, W \cup \{\alpha \wedge \beta\} \rangle$ .

Consistency of justifications of defaults is tested against  $E$  both in the  $W \cup \{\alpha\}$  case and in the  $W \cup \{\alpha \wedge \beta\}$  case.

The preconditions that are derivable when starting from  $W \cup \{\alpha\}$  are also derivable when starting from  $W \cup \{\alpha \wedge \beta\}$ .

$W \cup \{\alpha \wedge \beta\}$  does not allow deriving further preconditions because also with  $W \cup \{\alpha\}$  at some point  $\beta$  is derived.

Hence  $E$  is also an extension of  $\Delta'$ .

Hence, because  $\gamma$  belongs to all extensions of  $\Delta'$ , it also belongs to all extensions of  $\Delta$ . □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Cut in Default Logic

## Proposition

*Default Logic satisfies Cut.*

## Proof idea.

Show that every extension  $E$  of  $\Delta = \langle D, W \cup \{\alpha\} \rangle$  is also an extension of  $\Delta' = \langle D, W \cup \{\alpha \wedge \beta\} \rangle$ .

Consistency of justifications of defaults is tested against  $E$  both in the  $W \cup \{\alpha\}$  case and in the  $W \cup \{\alpha \wedge \beta\}$  case.

The preconditions that are derivable when starting from  $W \cup \{\alpha\}$  are also derivable when starting from  $W \cup \{\alpha \wedge \beta\}$ .

$W \cup \{\alpha \wedge \beta\}$  does not allow deriving further preconditions because also with  $W \cup \{\alpha\}$  at some point  $\beta$  is derived.

Hence  $E$  is also an extension of  $\Delta'$ .

Hence, because  $\gamma$  belongs to all extensions of  $\Delta'$ , it also belongs to all extensions of  $\Delta$ . □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Cut in Default Logic

## Proposition

*Default Logic satisfies Cut.*

## Proof idea.

Show that every extension  $E$  of  $\Delta = \langle D, W \cup \{\alpha\} \rangle$  is also an extension of  $\Delta' = \langle D, W \cup \{\alpha \wedge \beta\} \rangle$ .

Consistency of justifications of defaults is tested against  $E$  both in the  $W \cup \{\alpha\}$  case and in the  $W \cup \{\alpha \wedge \beta\}$  case.

The preconditions that are derivable when starting from  $W \cup \{\alpha\}$  are also derivable when starting from  $W \cup \{\alpha \wedge \beta\}$ .

$W \cup \{\alpha \wedge \beta\}$  does not allow deriving further preconditions because also with  $W \cup \{\alpha\}$  at some point  $\beta$  is derived.

Hence  $E$  is also an extension of  $\Delta'$ .

Hence, because  $\gamma$  belongs to all extensions of  $\Delta'$ , it also belongs to all extensions of  $\Delta$ . □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Desirable Properties 5: Cautious Monotonicity

- **Cautious Monotonicity:**

$$\frac{\alpha \sim \beta, \alpha \sim \gamma}{\alpha \wedge \beta \sim \gamma}$$

- **Rationale:** In general, adding new premises may cancel some conclusions. However, existing conclusions may be added to the premises without canceling any conclusions!
- **Example:** Assume that  
Mary goes *normally implies* Clive goes and  
Mary goes *normally implies* John goes.  
Mary goes *and* Jack goes might not *normally imply* that  
John goes.  
However, Mary goes and Clive goes should *normally imply* that John goes.

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Cautious Monotonicity in Default Logic

## Proposition

*Default Logic does not satisfy Cautious Monotonicity.*

## Proof.

Consider the default theory  $\langle D, W \rangle$  with

$$D = \left\{ \frac{a : g}{g}, \frac{g : b}{b}, \frac{b : \neg g}{\neg g} \right\} \text{ and } W = \{a\}.$$

$E = \text{Th}(\{a, b, g\})$  is the only extension of  $\langle D, W \rangle$  and  $g$  follows skeptically.

For  $\langle D, W \cup \{b\} \rangle$  also  $\text{Th}(\{a, b, \neg g\})$  is an extension, and  $g$  does not follow skeptically. □

KRR

Nebel,  
Helmert,  
Wölf

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature



# Cumulativity

## Lemma

*Rules 4 & 5 can be equivalently stated as follows.*

*If  $\alpha \sim \beta$ , then the sets of plausible conclusions from  $\alpha$  and  $\alpha \wedge \beta$  are identical.*

The above property is also called **cumulativity**.

## Proof.

$\Rightarrow$ : Assume that 4 & 5 hold and  $\alpha \sim \beta$ . Assume further that  $\alpha \sim \gamma$ . With rule 5 (CM), we have  $\alpha \wedge \beta \sim \gamma$ . Similarly, from  $\alpha \wedge \beta \sim \gamma$  by rule 4 (Cut) we get  $\alpha \sim \gamma$ .

Hence the plausible conclusions from  $\alpha$  and  $\alpha \wedge \beta$  are the same.

$\Leftarrow$ . Assume Cumulativity and  $\alpha \sim \beta$ . Now we can derive rules 4 and 5. □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Cumulativity

## Lemma

*Rules 4 & 5 can be equivalently stated as follows.*

*If  $\alpha \sim \beta$ , then the sets of plausible conclusions from  $\alpha$  and  $\alpha \wedge \beta$  are identical.*

The above property is also called **cumulativity**.

## Proof.

$\Rightarrow$ : Assume that 4 & 5 hold and  $\alpha \sim \beta$ . Assume further that  $\alpha \sim \gamma$ . With rule 5 (CM), we have  $\alpha \wedge \beta \sim \gamma$ . Similarly, from  $\alpha \wedge \beta \sim \gamma$  by rule 4 (Cut) we get  $\alpha \sim \gamma$ .

Hence the plausible conclusions from  $\alpha$  and  $\alpha \wedge \beta$  are the same.

$\Leftarrow$ . Assume Cumulativity and  $\alpha \sim \beta$ . Now we can derive rules 4 and 5. □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Cumulativity

## Lemma

*Rules 4 & 5 can be equivalently stated as follows.*

*If  $\alpha \sim \beta$ , then the sets of plausible conclusions from  $\alpha$  and  $\alpha \wedge \beta$  are identical.*

The above property is also called **cumulativity**.

## Proof.

$\Rightarrow$ : Assume that 4 & 5 hold and  $\alpha \sim \beta$ . Assume further that  $\alpha \sim \gamma$ . With rule 5 (CM), we have  $\alpha \wedge \beta \sim \gamma$ . Similarly, from  $\alpha \wedge \beta \sim \gamma$  by rule 4 (Cut) we get  $\alpha \sim \gamma$ .

Hence the plausible conclusions from  $\alpha$  and  $\alpha \wedge \beta$  are the same.

$\Leftarrow$ . Assume Cumulativity and  $\alpha \sim \beta$ . Now we can derive rules 4 and 5. □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Cumulativity

## Lemma

*Rules 4 & 5 can be equivalently stated as follows.*

*If  $\alpha \sim \beta$ , then the sets of plausible conclusions from  $\alpha$  and  $\alpha \wedge \beta$  are identical.*

The above property is also called **cumulativity**.

## Proof.

$\Rightarrow$ : Assume that 4 & 5 hold and  $\alpha \sim \beta$ . Assume further that  $\alpha \sim \gamma$ . With rule 5 (CM), we have  $\alpha \wedge \beta \sim \gamma$ . Similarly, from  $\alpha \wedge \beta \sim \gamma$  by rule 4 (Cut) we get  $\alpha \sim \gamma$ .

Hence the plausible conclusions from  $\alpha$  and  $\alpha \wedge \beta$  are the same.

$\Leftarrow$ . Assume Cumulativity and  $\alpha \sim \beta$ . Now we can derive rules 4 and 5. □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Cumulativity

## Lemma

*Rules 4 & 5 can be equivalently stated as follows.*

*If  $\alpha \vdash \beta$ , then the sets of plausible conclusions from  $\alpha$  and  $\alpha \wedge \beta$  are identical.*

The above property is also called **cumulativity**.

## Proof.

$\Rightarrow$ : Assume that 4 & 5 hold and  $\alpha \vdash \beta$ . Assume further that  $\alpha \vdash \gamma$ . With rule 5 (CM), we have  $\alpha \wedge \beta \vdash \gamma$ . Similarly, from  $\alpha \wedge \beta \vdash \gamma$  by rule 4 (Cut) we get  $\alpha \vdash \gamma$ .

Hence the plausible conclusions from  $\alpha$  and  $\alpha \wedge \beta$  are the same.

$\Leftarrow$ . Assume Cumulativity and  $\alpha \vdash \beta$ . Now we can derive rules 4 and 5. □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Cumulativity

## Lemma

*Rules 4 & 5 can be equivalently stated as follows.*

*If  $\alpha \vdash \beta$ , then the sets of plausible conclusions from  $\alpha$  and  $\alpha \wedge \beta$  are identical.*

The above property is also called **cumulativity**.

## Proof.

$\Rightarrow$ : Assume that 4 & 5 hold and  $\alpha \vdash \beta$ . Assume further that  $\alpha \vdash \gamma$ . With rule 5 (CM), we have  $\alpha \wedge \beta \vdash \gamma$ . Similarly, from  $\alpha \wedge \beta \vdash \gamma$  by rule 4 (Cut) we get  $\alpha \vdash \gamma$ .

Hence the plausible conclusions from  $\alpha$  and  $\alpha \wedge \beta$  are the same.

$\Leftarrow$ . Assume Cumulativity and  $\alpha \vdash \beta$ . Now we can derive rules 4 and 5. □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Cumulativity

## Lemma

*Rules 4 & 5 can be equivalently stated as follows.*

*If  $\alpha \sim \beta$ , then the sets of plausible conclusions from  $\alpha$  and  $\alpha \wedge \beta$  are identical.*

The above property is also called **cumulativity**.

## Proof.

$\Rightarrow$ : Assume that **4 & 5** hold and  $\alpha \sim \beta$ . Assume further that  $\alpha \sim \gamma$ . With **rule 5** (CM), we have  $\alpha \wedge \beta \sim \gamma$ . Similarly, from  $\alpha \wedge \beta \sim \gamma$  by **rule 4** (Cut) we get  $\alpha \sim \gamma$ .

Hence the plausible conclusions from  $\alpha$  and  $\alpha \wedge \beta$  are the same.

$\Leftarrow$ . Assume **Cumulativity** and  $\alpha \sim \beta$ . Now we can derive **rules 4 and 5**. □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Cumulativity

## Lemma

*Rules 4 & 5 can be equivalently stated as follows.*

*If  $\alpha \sim \beta$ , then the sets of plausible conclusions from  $\alpha$  and  $\alpha \wedge \beta$  are identical.*

The above property is also called **cumulativity**.

## Proof.

$\Rightarrow$ : Assume that **4 & 5** hold and  $\alpha \sim \beta$ . Assume further that  $\alpha \sim \gamma$ . With **rule 5** (CM), we have  $\alpha \wedge \beta \sim \gamma$ . Similarly, from  $\alpha \wedge \beta \sim \gamma$  by **rule 4** (Cut) we get  $\alpha \sim \gamma$ .

Hence the plausible conclusions from  $\alpha$  and  $\alpha \wedge \beta$  are the same.

$\Leftarrow$ . Assume **Cumulativity** and  $\alpha \sim \beta$ . Now we can derive **rules 4 and 5**. □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature



# The System C

## 1 Reflexivity

$$\frac{}{\alpha \sim \alpha}$$

## 2 Left Logical Equivalence

$$\frac{\models \alpha \leftrightarrow \beta, \alpha \sim \gamma}{\beta \sim \gamma}$$

## 3 Right Weakening

$$\frac{\models \alpha \rightarrow \beta, \gamma \sim \alpha}{\gamma \sim \beta}$$

## 4 Cut

$$\frac{\alpha \sim \beta, \alpha \wedge \beta \sim \gamma}{\alpha \sim \gamma}$$

## 5 Cautious Monotonicity

$$\frac{\alpha \sim \beta, \alpha \sim \gamma}{\alpha \wedge \beta \sim \gamma}$$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Derived Rules in C

- *Equivalence:*

$$\frac{\alpha \vdash \beta, \beta \vdash \alpha, \alpha \vdash \gamma}{\beta \vdash \gamma}$$

- *And:*

$$\frac{\alpha \vdash \beta, \alpha \vdash \gamma}{\alpha \vdash \beta \wedge \gamma}$$

- *MPC:*

$$\frac{\alpha \vdash \beta \rightarrow \gamma, \alpha \vdash \beta}{\alpha \vdash \gamma}$$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Proofs

## Equivalence

Assumption:  $\alpha \sim \beta, \beta \sim \alpha, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

Left L Equivalence:  $\beta \wedge \alpha \sim \gamma$

Cut:  $\frac{\beta \wedge \alpha \sim \gamma}{\beta \sim \gamma}$

## And

Assumption:  $\alpha \sim \beta, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

propositional logic:  $\alpha \wedge \beta \wedge \gamma \models \beta \wedge \gamma$

Supraclassicality:  $\alpha \wedge \beta \wedge \gamma \sim \beta \wedge \gamma$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha \wedge \beta \sim \beta \wedge \gamma}$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha \sim \beta \wedge \gamma}$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

MPC is an Exercise.

# Proofs

## Equivalence

Assumption:  $\alpha \sim \beta, \beta \sim \alpha, \alpha \vdash \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \vdash \gamma$

Left L Equivalence:  $\frac{\beta \wedge \alpha \vdash \gamma}{\beta \vdash \gamma}$

Cut:  $\frac{\beta \vdash \gamma}{\beta \vdash \gamma}$

## And

Assumption:  $\alpha \vdash \beta, \alpha \vdash \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \vdash \gamma$

propositional logic:  $\alpha \wedge \beta \wedge \gamma \models \beta \wedge \gamma$

Supraclassicality:  $\alpha \wedge \beta \wedge \gamma \vdash \beta \wedge \gamma$

Cut:  $\frac{\alpha \wedge \beta \vdash \beta \wedge \gamma}{\alpha \wedge \beta \vdash \beta \wedge \gamma}$

Cut:  $\frac{\alpha \wedge \beta \vdash \beta \wedge \gamma}{\alpha \vdash \beta \wedge \gamma}$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

MPC is an Exercise.

# Proofs

## Equivalence

Assumption:  $\alpha \sim \beta, \beta \sim \alpha, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

Left L Equivalence:  $\frac{\beta \wedge \alpha}{\beta} \sim \gamma$

Cut:  $\frac{\beta \sim \gamma}{\beta} \sim \gamma$

## And

Assumption:  $\alpha \sim \beta, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

propositional logic:  $\alpha \wedge \beta \wedge \gamma \models \beta \wedge \gamma$

Supraclassicality:  $\alpha \wedge \beta \wedge \gamma \sim \beta \wedge \gamma$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha \wedge \beta} \sim \beta \wedge \gamma$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha} \sim \beta \wedge \gamma$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

MPC is an Exercise.

# Proofs

## Equivalence

Assumption:  $\alpha \sim \beta, \beta \sim \alpha, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

Left L Equivalence:  $\frac{\beta \wedge \alpha \sim \gamma}{\beta \sim \gamma}$

Cut:  $\frac{\beta \wedge \alpha \sim \gamma}{\beta \sim \gamma}$

## And

Assumption:  $\alpha \sim \beta, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

propositional logic:  $\alpha \wedge \beta \wedge \gamma \models \beta \wedge \gamma$

Supraclassicality:  $\alpha \wedge \beta \wedge \gamma \sim \beta \wedge \gamma$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha \sim \beta \wedge \gamma}$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha \sim \beta \wedge \gamma}$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

MPC is an Exercise.

# Proofs

## Equivalence

Assumption:  $\alpha \sim \beta, \beta \sim \alpha, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

Left L Equivalence:  $\frac{\beta \wedge \alpha}{\beta} \sim \gamma$

Cut:  $\frac{\beta \sim \gamma}{\beta} \sim \gamma$

## And

Assumption:  $\alpha \sim \beta, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

propositional logic:  $\alpha \wedge \beta \wedge \gamma \models \beta \wedge \gamma$

Supraclassicality:  $\alpha \wedge \beta \wedge \gamma \sim \beta \wedge \gamma$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha \wedge \beta} \sim \beta \wedge \gamma$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha} \sim \beta \wedge \gamma$

MPC is an Exercise.

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Proofs

## Equivalence

Assumption:  $\alpha \sim \beta, \beta \sim \alpha, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

Left L Equivalence:  $\frac{\beta \wedge \alpha}{\beta} \sim \gamma$

Cut:  $\frac{\beta \sim \gamma}{\beta} \sim \gamma$

## And

Assumption:  $\alpha \sim \beta, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

propositional logic:  $\alpha \wedge \beta \wedge \gamma \models \beta \wedge \gamma$

Supraclassicality:  $\alpha \wedge \beta \wedge \gamma \sim \beta \wedge \gamma$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha \wedge \beta} \sim \beta \wedge \gamma$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha} \sim \beta \wedge \gamma$

MPC is an Exercise.

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature



# Proofs

## Equivalence

Assumption:  $\alpha \sim \beta, \beta \sim \alpha, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

Left L Equivalence:  $\beta \wedge \alpha \sim \gamma$

Cut:  $\frac{\beta \wedge \alpha \sim \gamma}{\beta \sim \gamma}$

## And

Assumption:  $\alpha \sim \beta, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

propositional logic:  $\alpha \wedge \beta \wedge \gamma \models \beta \wedge \gamma$

Supraclassicality:  $\alpha \wedge \beta \wedge \gamma \sim \beta \wedge \gamma$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha \wedge \beta \sim \beta \wedge \gamma}$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha \sim \beta \wedge \gamma}$

MPC is an Exercise.

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Proofs

## Equivalence

Assumption:  $\alpha \sim \beta, \beta \sim \alpha, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

Left L Equivalence:  $\frac{\beta \wedge \alpha}{\beta \sim \gamma}$

Cut:  $\frac{\beta \sim \gamma}{\beta \sim \gamma}$

## And

Assumption:  $\alpha \sim \beta, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

propositional logic:  $\alpha \wedge \beta \wedge \gamma \models \beta \wedge \gamma$

Supraclassicality:  $\alpha \wedge \beta \wedge \gamma \sim \beta \wedge \gamma$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha \sim \beta \wedge \gamma}$

Cut:  $\alpha \sim \beta \wedge \gamma$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

MPC is an Exercise.

# Proofs

## Equivalence

Assumption:  $\alpha \sim \beta, \beta \sim \alpha, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

Left L Equivalence:  $\frac{\beta \wedge \alpha}{\beta} \sim \gamma$

Cut:  $\frac{\beta \sim \gamma}{\beta} \sim \gamma$

## And

Assumption:  $\alpha \sim \beta, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

propositional logic:  $\alpha \wedge \beta \wedge \gamma \models \beta \wedge \gamma$

Supraclassicality:  $\alpha \wedge \beta \wedge \gamma \sim \beta \wedge \gamma$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha \wedge \beta} \sim \beta \wedge \gamma$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha} \sim \beta \wedge \gamma$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

MPC is an Exercise.

# Proofs

## Equivalence

Assumption:  $\alpha \sim \beta, \beta \sim \alpha, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

Left L Equivalence:  $\frac{\beta \wedge \alpha}{\beta} \sim \gamma$

Cut:  $\frac{\beta \sim \gamma}{\beta} \sim \gamma$

## And

Assumption:  $\alpha \sim \beta, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

propositional logic:  $\alpha \wedge \beta \wedge \gamma \models \beta \wedge \gamma$

Supraclassicality:  $\alpha \wedge \beta \wedge \gamma \sim \beta \wedge \gamma$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha \wedge \beta} \sim \beta \wedge \gamma$

Cut:  $\frac{\alpha \sim \beta \wedge \gamma}{\alpha} \sim \beta \wedge \gamma$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

MPC is an Exercise.

# Proofs

## Equivalence

Assumption:  $\alpha \sim \beta, \beta \sim \alpha, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

Left L Equivalence:  $\frac{\beta \wedge \alpha \sim \gamma}{\beta \sim \gamma}$

Cut:  $\frac{\beta \sim \gamma}{\beta \sim \gamma}$

## And

Assumption:  $\alpha \sim \beta, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

propositional logic:  $\alpha \wedge \beta \wedge \gamma \models \beta \wedge \gamma$

Supraclassicality:  $\alpha \wedge \beta \wedge \gamma \sim \beta \wedge \gamma$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha \wedge \beta \sim \beta \wedge \gamma}$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha \sim \beta \wedge \gamma}$

MPC is an Exercise.

KRR

Nebel,  
Helmert,  
Wölf

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Proofs

## Equivalence

Assumption:  $\alpha \sim \beta, \beta \sim \alpha, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

Left L Equivalence:  $\frac{\beta \wedge \alpha}{\beta} \sim \gamma$

Cut:  $\frac{\beta \sim \gamma}{\beta} \sim \gamma$

## And

Assumption:  $\alpha \sim \beta, \alpha \sim \gamma$

Cautious Monotonicity:  $\alpha \wedge \beta \sim \gamma$

propositional logic:  $\alpha \wedge \beta \wedge \gamma \models \beta \wedge \gamma$

Supraclassicality:  $\alpha \wedge \beta \wedge \gamma \sim \beta \wedge \gamma$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha \wedge \beta} \sim \beta \wedge \gamma$

Cut:  $\frac{\alpha \wedge \beta \sim \beta \wedge \gamma}{\alpha} \sim \beta \wedge \gamma$

MPC is an Exercise.

KRR

Nebel,  
Helmert,  
Wölf

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 1: Monotonicity and Contraposition

- **Monotonicity:**

$$\frac{\models \alpha \rightarrow \beta, \beta \sim \gamma}{\alpha \sim \gamma}$$

- **Example:** Let us assume that John goes *normally implies* Mary goes. Now we will probably not expect that John goes *and* Joan (who is not in talking terms with Mary) goes *normally implies* Mary goes.

- **Contraposition:**

$$\frac{\alpha \sim \beta}{\neg \beta \sim \neg \alpha}$$

- **Example:** Let us assume that John goes *normally implies* Mary goes. Would we expect that Mary does not go *normally implies* John does not go? What if John goes always?

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in C

Undesirable Properties

Reasoning

Semantics


Preferential Reasoning

Probabilistic Semantics

Literature

# Undesirable Properties 1: Monotonicity

$\alpha \models \beta, \beta \sim \gamma$  but not  $\alpha \sim \gamma$  pictorially:



KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning


Probabilistic  
Semantics

Literature



# Undesirable Properties 1: Contraposition

$\alpha \sim \beta$  but not  $\neg\beta \sim \neg\alpha$  pictorially:



KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

**Undesirable  
Properties**

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 2: Transitivity & EHD

- **Transitivity:**

$$\frac{\alpha \sim \beta, \beta \sim \gamma}{\alpha \sim \gamma}$$

- **Example:** Let us assume that  
John goes *normally implies* Mary goes and  
Mary goes *normally implies* Jack goes.  
Now, should John goes *normally imply* that Jack goes?  
If John goes very seldom?

- **Easy Half of Deduction Theorem (EHD):**

$$\frac{\alpha \sim \beta \rightarrow \gamma}{\alpha \wedge \beta \sim \gamma}$$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics


Preferential  
Reasoning

Probabilistic  
Semantics

Literature

## Undesirable Properties 2: Transitivity

$\alpha \sim \beta, \beta \sim \gamma$  but not  $\alpha \sim \gamma$  pictorially:



KRR

Nebel,  
Helmert,  
Wölfl

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics


Preferential  
Reasoning

Probabilistic  
Semantics

Literature

## Undesirable Properties 2: EHD

$\alpha \sim \beta \rightarrow \gamma$  but not  $\alpha \wedge \beta \sim \gamma$  pictorially:



KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 3

## Theorem

In the presence of the rules in system **C**, *monotonicity* and *EHD* are equivalent.

## Proof.

*Monotonicity*  $\Rightarrow$  *EHD*:

- $\alpha \vdash \beta \rightarrow \gamma$  (assumption)
- $\alpha \wedge \beta \vdash \beta \rightarrow \gamma$  (monotonicity)
- $\alpha \wedge \beta \vdash \alpha \wedge \beta$  (reflexivity)
- $\alpha \wedge \beta \vdash \beta$  (right weakening)
- $\alpha \wedge \beta \vdash \gamma$  (MPC)

*Monotonicity*  $\Leftarrow$  *EHD*:

- $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- $\beta \vdash \alpha \rightarrow \gamma$  (right weakening)
- $\beta \wedge \alpha \vdash \gamma$  (EHD)
- $\alpha \vdash \gamma$  (left logical equivalence)



KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in C

Undesirable Properties

Reasoning

Semantics

Preferential Reasoning

Probabilistic Semantics

Literature

# Undesirable Properties 3

## Theorem

In the presence of the rules in system **C**, *monotonicity* and *EHD* are equivalent.

## Proof.

*Monotonicity*  $\Rightarrow$  *EHD*:

- $\alpha \vdash \beta \rightarrow \gamma$  (assumption)
- $\alpha \wedge \beta \vdash \beta \rightarrow \gamma$  (monotonicity)
- $\alpha \wedge \beta \vdash \alpha \wedge \beta$  (reflexivity)
- $\alpha \wedge \beta \vdash \beta$  (right weakening)
- $\alpha \wedge \beta \vdash \gamma$  (MPC)

*Monotonicity*  $\Leftarrow$  *EHD*:

- $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- $\beta \vdash \alpha \rightarrow \gamma$  (right weakening)
- $\beta \wedge \alpha \vdash \gamma$  (EHD)
- $\alpha \vdash \gamma$  (left logical equivalence)



KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 3

## Theorem

In the presence of the rules in system **C**, *monotonicity* and *EHD* are equivalent.

## Proof.

*Monotonicity*  $\Rightarrow$  *EHD*:

- $\alpha \vdash \beta \rightarrow \gamma$  (assumption)
- $\alpha \wedge \beta \vdash \beta \rightarrow \gamma$  (monotonicity)
- $\alpha \wedge \beta \vdash \alpha \wedge \beta$  (reflexivity)
- $\alpha \wedge \beta \vdash \beta$  (right weakening)
- $\alpha \wedge \beta \vdash \gamma$  (MPC)

*Monotonicity*  $\Leftarrow$  *EHD*:

- $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- $\beta \vdash \alpha \rightarrow \gamma$  (right weakening)
- $\beta \wedge \alpha \vdash \gamma$  (EHD)
- $\alpha \vdash \gamma$  (left logical equivalence)



KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in C

Undesirable Properties

Reasoning

Semantics

Preferential Reasoning

Probabilistic Semantics

Literature

# Undesirable Properties 3

## Theorem

In the presence of the rules in system **C**, *monotonicity* and *EHD* are equivalent.

## Proof.

*Monotonicity*  $\Rightarrow$  *EHD*:

- $\alpha \vdash \beta \rightarrow \gamma$  (assumption)
- $\alpha \wedge \beta \vdash \beta \rightarrow \gamma$  (monotonicity)
- $\alpha \wedge \beta \vdash \alpha \wedge \beta$  (reflexivity)
- $\alpha \wedge \beta \vdash \beta$  (right weakening)
- $\alpha \wedge \beta \vdash \gamma$  (MPC)

*Monotonicity*  $\Leftarrow$  *EHD*:

- $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- $\beta \vdash \alpha \rightarrow \gamma$  (right weakening)
- $\beta \wedge \alpha \vdash \gamma$  (EHD)
- $\alpha \vdash \gamma$  (left logical equivalence)



KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature



# Undesirable Properties 3

## Theorem

In the presence of the rules in system **C**, *monotonicity* and *EHD* are equivalent.

## Proof.

*Monotonicity*  $\Rightarrow$  *EHD*:

- $\alpha \vdash \beta \rightarrow \gamma$  (assumption)
- $\alpha \wedge \beta \vdash \beta \rightarrow \gamma$  (monotonicity)
- $\alpha \wedge \beta \vdash \alpha \wedge \beta$  (reflexivity)
- $\alpha \wedge \beta \vdash \beta$  (right weakening)
- $\alpha \wedge \beta \vdash \gamma$  (MPC)

*Monotonicity*  $\Leftarrow$  *EHD*:

- $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- $\beta \vdash \alpha \rightarrow \gamma$  (right weakening)
- $\beta \wedge \alpha \vdash \gamma$  (EHD)
- $\alpha \vdash \gamma$  (left logical equivalence)



KRR

Nebel,  
Helmert,  
Wölfl

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 3

## Theorem

In the presence of the rules in system **C**, *monotonicity* and *EHD* are equivalent.

## Proof.

*Monotonicity*  $\Rightarrow$  *EHD*:

- $\alpha \vdash \beta \rightarrow \gamma$  (assumption)
- $\alpha \wedge \beta \vdash \beta \rightarrow \gamma$  (monotonicity)
- $\alpha \wedge \beta \vdash \alpha \wedge \beta$  (reflexivity)
- $\alpha \wedge \beta \vdash \beta$  (right weakening)
- $\alpha \wedge \beta \vdash \gamma$  (MPC)

*Monotonicity*  $\Leftarrow$  *EHD*:

- $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- $\beta \vdash \alpha \rightarrow \gamma$  (right weakening)
- $\beta \wedge \alpha \vdash \gamma$  (EHD)
- $\alpha \vdash \gamma$  (left logical equivalence)



KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 3

## Theorem

In the presence of the rules in system **C**, *monotonicity* and *EHD* are equivalent.

## Proof.

*Monotonicity*  $\Rightarrow$  *EHD*:

- $\alpha \vdash \beta \rightarrow \gamma$  (assumption)
- $\alpha \wedge \beta \vdash \beta \rightarrow \gamma$  (monotonicity)
- $\alpha \wedge \beta \vdash \alpha \wedge \beta$  (reflexivity)
- $\alpha \wedge \beta \vdash \beta$  (right weakening)
- $\alpha \wedge \beta \vdash \gamma$  (MPC)

*Monotonicity*  $\Leftarrow$  *EHD*:

- $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- $\beta \vdash \alpha \rightarrow \gamma$  (right weakening)
- $\beta \wedge \alpha \vdash \gamma$  (EHD)
- $\alpha \vdash \gamma$  (left logical equivalence)



KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 3

## Theorem

In the presence of the rules in system **C**, *monotonicity* and *EHD* are equivalent.

## Proof.

*Monotonicity*  $\Rightarrow$  *EHD*:

- $\alpha \vdash \beta \rightarrow \gamma$  (assumption)
- $\alpha \wedge \beta \vdash \beta \rightarrow \gamma$  (monotonicity)
- $\alpha \wedge \beta \vdash \alpha \wedge \beta$  (reflexivity)
- $\alpha \wedge \beta \vdash \beta$  (right weakening)
- $\alpha \wedge \beta \vdash \gamma$  (MPC)

*Monotonicity*  $\Leftarrow$  *EHD*:

- $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- $\beta \vdash \alpha \rightarrow \gamma$  (right weakening)
- $\beta \wedge \alpha \vdash \gamma$  (EHD)
- $\alpha \vdash \gamma$  (left logical equivalence)



KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in C

Undesirable Properties

Reasoning

Semantics

Preferential Reasoning

Probabilistic Semantics

Literature

# Undesirable Properties 3

## Theorem

In the presence of the rules in system **C**, *monotonicity* and *EHD* are equivalent.

## Proof.

*Monotonicity*  $\Rightarrow$  *EHD*:

- $\alpha \vdash \beta \rightarrow \gamma$  (assumption)
- $\alpha \wedge \beta \vdash \beta \rightarrow \gamma$  (monotonicity)
- $\alpha \wedge \beta \vdash \alpha \wedge \beta$  (reflexivity)
- $\alpha \wedge \beta \vdash \beta$  (right weakening)
- $\alpha \wedge \beta \vdash \gamma$  (MPC)

*Monotonicity*  $\Leftarrow$  *EHD*:

- $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- $\beta \vdash \alpha \rightarrow \gamma$  (right weakening)
- $\beta \wedge \alpha \vdash \gamma$  (EHD)
- $\alpha \vdash \gamma$  (left logical equivalence)



KRR

Nebel,  
Helmert,  
Wölfl

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 3

## Theorem

In the presence of the rules in system **C**, *monotonicity* and *EHD* are equivalent.

## Proof.

*Monotonicity*  $\Rightarrow$  *EHD*:

- $\alpha \vdash \beta \rightarrow \gamma$  (assumption)
- $\alpha \wedge \beta \vdash \beta \rightarrow \gamma$  (monotonicity)
- $\alpha \wedge \beta \vdash \alpha \wedge \beta$  (reflexivity)
- $\alpha \wedge \beta \vdash \beta$  (right weakening)
- $\alpha \wedge \beta \vdash \gamma$  (MPC)

*Monotonicity*  $\Leftarrow$  *EHD*:

- $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- $\beta \vdash \alpha \rightarrow \gamma$  (right weakening)
- $\beta \wedge \alpha \vdash \gamma$  (EHD)
- $\alpha \vdash \gamma$  (left logical equivalence)



KRR

Nebel,  
Helmert,  
Wölfl

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 3

## Theorem

In the presence of the rules in system **C**, *monotonicity* and *EHD* are equivalent.

## Proof.

*Monotonicity*  $\Rightarrow$  *EHD*:

- $\alpha \vdash \beta \rightarrow \gamma$  (assumption)
- $\alpha \wedge \beta \vdash \beta \rightarrow \gamma$  (monotonicity)
- $\alpha \wedge \beta \vdash \alpha \wedge \beta$  (reflexivity)
- $\alpha \wedge \beta \vdash \beta$  (right weakening)
- $\alpha \wedge \beta \vdash \gamma$  (MPC)

*Monotonicity*  $\Leftarrow$  *EHD*:

- $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- $\beta \vdash \alpha \rightarrow \gamma$  (right weakening)
- $\beta \wedge \alpha \vdash \gamma$  (EHD)
- $\alpha \vdash \gamma$  (left logical equivalence)



KRR

Nebel,  
Helmert,  
Wölfl

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 3

## Theorem

In the presence of the rules in system **C**, *monotonicity* and *EHD* are equivalent.

## Proof.

*Monotonicity*  $\Rightarrow$  *EHD*:

- $\alpha \vdash \beta \rightarrow \gamma$  (assumption)
- $\alpha \wedge \beta \vdash \beta \rightarrow \gamma$  (monotonicity)
- $\alpha \wedge \beta \vdash \alpha \wedge \beta$  (reflexivity)
- $\alpha \wedge \beta \vdash \beta$  (right weakening)
- $\alpha \wedge \beta \vdash \gamma$  (MPC)

*Monotonicity*  $\Leftarrow$  *EHD*:

- $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- $\beta \vdash \alpha \rightarrow \gamma$  (right weakening)
- $\beta \wedge \alpha \vdash \gamma$  (EHD)
- $\alpha \vdash \gamma$  (left logical equivalence)



KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature



# Undesirable Properties 4

## Theorem

In the presence of the rules in system **C**, *monotonicity* and *transitivity* are equivalent.

## Proof.

*Monotonicity*  $\Rightarrow$  *transitivity*:

- $\alpha \vdash \beta, \beta \vdash \gamma$  (assumption)
- $\alpha \wedge \beta \vdash \gamma$  (monotonicity)
- $\alpha \vdash \gamma$  (cut)

*Monotonicity*  $\Leftarrow$  *transitivity*:

- $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- $\alpha \models \beta$  (deduction theorem)
- $\alpha \vdash \beta$  (supraclassicality)
- $\alpha \vdash \gamma$  (transitivity)



KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 4

## Theorem

In the presence of the rules in system **C**, *monotonicity* and *transitivity* are equivalent.

## Proof.

*Monotonicity*  $\Rightarrow$  *transitivity*:

- $\alpha \vdash \beta, \beta \vdash \gamma$  (assumption)
- $\alpha \wedge \beta \vdash \gamma$  (monotonicity)
- $\alpha \vdash \gamma$  (cut)

*Monotonicity*  $\Leftarrow$  *transitivity*:

- $\models \alpha \rightarrow \beta, \beta \vdash \gamma$   
(assumption)
- $\alpha \models \beta$  (deduction theorem)
- $\alpha \vdash \beta$  (supraclassicality)
- $\alpha \vdash \gamma$  (transitivity)



KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 4

## Theorem

In the presence of the rules in system **C**, *monotonicity* and *transitivity* are equivalent.

## Proof.

*Monotonicity*  $\Rightarrow$  *transitivity*:

- $\alpha \vdash \beta, \beta \vdash \gamma$  (assumption)
- $\alpha \wedge \beta \vdash \gamma$  (monotonicity)
- $\alpha \vdash \gamma$  (cut)

*Monotonicity*  $\Leftarrow$  *transitivity*:

- $\models \alpha \rightarrow \beta, \beta \vdash \gamma$   
(assumption)
- $\alpha \models \beta$  (deduction theorem)
- $\alpha \vdash \beta$  (supraclassicality)
- $\alpha \vdash \gamma$  (transitivity)



KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 4

## Theorem

In the presence of the rules in system **C**, *monotonicity* and *transitivity* are equivalent.

## Proof.

*Monotonicity*  $\Rightarrow$  *transitivity*:

- $\alpha \vdash \beta, \beta \vdash \gamma$  (assumption)
- $\alpha \wedge \beta \vdash \gamma$  (monotonicity)
- $\alpha \vdash \gamma$  (cut)

*Monotonicity*  $\Leftarrow$  *transitivity*:

- $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- $\alpha \models \beta$  (deduction theorem)
- $\alpha \vdash \beta$  (supraclassicality)
- $\alpha \vdash \gamma$  (transitivity)



KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 4

## Theorem

In the presence of the rules in system **C**, *monotonicity* and *transitivity* are equivalent.

## Proof.

*Monotonicity*  $\Rightarrow$  *transitivity*:

- $\alpha \vdash \beta, \beta \vdash \gamma$  (assumption)
- $\alpha \wedge \beta \vdash \gamma$  (monotonicity)
- $\alpha \vdash \gamma$  (cut)

*Monotonicity*  $\Leftarrow$  *transitivity*:

- $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- $\alpha \models \beta$  (deduction theorem)
- $\alpha \vdash \beta$  (supraclassicality)
- $\alpha \vdash \gamma$  (transitivity)



KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 4

## Theorem

In the presence of the rules in system **C**, *monotonicity* and *transitivity* are equivalent.

## Proof.

*Monotonicity*  $\Rightarrow$  *transitivity*:

- $\alpha \vdash \beta, \beta \vdash \gamma$  (assumption)
- $\alpha \wedge \beta \vdash \gamma$  (monotonicity)
- $\alpha \vdash \gamma$  (cut)

*Monotonicity*  $\Leftarrow$  *transitivity*:

- $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- $\alpha \models \beta$  (deduction theorem)
- $\alpha \vdash \beta$  (supraclassicality)
- $\alpha \vdash \gamma$  (transitivity)



KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 4

## Theorem

In the presence of the rules in system **C**, *monotonicity* and *transitivity* are equivalent.

## Proof.

*Monotonicity*  $\Rightarrow$  *transitivity*:

- $\alpha \vdash \beta, \beta \vdash \gamma$  (assumption)
- $\alpha \wedge \beta \vdash \gamma$  (monotonicity)
- $\alpha \vdash \gamma$  (cut)

*Monotonicity*  $\Leftarrow$  *transitivity*:

- $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- $\alpha \models \beta$  (deduction theorem)
- $\alpha \vdash \beta$  (supraclassicality)
- $\alpha \vdash \gamma$  (transitivity)



KRR

Nebel,  
Helmert,  
Wölf

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 5

## Theorem

In the presence of *right weakening*, *contraposition* implies *monotonicity*.

## Proof.

- 1  $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- 2  $\neg \gamma \vdash \neg \beta$  (contraposition)
- 3  $\models \neg \beta \rightarrow \neg \alpha$  (classical contraposition)
- 4  $\neg \gamma \vdash \neg \alpha$  (right weakening)
- 5  $\alpha \vdash \gamma$  (contraposition)



**Note:** *Monotonicity* does not imply *contraposition*, even in the presence of all rules of system **C**!

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature



# Undesirable Properties 5

## Theorem

In the presence of *right weakening*, *contraposition* implies *monotonicity*.

## Proof.

- 1  $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- 2  $\neg \gamma \vdash \neg \beta$  (contraposition)
- 3  $\models \neg \beta \rightarrow \neg \alpha$  (classical contraposition)
- 4  $\neg \gamma \vdash \neg \alpha$  (right weakening)
- 5  $\alpha \vdash \gamma$  (contraposition)



**Note:** *Monotonicity* does not imply *contraposition*, even in the presence of all rules of system **C**!

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 5

## Theorem

In the presence of *right weakening*, *contraposition* implies *monotonicity*.

## Proof.

- 1  $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- 2  $\neg\gamma \vdash \neg\beta$  (contraposition)
- 3  $\models \neg\beta \rightarrow \neg\alpha$  (classical contraposition)
- 4  $\neg\gamma \vdash \neg\alpha$  (right weakening)
- 5  $\alpha \vdash \gamma$  (contraposition)



**Note:** *Monotonicity* does not imply *contraposition*, even in the presence of all rules of system **C**!

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 5

## Theorem

In the presence of *right weakening*, *contraposition* implies *monotonicity*.

## Proof.

- 1  $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- 2  $\neg\gamma \vdash \neg\beta$  (contraposition)
- 3  $\models \neg\beta \rightarrow \neg\alpha$  (classical contraposition)
- 4  $\neg\gamma \vdash \neg\alpha$  (right weakening)
- 5  $\alpha \vdash \gamma$  (contraposition)



**Note:** *Monotonicity* does not imply *contraposition*, even in the presence of all rules of system **C**!

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 5

## Theorem

In the presence of *right weakening*, *contraposition* implies *monotonicity*.

## Proof.

- 1  $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- 2  $\neg\gamma \vdash \neg\beta$  (contraposition)
- 3  $\models \neg\beta \rightarrow \neg\alpha$  (classical contraposition)
- 4  $\neg\gamma \vdash \neg\alpha$  (right weakening)
- 5  $\alpha \vdash \gamma$  (contraposition)



**Note:** *Monotonicity* does not imply *contraposition*, even in the presence of all rules of system **C**!

KRR

Nebel,  
Helmert,  
Wölf

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 5

## Theorem

In the presence of *right weakening*, *contraposition* implies *monotonicity*.

## Proof.

- 1  $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- 2  $\neg\gamma \vdash \neg\beta$  (contraposition)
- 3  $\models \neg\beta \rightarrow \neg\alpha$  (classical contraposition)
- 4  $\neg\gamma \vdash \neg\alpha$  (right weakening)
- 5  $\alpha \vdash \neg\gamma$  (contraposition)



**Note:** *Monotonicity* does not imply *contraposition*, even in the presence of all rules of system **C**!

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Undesirable Properties 5

## Theorem

In the presence of *right weakening*, *contraposition* implies *monotonicity*.

## Proof.

- 1  $\models \alpha \rightarrow \beta, \beta \vdash \gamma$  (assumption)
- 2  $\neg\gamma \vdash \neg\beta$  (contraposition)
- 3  $\models \neg\beta \rightarrow \neg\alpha$  (classical contraposition)
- 4  $\neg\gamma \vdash \neg\alpha$  (right weakening)
- 5  $\alpha \vdash \neg\gamma$  (contraposition)



**Note:** *Monotonicity* does not imply *contraposition*, even in the presence of all rules of system **C**!

KRR

Nebel,  
Helmert,  
Wölfel

System C

Motivation

Properties

Derived Rules in  
C

Undesirable  
Properties

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Cumulative Closure 1

- How do we **reason** with  $\sim$  from  $\varphi$  to  $\psi$ ?
- **Assumption:** We have a set **K** of **conditional statements** of the form  $\alpha \sim \beta$ .

The question is: Assuming the statements in **K**, is it plausible to conclude  $\psi$  given  $\varphi$ ?

- **Idea:** We consider **all** cumulative consequence relations that contain **K**.
- **Remark:** It suffices to consider only the **minimal** cumulative consequence relations containing **K**.

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning  
Cumulative  
Closure

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Cumulative Closure 2

## Lemma

*The set of cumulative consequence relations is closed under intersection.*

## Proof.

Let  $\vdash_1$  and  $\vdash_2$  be cumulative consequence relations. We have to show that  $\vdash_1 \cap \vdash_2$  is a cumulative consequence relation, that is, it satisfies the rules 1–5.

Take any instance of the any of the rules. If the preconditions are satisfied by  $\vdash_1$  and  $\vdash_2$ , then the consequence is trivially also satisfied by both. □

KRR

Nebel,  
Helmert,  
Wöfl

System C

Reasoning  
Cumulative  
Closure

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature



# Cumulative Closure 2

## Lemma

*The set of cumulative consequence relations is closed under intersection.*

## Proof.

Let  $\vdash_1$  and  $\vdash_2$  be cumulative consequence relations. We have to show that  $\vdash_1 \cap \vdash_2$  is a cumulative consequence relation, that is, it satisfies the rules 1–5.

Take any instance of the any of the rules. If the preconditions are satisfied by  $\vdash_1$  and  $\vdash_2$ , then the consequence is trivially also satisfied by both. □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning  
Cumulative  
Closure

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Cumulative Closure 2

## Lemma

*The set of cumulative consequence relations is closed under intersection.*

## Proof.

Let  $\vdash_1$  and  $\vdash_2$  be cumulative consequence relations. We have to show that  $\vdash_1 \cap \vdash_2$  is a cumulative consequence relation, that is, it satisfies the rules 1–5.

Take any instance of the any of the rules. If the preconditions are satisfied by  $\vdash_1$  and  $\vdash_2$ , then the consequence is trivially also satisfied by both. □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning  
Cumulative  
Closure

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Cumulative Closure 3

KRR

Nebel,  
Helmert,  
Wölfel

## Theorem

*For each finite set of conditional statements  $\mathbf{K}$ , there exists a unique smallest cumulative consequence relation containing  $\mathbf{K}$ .*

## Proof.

Assume the contrary, i.e., there are incomparable minimal sets  $\mathbf{K}_1, \dots, \mathbf{K}_m$ . Then  $\mathbf{K} = \mathbf{K}_1 \cap \dots \cap \mathbf{K}_m$  is a unique smallest cumulative consequence relation containing  $\mathbf{K}$ : contradiction.

This relation is the **cumulative closure**  $\mathbf{K}^C$  of  $\mathbf{K}$ . □

System C

Reasoning  
Cumulative  
Closure

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Cumulative Closure 3

KRR

Nebel,  
Helmert,  
Wölfel

## Theorem

*For each finite set of conditional statements  $\mathbf{K}$ , there exists a unique smallest cumulative consequence relation containing  $\mathbf{K}$ .*

System C

Reasoning  
Cumulative  
Closure

Semantics

## Proof.

Assume the contrary, i.e., there are incomparable minimal sets  $\mathbf{K}_1, \dots, \mathbf{K}_m$ . Then  $\mathbf{K} = \mathbf{K}_1 \cap \dots \cap \mathbf{K}_m$  is a unique smallest cumulative consequence relation containing  $\mathbf{K}$ : contradiction.

Preferential  
Reasoning

Probabilistic  
Semantics

This relation is the cumulative closure  $\mathbf{K}^C$  of  $\mathbf{K}$ . □

Literature

# Cumulative Closure 3

KRR

Nebel,  
Helmert,  
Wölfel

## Theorem

*For each finite set of conditional statements  $\mathbf{K}$ , there exists a unique smallest cumulative consequence relation containing  $\mathbf{K}$ .*

System C

Reasoning  
Cumulative  
Closure

Semantics

## Proof.

Assume the contrary, i.e., there are incomparable minimal sets  $\mathbf{K}_1, \dots, \mathbf{K}_m$ . Then  $\mathbf{K} = \mathbf{K}_1 \cap \dots \cap \mathbf{K}_m$  is a unique smallest cumulative consequence relation containing  $\mathbf{K}$ : contradiction.

Preferential  
Reasoning

Probabilistic  
Semantics

This relation is the **cumulative closure  $\mathbf{K}^C$**  of  $\mathbf{K}$ . □

Literature

# Cumulative Models – informally

- We will now try to characterize cumulative reasoning model-theoretically.
- **Idea:** *Cumulative models* consist of *states* ordered by a *preference relation*.
- *States* characterize beliefs.
- The *preference relation* expresses the normality of the beliefs.
- We say:  $\alpha \sim \beta$  is *accepted* in a model if in all most preferred states in which  $\alpha$  is true, also  $\beta$  is true.

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Preference Relation

- Let  $\prec$  be a binary relation on a set  $U$ .  
 $\prec$  is **asymmetric** iff

$$s \prec t \text{ implies } t \not\prec s \text{ for all } s, t \in U.$$

- Let  $V \subseteq U$  and  $\prec$  be a binary relation on  $U$ .
  - $t \in V$  is **minimal** in  $V$  iff  $s \not\prec t$  for all  $s \in V$ .
  - $t \in V$  is a **minimum** of  $V$  (**a smallest element** in  $V$ ) iff  $t \prec s$  for all  $s \in V$  such that  $s \neq t$ .
- Let  $P \subseteq U$  and  $\prec$  be a binary relation on  $U$ .  
 $P$  is **smooth** iff for all  $t \in P$ , either  $t$  is minimal in  $P$  or there is  $s \in P$  such that  $s$  is minimal in  $P$  and  $s \prec t$ .
- Note:**  $\prec$  is not a partial order but an arbitrary relation!

KRR

Nebel,  
Helmert,  
Wöfl

System C

Reasoning

Semantics

Cumulative  
Models  
Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Cumulative Models – formally

- Let  $\mathcal{U}$  be the set of all **possible worlds (propositional interpretations)**.
- A **cumulative model**  $W$  is a triple  $\langle S, l, \prec \rangle$  such that
  - 1  $S$  is a set of **states**,
  - 2  $l$  is a mapping  $l : S \rightarrow 2^{\mathcal{U}}$ , and
  - 3  $\prec$  is an arbitrary **binary relation**

such that the **smoothness condition** is satisfied (see below).

- A state  $s \in S$  **satisfies** a formula  $\alpha$  ( $s \models \alpha$ ) iff  $m \models \alpha$  for all propositional interpretations  $m \in l(s)$ .  
The set of states satisfying  $\alpha$  is denoted by  $\hat{\alpha}$ .
- **Smoothness condition:** A cumulative model satisfies this condition iff for all formulae  $\alpha$ ,  $\hat{\alpha}$  is **smooth**.

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature



# Consequence Relation Induced by a Cumulative Model

A cumulative model  $W$  induces a consequence relation  $\sim_W$  as follows:

$$\alpha \sim_W \beta \text{ iff } s \models \beta \text{ for every minimal } s \text{ in } \hat{\alpha}.$$

## Example

Model  $W = \langle \{s_1, s_2, s_3\}, l, \prec \rangle$  with  $s_1 \prec s_2, s_2 \prec s_3, s_1 \prec s_3$

$$l(s_1) = \{ \{ \neg p, b, f \} \}$$

$$l(s_2) = \{ \{ p, b, \neg f \} \}$$

$$l(s_3) = \{ \{ \neg p, \neg b, f \}, \{ \neg p, \neg b, \neg f \} \}$$

Does  $W$  satisfy the smoothness condition?

$$\neg p \wedge \neg b \sim f? \quad \text{N} \quad \text{Also: } \neg p \wedge \neg b \not\sim \neg f!$$

$$p \sim \neg f? \quad \text{Y}$$

$$\neg p \sim f? \quad \text{Y}$$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Consequence Relation Induced by a Cumulative Model

A cumulative model  $W$  induces a consequence relation  $\sim_W$  as follows:

$$\alpha \sim_W \beta \text{ iff } s \models \beta \text{ for every minimal } s \text{ in } \hat{\alpha}.$$

## Example

Model  $W = \langle \{s_1, s_2, s_3\}, l, \prec \rangle$  with  $s_1 \prec s_2, s_2 \prec s_3, s_1 \prec s_3$

$$l(s_1) = \{ \{ \neg p, b, f \} \}$$

$$l(s_2) = \{ \{ p, b, \neg f \} \}$$

$$l(s_3) = \{ \{ \neg p, \neg b, f \}, \{ \neg p, \neg b, \neg f \} \}$$

Does  $W$  satisfy the smoothness condition?

$\neg p \wedge \neg b \sim f?$     N    Also:  $\neg p \wedge \neg b \not\sim \neg f!$

$p \sim \neg f?$     Y

$\neg p \sim f?$     Y

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Consequence Relation Induced by a Cumulative Model

A cumulative model  $W$  induces a consequence relation  $\sim_W$  as follows:

$$\alpha \sim_W \beta \text{ iff } s \models \beta \text{ for every minimal } s \text{ in } \hat{\alpha}.$$

## Example

Model  $W = \langle \{s_1, s_2, s_3\}, l, \prec \rangle$  with  $s_1 \prec s_2, s_2 \prec s_3, s_1 \prec s_3$

$$l(s_1) = \{ \{ \neg p, b, f \} \}$$

$$l(s_2) = \{ \{ p, b, \neg f \} \}$$

$$l(s_3) = \{ \{ \neg p, \neg b, f \}, \{ \neg p, \neg b, \neg f \} \}$$

Does  $W$  satisfy the smoothness condition?

$\neg p \wedge \neg b \sim f?$     N    Also:  $\neg p \wedge \neg b \not\sim \neg f!$

$p \sim \neg f?$     Y

$\neg p \sim f?$     Y

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Consequence Relation Induced by a Cumulative Model

A cumulative model  $W$  induces a consequence relation  $\sim_W$  as follows:

$$\alpha \sim_W \beta \text{ iff } s \models \beta \text{ for every minimal } s \text{ in } \hat{\alpha}.$$

## Example

Model  $W = \langle \{s_1, s_2, s_3\}, l, \prec \rangle$  with  $s_1 \prec s_2, s_2 \prec s_3, s_1 \prec s_3$

$$l(s_1) = \{ \{ \neg p, b, f \} \}$$

$$l(s_2) = \{ \{ p, b, \neg f \} \}$$

$$l(s_3) = \{ \{ \neg p, \neg b, f \}, \{ \neg p, \neg b, \neg f \} \}$$

Does  $W$  satisfy the smoothness condition?

$\neg p \wedge \neg b \sim f?$     N    Also:  $\neg p \wedge \neg b \not\sim \neg f!$

$p \sim \neg f?$     Y

$\neg p \sim f?$     Y

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Consequence Relation Induced by a Cumulative Model

A cumulative model  $W$  induces a consequence relation  $\sim_W$  as follows:

$$\alpha \sim_W \beta \text{ iff } s \models \beta \text{ for every minimal } s \text{ in } \hat{\alpha}.$$

## Example

Model  $W = \langle \{s_1, s_2, s_3\}, l, \prec \rangle$  with  $s_1 \prec s_2, s_2 \prec s_3, s_1 \prec s_3$

$$l(s_1) = \{ \{ \neg p, b, f \} \}$$

$$l(s_2) = \{ \{ p, b, \neg f \} \}$$

$$l(s_3) = \{ \{ \neg p, \neg b, f \}, \{ \neg p, \neg b, \neg f \} \}$$

Does  $W$  satisfy the smoothness condition?

$\neg p \wedge \neg b \sim f?$     N    Also:  $\neg p \wedge \neg b \not\sim \neg f!$

$p \sim \neg f?$     Y

$\neg p \sim f?$     Y

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Soundness 1

## Theorem

If  $W$  is a cumulative model, then  $\vdash_W$  is a cumulative consequence relation.

## Proof.

- *Reflexivity*: satisfied  $\checkmark$ .
- *Left logical equivalence*: satisfied  $\checkmark$ .
- *Right weakening*: satisfied  $\checkmark$ .
- *Cut*:  $\alpha \vdash \beta, \alpha \wedge \beta \vdash \gamma \Rightarrow \alpha \vdash \gamma$ . Assume that all minimal elements of  $\widehat{\alpha}$  satisfy  $\beta$ , and all minimal elements of  $\widehat{\alpha \wedge \beta}$  satisfy  $\gamma$ . Every minimal element of  $\widehat{\alpha}$  satisfies  $\alpha \wedge \beta$ . Since  $\widehat{\alpha \wedge \beta} \subseteq \widehat{\alpha}$ , all minimal elements of  $\widehat{\alpha}$  are also minimal elements of  $\widehat{\alpha \wedge \beta}$ . Hence  $\alpha \vdash_W \gamma$ .



KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Soundness 1

## Theorem

If  $W$  is a cumulative model, then  $\vdash_W$  is a cumulative consequence relation.

## Proof.

- *Reflexivity*: satisfied  $\checkmark$ .
- *Left logical equivalence*: satisfied  $\checkmark$ .
- *Right weakening*: satisfied  $\checkmark$ .
- *Cut*:  $\alpha \vdash \beta, \alpha \wedge \beta \vdash \gamma \Rightarrow \alpha \vdash \gamma$ . Assume that all minimal elements of  $\widehat{\alpha}$  satisfy  $\beta$ , and all minimal elements of  $\widehat{\alpha \wedge \beta}$  satisfy  $\gamma$ . Every minimal element of  $\widehat{\alpha}$  satisfies  $\alpha \wedge \beta$ . Since  $\widehat{\alpha \wedge \beta} \subseteq \widehat{\alpha}$ , all minimal elements of  $\widehat{\alpha}$  are also minimal elements of  $\widehat{\alpha \wedge \beta}$ . Hence  $\alpha \vdash_W \gamma$ .



KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Soundness 1

## Theorem

If  $W$  is a cumulative model, then  $\vdash_W$  is a cumulative consequence relation.

## Proof.

- *Reflexivity*: satisfied  $\checkmark$ .
- *Left logical equivalence*: satisfied  $\checkmark$ .
- *Right weakening*: satisfied  $\checkmark$ .
- *Cut*:  $\alpha \vdash \beta, \alpha \wedge \beta \vdash \gamma \Rightarrow \alpha \vdash \gamma$ . Assume that all minimal elements of  $\widehat{\alpha}$  satisfy  $\beta$ , and all minimal elements of  $\widehat{\alpha \wedge \beta}$  satisfy  $\gamma$ . Every minimal element of  $\widehat{\alpha}$  satisfies  $\alpha \wedge \beta$ . Since  $\widehat{\alpha \wedge \beta} \subseteq \widehat{\alpha}$ , all minimal elements of  $\widehat{\alpha}$  are also minimal elements of  $\widehat{\alpha \wedge \beta}$ . Hence  $\alpha \vdash_W \gamma$ .



KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature



# Soundness 1

## Theorem

If  $W$  is a cumulative model, then  $\vdash_W$  is a cumulative consequence relation.

## Proof.

- *Reflexivity*: satisfied  $\checkmark$ .
- *Left logical equivalence*: satisfied  $\checkmark$ .
- *Right weakening*: satisfied  $\checkmark$ .
- *Cut*:  $\alpha \vdash \beta, \alpha \wedge \beta \vdash \gamma \Rightarrow \alpha \vdash \gamma$ . Assume that all minimal elements of  $\widehat{\alpha}$  satisfy  $\beta$ , and all minimal elements of  $\widehat{\alpha \wedge \beta}$  satisfy  $\gamma$ . Every minimal element of  $\widehat{\alpha}$  satisfies  $\alpha \wedge \beta$ . Since  $\widehat{\alpha \wedge \beta} \subseteq \widehat{\alpha}$ , all minimal elements of  $\widehat{\alpha}$  are also minimal elements of  $\widehat{\alpha \wedge \beta}$ . Hence  $\alpha \vdash_W \gamma$ .



KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Soundness 1

## Theorem

If  $W$  is a cumulative model, then  $\vdash_W$  is a cumulative consequence relation.

## Proof.

- *Reflexivity*: satisfied  $\checkmark$ .
- *Left logical equivalence*: satisfied  $\checkmark$ .
- *Right weakening*: satisfied  $\checkmark$ .
- *Cut*:  $\alpha \vdash \beta, \alpha \wedge \beta \vdash \gamma \Rightarrow \alpha \vdash \gamma$ . Assume that all minimal elements of  $\widehat{\alpha}$  satisfy  $\beta$ , and all minimal elements of  $\widehat{\alpha \wedge \beta}$  satisfy  $\gamma$ . Every minimal element of  $\widehat{\alpha}$  satisfies  $\alpha \wedge \beta$ . Since  $\widehat{\alpha \wedge \beta} \subseteq \widehat{\alpha}$ , all minimal elements of  $\widehat{\alpha}$  are also minimal elements of  $\widehat{\alpha \wedge \beta}$ . Hence  $\alpha \vdash_W \gamma$ .

□

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Soundness 1

## Theorem

If  $W$  is a cumulative model, then  $\vdash_W$  is a cumulative consequence relation.

## Proof.

- *Reflexivity*: satisfied  $\checkmark$ .
- *Left logical equivalence*: satisfied  $\checkmark$ .
- *Right weakening*: satisfied  $\checkmark$ .
- *Cut*:  $\alpha \vdash \beta, \alpha \wedge \beta \vdash \gamma \Rightarrow \alpha \vdash \gamma$ . Assume that all minimal elements of  $\widehat{\alpha}$  satisfy  $\beta$ , and all minimal elements of  $\widehat{\alpha \wedge \beta}$  satisfy  $\gamma$ . Every minimal element of  $\widehat{\alpha}$  satisfies  $\alpha \wedge \beta$ . Since  $\widehat{\alpha \wedge \beta} \subseteq \widehat{\alpha}$ , all minimal elements of  $\widehat{\alpha}$  are also minimal elements of  $\widehat{\alpha \wedge \beta}$ . Hence  $\alpha \vdash_W \gamma$ .



KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Soundness 1

## Theorem

If  $W$  is a cumulative model, then  $\vdash_W$  is a cumulative consequence relation.

## Proof.

- *Reflexivity*: satisfied  $\checkmark$ .
- *Left logical equivalence*: satisfied  $\checkmark$ .
- *Right weakening*: satisfied  $\checkmark$ .
- *Cut*:  $\alpha \vdash \beta, \alpha \wedge \beta \vdash \gamma \Rightarrow \alpha \vdash \gamma$ . Assume that all minimal elements of  $\widehat{\alpha}$  satisfy  $\beta$ , and all minimal elements of  $\widehat{\alpha \wedge \beta}$  satisfy  $\gamma$ . Every minimal element of  $\widehat{\alpha}$  satisfies  $\alpha \wedge \beta$ . Since  $\widehat{\alpha \wedge \beta} \subseteq \widehat{\alpha}$ , all minimal elements of  $\widehat{\alpha}$  are also minimal elements of  $\widehat{\alpha \wedge \beta}$ . Hence  $\alpha \vdash_W \gamma$ .



KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Soundness 1

## Theorem

If  $W$  is a cumulative model, then  $\vdash_W$  is a cumulative consequence relation.

## Proof.

- *Reflexivity*: satisfied  $\checkmark$ .
- *Left logical equivalence*: satisfied  $\checkmark$ .
- *Right weakening*: satisfied  $\checkmark$ .
- *Cut*:  $\alpha \vdash \beta, \alpha \wedge \beta \vdash \gamma \Rightarrow \alpha \vdash \gamma$ . Assume that all minimal elements of  $\widehat{\alpha}$  satisfy  $\beta$ , and all minimal elements of  $\widehat{\alpha \wedge \beta}$  satisfy  $\gamma$ . Every minimal element of  $\widehat{\alpha}$  satisfies  $\alpha \wedge \beta$ . Since  $\widehat{\alpha \wedge \beta} \subseteq \widehat{\alpha}$ , all minimal elements of  $\widehat{\alpha}$  are also minimal elements of  $\widehat{\alpha \wedge \beta}$ . Hence  $\alpha \vdash_W \gamma$ .



KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Soundness 1

## Theorem

If  $W$  is a cumulative model, then  $\vdash_W$  is a cumulative consequence relation.

## Proof.

- *Reflexivity*: satisfied  $\checkmark$ .
- *Left logical equivalence*: satisfied  $\checkmark$ .
- *Right weakening*: satisfied  $\checkmark$ .
- *Cut*:  $\alpha \vdash \beta, \alpha \wedge \beta \vdash \gamma \Rightarrow \alpha \vdash \gamma$ . Assume that all minimal elements of  $\widehat{\alpha}$  satisfy  $\beta$ , and all minimal elements of  $\widehat{\alpha \wedge \beta}$  satisfy  $\gamma$ . Every minimal element of  $\widehat{\alpha}$  satisfies  $\alpha \wedge \beta$ . Since  $\widehat{\alpha \wedge \beta} \subseteq \widehat{\alpha}$ , all minimal elements of  $\widehat{\alpha}$  are also minimal elements of  $\widehat{\alpha \wedge \beta}$ . Hence  $\alpha \vdash_W \gamma$ .



KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Soundness 1

## Theorem

If  $W$  is a cumulative model, then  $\vdash_W$  is a cumulative consequence relation.

## Proof.

- *Reflexivity*: satisfied  $\checkmark$ .
- *Left logical equivalence*: satisfied  $\checkmark$ .
- *Right weakening*: satisfied  $\checkmark$ .
- *Cut*:  $\alpha \vdash \beta, \alpha \wedge \beta \vdash \gamma \Rightarrow \alpha \vdash \gamma$ . Assume that all minimal elements of  $\widehat{\alpha}$  satisfy  $\beta$ , and all minimal elements of  $\widehat{\alpha \wedge \beta}$  satisfy  $\gamma$ . Every minimal element of  $\widehat{\alpha}$  satisfies  $\alpha \wedge \beta$ . Since  $\widehat{\alpha \wedge \beta} \subseteq \widehat{\alpha}$ , all minimal elements of  $\widehat{\alpha}$  are also minimal elements of  $\widehat{\alpha \wedge \beta}$ . Hence  $\alpha \vdash_W \gamma$ .



KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Soundness 2

## Proof continues...

- **Cautious Monotonicity:** To show:  $\alpha \sim \beta, \alpha \sim \gamma \Rightarrow \alpha \wedge \beta \sim \gamma$ .

Assume  $\alpha \sim_W \beta$  and  $\alpha \sim_W \gamma$ . We have to show:

$\alpha \wedge \beta \sim_W \gamma$ , i.e.,  $s \models \gamma$  for all minimal  $s \in \widehat{\alpha \wedge \beta}$ .

Clearly, every minimal  $s \in \widehat{\alpha \wedge \beta}$  is in  $\widehat{\alpha}$ .

We show that every minimal  $s \in \widehat{\alpha \wedge \beta}$  is *minimal* in  $\widehat{\alpha}$ .

Assumption: There is  $s$  that is minimal in  $\widehat{\alpha \wedge \beta}$  but not minimal in  $\widehat{\alpha}$ . Because of *smoothness* there is minimal  $s' \in \widehat{\alpha}$  such that  $s' \prec s$ . We know, however, that  $s' \models \beta$ , which means that  $s' \in \widehat{\alpha \wedge \beta}$ . Hence  $s$  is not minimal in  $\widehat{\alpha \wedge \beta}$ .

**Contradiction!** Hence  $s$  must be minimal in  $\widehat{\alpha}$ , and therefore  $s \models \gamma$ . Because this is true for all minimal elements in  $\widehat{\alpha \wedge \beta}$ , we get  $\alpha \wedge \beta \sim_W \gamma$ .



KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature



# Soundness 2

## Proof continues...

- **Cautious Monotonicity:** To show:  $\alpha \sim \beta, \alpha \sim \gamma \Rightarrow \alpha \wedge \beta \sim \gamma$ .

Assume  $\alpha \sim_W \beta$  and  $\alpha \sim_W \gamma$ . We have to show:

$\alpha \wedge \beta \sim_W \gamma$ , i.e.,  $s \models \gamma$  for all minimal  $s \in \widehat{\alpha \wedge \beta}$ .

Clearly, every minimal  $s \in \widehat{\alpha \wedge \beta}$  is in  $\widehat{\alpha}$ .

We show that every minimal  $s \in \widehat{\alpha \wedge \beta}$  is *minimal* in  $\widehat{\alpha}$ .

Assumption: There is  $s$  that is minimal in  $\widehat{\alpha \wedge \beta}$  but not minimal in  $\widehat{\alpha}$ . Because of *smoothness* there is minimal  $s' \in \widehat{\alpha}$  such that  $s' \prec s$ . We know, however, that  $s' \models \beta$ , which means that  $s' \in \widehat{\alpha \wedge \beta}$ . Hence  $s$  is not minimal in  $\widehat{\alpha \wedge \beta}$ .

**Contradiction!** Hence  $s$  must be minimal in  $\widehat{\alpha}$ , and therefore  $s \models \gamma$ . Because this is true for all minimal elements in  $\widehat{\alpha \wedge \beta}$ , we get  $\alpha \wedge \beta \sim_W \gamma$ .



KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Soundness 2

## Proof continues...

- **Cautious Monotonicity:** To show:  $\alpha \sim \beta, \alpha \sim \gamma \Rightarrow \alpha \wedge \beta \sim \gamma$ .

Assume  $\alpha \sim_W \beta$  and  $\alpha \sim_W \gamma$ . We have to show:

$\alpha \wedge \beta \sim_W \gamma$ , i.e.,  $s \models \gamma$  for all minimal  $s \in \widehat{\alpha \wedge \beta}$ .

Clearly, every minimal  $s \in \widehat{\alpha \wedge \beta}$  is in  $\widehat{\alpha}$ .

We show that every minimal  $s \in \widehat{\alpha \wedge \beta}$  is *minimal* in  $\widehat{\alpha}$ .

Assumption: There is  $s$  that is minimal in  $\widehat{\alpha \wedge \beta}$  but not minimal in  $\widehat{\alpha}$ . Because of *smoothness* there is minimal  $s' \in \widehat{\alpha}$  such that  $s' \prec s$ . We know, however, that  $s' \models \beta$ , which means that  $s' \in \widehat{\alpha \wedge \beta}$ . Hence  $s$  is not minimal in  $\widehat{\alpha \wedge \beta}$ .

**Contradiction!** Hence  $s$  must be minimal in  $\widehat{\alpha}$ , and therefore  $s \models \gamma$ . Because this is true for all minimal elements in  $\widehat{\alpha \wedge \beta}$ , we get  $\alpha \wedge \beta \sim_W \gamma$ .



KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Soundness 2

## Proof continues...

- **Cautious Monotonicity:** To show:  $\alpha \sim \beta, \alpha \sim \gamma \Rightarrow \alpha \wedge \beta \sim \gamma$ .

Assume  $\alpha \sim_W \beta$  and  $\alpha \sim_W \gamma$ . We have to show:

$\alpha \wedge \beta \sim_W \gamma$ , i.e.,  $s \models \gamma$  for all minimal  $s \in \widehat{\alpha \wedge \beta}$ .

Clearly, every minimal  $s \in \widehat{\alpha \wedge \beta}$  is in  $\widehat{\alpha}$ .

We show that every minimal  $s \in \widehat{\alpha \wedge \beta}$  is *minimal* in  $\widehat{\alpha}$ .

Assumption: There is  $s$  that is minimal in  $\widehat{\alpha \wedge \beta}$  but not minimal in  $\widehat{\alpha}$ . Because of *smoothness* there is minimal  $s' \in \widehat{\alpha}$  such that  $s' \prec s$ . We know, however, that  $s' \models \beta$ , which means that  $s' \in \widehat{\alpha \wedge \beta}$ . Hence  $s$  is not minimal in  $\widehat{\alpha \wedge \beta}$ .

**Contradiction!** Hence  $s$  must be minimal in  $\widehat{\alpha}$ , and therefore  $s \models \gamma$ . Because this is true for all minimal elements in  $\widehat{\alpha \wedge \beta}$ , we get  $\alpha \wedge \beta \sim_W \gamma$ .



KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

## Proof continues...

- **Cautious Monotonicity:** To show:  $\alpha \sim \beta, \alpha \sim \gamma \Rightarrow \alpha \wedge \beta \sim \gamma$ .

Assume  $\alpha \sim_W \beta$  and  $\alpha \sim_W \gamma$ . We have to show:

$\alpha \wedge \beta \sim_W \gamma$ , i.e.,  $s \models \gamma$  for all minimal  $s \in \widehat{\alpha \wedge \beta}$ .

Clearly, every minimal  $s \in \widehat{\alpha \wedge \beta}$  is in  $\widehat{\alpha}$ .

We show that every minimal  $s \in \widehat{\alpha \wedge \beta}$  is *minimal* in  $\widehat{\alpha}$ .

Assumption: There is  $s$  that is minimal in  $\widehat{\alpha \wedge \beta}$  but not minimal in  $\widehat{\alpha}$ . Because of *smoothness* there is minimal  $s' \in \widehat{\alpha}$  such that  $s' \prec s$ . We know, however, that  $s' \models \beta$ , which means that  $s' \in \widehat{\alpha \wedge \beta}$ . Hence  $s$  is not minimal in  $\widehat{\alpha \wedge \beta}$ .

**Contradiction!** Hence  $s$  must be minimal in  $\widehat{\alpha}$ , and therefore  $s \models \gamma$ . Because this is true for all minimal elements in  $\widehat{\alpha \wedge \beta}$ , we get  $\alpha \wedge \beta \sim_W \gamma$ .



## Proof continues...

- **Cautious Monotonicity:** To show:  $\alpha \sim \beta, \alpha \sim \gamma \Rightarrow \alpha \wedge \beta \sim \gamma$ .

Assume  $\alpha \sim_W \beta$  and  $\alpha \sim_W \gamma$ . We have to show:

$\alpha \wedge \beta \sim_W \gamma$ , i.e.,  $s \models \gamma$  for all minimal  $s \in \widehat{\alpha \wedge \beta}$ .

Clearly, every minimal  $s \in \widehat{\alpha \wedge \beta}$  is in  $\widehat{\alpha}$ .

We show that every minimal  $s \in \widehat{\alpha \wedge \beta}$  is *minimal* in  $\widehat{\alpha}$ .

Assumption: There is  $s$  that is minimal in  $\widehat{\alpha \wedge \beta}$  but not minimal in  $\widehat{\alpha}$ . Because of *smoothness* there is minimal  $s' \in \widehat{\alpha}$  such that  $s' \prec s$ . We know, however, that  $s' \models \beta$ , which means that  $s' \in \widehat{\alpha \wedge \beta}$ . Hence  $s$  is not minimal in  $\widehat{\alpha \wedge \beta}$ .

**Contradiction!** Hence  $s$  must be minimal in  $\widehat{\alpha}$ , and therefore  $s \models \gamma$ . Because this is true for all minimal elements in  $\widehat{\alpha \wedge \beta}$ , we get  $\alpha \wedge \beta \sim_W \gamma$ .



## Proof continues...

- **Cautious Monotonicity:** To show:  $\alpha \sim \beta, \alpha \sim \gamma \Rightarrow \alpha \wedge \beta \sim \gamma$ .

Assume  $\alpha \sim_W \beta$  and  $\alpha \sim_W \gamma$ . We have to show:

$\alpha \wedge \beta \sim_W \gamma$ , i.e.,  $s \models \gamma$  for all minimal  $s \in \widehat{\alpha \wedge \beta}$ .

Clearly, every minimal  $s \in \widehat{\alpha \wedge \beta}$  is in  $\widehat{\alpha}$ .

We show that every minimal  $s \in \widehat{\alpha \wedge \beta}$  is *minimal* in  $\widehat{\alpha}$ .

Assumption: There is  $s$  that is minimal in  $\widehat{\alpha \wedge \beta}$  but not minimal in  $\widehat{\alpha}$ . Because of *smoothness* there is minimal  $s' \in \widehat{\alpha}$  such that  $s' \prec s$ . We know, however, that  $s' \models \beta$ , which means that  $s' \in \widehat{\alpha \wedge \beta}$ . Hence  $s$  is not minimal in  $\widehat{\alpha \wedge \beta}$ .

**Contradiction!** Hence  $s$  must be minimal in  $\widehat{\alpha}$ , and therefore  $s \models \gamma$ . Because this is true for all minimal elements in  $\widehat{\alpha \wedge \beta}$ , we get  $\alpha \wedge \beta \sim_W \gamma$ .



## Proof continues...

- **Cautious Monotonicity:** To show:  $\alpha \sim \beta, \alpha \sim \gamma \Rightarrow \alpha \wedge \beta \sim \gamma$ .

Assume  $\alpha \sim_W \beta$  and  $\alpha \sim_W \gamma$ . We have to show:

$\alpha \wedge \beta \sim_W \gamma$ , i.e.,  $s \models \gamma$  for all minimal  $s \in \widehat{\alpha \wedge \beta}$ .

Clearly, every minimal  $s \in \widehat{\alpha \wedge \beta}$  is in  $\widehat{\alpha}$ .

We show that every minimal  $s \in \widehat{\alpha \wedge \beta}$  is *minimal* in  $\widehat{\alpha}$ .

Assumption: There is  $s$  that is minimal in  $\widehat{\alpha \wedge \beta}$  but not minimal in  $\widehat{\alpha}$ . Because of *smoothness* there is minimal  $s' \in \widehat{\alpha}$  such that  $s' \prec s$ . We know, however, that  $s' \models \beta$ , which means that  $s' \in \widehat{\alpha \wedge \beta}$ . Hence  $s$  is not minimal in  $\widehat{\alpha \wedge \beta}$ .

*Contradiction!* Hence  $s$  must be minimal in  $\widehat{\alpha}$ , and therefore  $s \models \gamma$ . Because this is true for all minimal elements in  $\widehat{\alpha \wedge \beta}$ , we get  $\alpha \wedge \beta \sim_W \gamma$ .



## Proof continues...

- **Cautious Monotonicity:** To show:  $\alpha \sim \beta, \alpha \sim \gamma \Rightarrow \alpha \wedge \beta \sim \gamma$ .

Assume  $\alpha \sim_W \beta$  and  $\alpha \sim_W \gamma$ . We have to show:

$\alpha \wedge \beta \sim_W \gamma$ , i.e.,  $s \models \gamma$  for all minimal  $s \in \widehat{\alpha \wedge \beta}$ .

Clearly, every minimal  $s \in \widehat{\alpha \wedge \beta}$  is in  $\widehat{\alpha}$ .

We show that every minimal  $s \in \widehat{\alpha \wedge \beta}$  is *minimal* in  $\widehat{\alpha}$ .

Assumption: There is  $s$  that is minimal in  $\widehat{\alpha \wedge \beta}$  but not minimal in  $\widehat{\alpha}$ . Because of *smoothness* there is minimal  $s' \in \widehat{\alpha}$  such that  $s' \prec s$ . We know, however, that  $s' \models \beta$ , which means that  $s' \in \widehat{\alpha \wedge \beta}$ . Hence  $s$  is not minimal in  $\widehat{\alpha \wedge \beta}$ .

**Contradiction!** Hence  $s$  must be minimal in  $\widehat{\alpha}$ , and therefore  $s \models \gamma$ . Because this is true for all minimal elements in  $\widehat{\alpha \wedge \beta}$ , we get  $\alpha \wedge \beta \sim_W \gamma$ .





## Proof continues...

- **Cautious Monotonicity:** To show:  $\alpha \sim \beta, \alpha \sim \gamma \Rightarrow \alpha \wedge \beta \sim \gamma$ .

Assume  $\alpha \sim_W \beta$  and  $\alpha \sim_W \gamma$ . We have to show:

$\alpha \wedge \beta \sim_W \gamma$ , i.e.,  $s \models \gamma$  for all minimal  $s \in \widehat{\alpha \wedge \beta}$ .

Clearly, every minimal  $s \in \widehat{\alpha \wedge \beta}$  is in  $\widehat{\alpha}$ .

We show that every minimal  $s \in \widehat{\alpha \wedge \beta}$  is *minimal* in  $\widehat{\alpha}$ .

Assumption: There is  $s$  that is minimal in  $\widehat{\alpha \wedge \beta}$  but not minimal in  $\widehat{\alpha}$ . Because of *smoothness* there is minimal  $s' \in \widehat{\alpha}$  such that  $s' \prec s$ . We know, however, that  $s' \models \beta$ , which means that  $s' \in \widehat{\alpha \wedge \beta}$ . Hence  $s$  is not minimal in  $\widehat{\alpha \wedge \beta}$ .

**Contradiction!** Hence  $s$  must be minimal in  $\widehat{\alpha}$ , and therefore  $s \models \gamma$ . Because this is true for all minimal elements in  $\widehat{\alpha \wedge \beta}$ , we get  $\alpha \wedge \beta \sim_W \gamma$ .



## Proof continues...

- **Cautious Monotonicity:** To show:  $\alpha \sim \beta, \alpha \sim \gamma \Rightarrow \alpha \wedge \beta \sim \gamma$ .

Assume  $\alpha \sim_W \beta$  and  $\alpha \sim_W \gamma$ . We have to show:

$\alpha \wedge \beta \sim_W \gamma$ , i.e.,  $s \models \gamma$  for all minimal  $s \in \widehat{\alpha \wedge \beta}$ .

Clearly, every minimal  $s \in \widehat{\alpha \wedge \beta}$  is in  $\widehat{\alpha}$ .

We show that every minimal  $s \in \widehat{\alpha \wedge \beta}$  is *minimal* in  $\widehat{\alpha}$ .

Assumption: There is  $s$  that is minimal in  $\widehat{\alpha \wedge \beta}$  but not minimal in  $\widehat{\alpha}$ . Because of *smoothness* there is minimal  $s' \in \widehat{\alpha}$  such that  $s' \prec s$ . We know, however, that  $s' \models \beta$ , which means that  $s' \in \widehat{\alpha \wedge \beta}$ . Hence  $s$  is not minimal in  $\widehat{\alpha \wedge \beta}$ .

**Contradiction!** Hence  $s$  must be minimal in  $\widehat{\alpha}$ , and therefore  $s \models \gamma$ . Because this is true for all minimal elements in  $\widehat{\alpha \wedge \beta}$ , we get  $\alpha \wedge \beta \sim_W \gamma$ .



# Consequence: Counterexamples

Now we have a **method** for showing that a principle does not hold for cumulative consequence relations.  $\rightsquigarrow$  Simply construct a **cumulative model** that falsifies the principle.

**Contraposition:**  $\alpha \sim \beta \Rightarrow \neg\beta \sim \neg\alpha$

$$W = \langle S, l, < \rangle$$

$$S = \{s_1, s_2\}, s_i \not\prec s_j \quad \forall s_i, s_j \in S$$

$$l(s_1) = \{\{a, b\}\}$$

$$l(s_2) = \{\{a, \neg b\}, \{\neg a, \neg b\}\}$$

$W$  is a cumulative model with  $a \sim_W b$  but  $\neg b \not\sim_W \neg a$ .

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Completeness?

- Each cumulative model  $W$  *induces* a cumulative consequence relation  $\vdash_W$ .
- **Problem:** Can we generate all cumulative consequence relations in this way?
- We can! There is a **representation theorem**: For each cumulative consequence relation, there is a cumulative model and *vice versa*.
- **Advantage:** We have a characterization of the cumulative consequence independently from the set of inference rules.

KRR

Nebel,  
Helmert,  
Wöfl

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# Transitivity of the Preference Relation?

- Could we strengthen the preference relation to **transitive** relations without sacrificing anything?

**No!**

- In such models, the following additional principle called **Loop** is valid:

$$\frac{\alpha_0 \succ \alpha_1, \alpha_1 \succ \alpha_2, \dots, \alpha_k \succ \alpha_0}{\alpha_0 \succ \alpha_k}$$

- For the system **CL** = **C** + **Loop** and cumulative models with transitive preference relations, we could prove another representation theorem.

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# The Or Rule

Or rule:

$$\frac{\alpha \sim \gamma, \beta \sim \gamma}{\alpha \vee \beta \sim \gamma}$$

Not true in **C**. Counterexample:

$$W = \langle S, l, \prec \rangle$$

$$S = \{s_1, s_2, s_3\}, s_i \not\prec s_j \forall s_i, s_j \in S$$

$$l(s_1) = \{\{a, b, c\}, \{a, \neg b, c\}\}$$

$$l(s_2) = \{\{a, b, c\}, \{\neg a, b, c\}\}$$

$$l(s_3) = \{\{a, b, \neg c\}, \{a, \neg b, \neg c\}, \{\neg a, b, \neg c\}\}$$

$a \sim_W c, b \sim_W c$  but  $a \vee b \not\sim_W c$ .

**Note:** Or is not valid in DL.

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Cumulative  
Models

Consequence  
Relations

Preferential  
Reasoning

Probabilistic  
Semantics

Literature

# System P

- System **P** contains all rules of **C** and the **Or** rule.
- A consequence relation that satisfies **P** is called **preferential**.
- Derived rules in **P**:
  - Hard half of deduction theorem (**S**):

$$\frac{\alpha \wedge \beta \vdash \gamma}{\alpha \vdash \beta \rightarrow \gamma}$$

- Proof by case analysis (**D**):

$$\frac{\alpha \wedge \neg \beta \vdash \gamma, \alpha \wedge \beta \vdash \gamma}{\alpha \vdash \gamma}$$

- **D** and **Or** are equivalent in the presence of the rules in **C**.

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Preferential  
Relations

Probabilistic  
Semantics

Literature

## Definition

A cumulative model  $W = \langle S, l, \prec \rangle$  such that  $\prec$  is a strict partial order (irreflexive and transitive) and  $|l(s)| = 1$  for all  $s \in S$  is a **preferential model**.



# Preferential Models

## Theorem (Soundness)

*The consequence relation  $\vdash_W$  induced by a preferential model is preferential.*

## Proof.

Since  $W$  is cumulative, we only have to verify that **Or** holds. Note that in preferential models we have  $\widehat{\alpha \vee \beta} = \widehat{\alpha} \cup \widehat{\beta}$ . Suppose  $\alpha \vdash_W \gamma$  and  $\beta \vdash_W \gamma$ . Because of the above equation, each minimal state of  $\widehat{\alpha \vee \beta}$  is minimal in  $\widehat{\alpha} \cup \widehat{\beta}$ . Since  $\gamma$  is satisfied in all minimal states in  $\widehat{\alpha} \cup \widehat{\beta}$ ,  $\gamma$  is also satisfied in all minimal states of  $\widehat{\alpha \vee \beta}$ . Hence  $\alpha \vee \beta \vdash_W \gamma$ . □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Preferential  
Relations

Probabilistic  
Semantics

Literature

# Preferential Models

## Theorem (Soundness)

*The consequence relation  $\vdash_W$  induced by a preferential model is preferential.*

## Proof.

Since  $W$  is cumulative, we only have to verify that **Or** holds. Note that in preferential models we have  $\widehat{\alpha \vee \beta} = \widehat{\alpha} \cup \widehat{\beta}$ . Suppose  $\alpha \vdash_W \gamma$  and  $\beta \vdash_W \gamma$ . Because of the above equation, each minimal state of  $\widehat{\alpha \vee \beta}$  is minimal in  $\widehat{\alpha} \cup \widehat{\beta}$ . Since  $\gamma$  is satisfied in all minimal states in  $\widehat{\alpha} \cup \widehat{\beta}$ ,  $\gamma$  is also satisfied in all minimal states of  $\widehat{\alpha \vee \beta}$ . Hence  $\alpha \vee \beta \vdash_W \gamma$ . □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Preferential  
Relations

Probabilistic  
Semantics

Literature

# Preferential Models

## Theorem (Soundness)

*The consequence relation  $\vdash_W$  induced by a preferential model is preferential.*

## Proof.

Since  $W$  is cumulative, we only have to verify that **Or** holds. Note that in preferential models we have  $\widehat{\alpha \vee \beta} = \widehat{\alpha} \cup \widehat{\beta}$ . Suppose  $\alpha \vdash_W \gamma$  and  $\beta \vdash_W \gamma$ . Because of the above equation, each minimal state of  $\widehat{\alpha \vee \beta}$  is minimal in  $\widehat{\alpha} \cup \widehat{\beta}$ . Since  $\gamma$  is satisfied in all minimal states in  $\widehat{\alpha} \cup \widehat{\beta}$ ,  $\gamma$  is also satisfied in all minimal states of  $\widehat{\alpha \vee \beta}$ . Hence  $\alpha \vee \beta \vdash_W \gamma$ . □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Preferential  
Relations

Probabilistic  
Semantics

Literature

# Preferential Models

## Theorem (Soundness)

*The consequence relation  $\vdash_W$  induced by a preferential model is preferential.*

## Proof.

Since  $W$  is cumulative, we only have to verify that **Or** holds. Note that in preferential models we have  $\widehat{\alpha \vee \beta} = \widehat{\alpha} \cup \widehat{\beta}$ . Suppose  $\alpha \vdash_W \gamma$  and  $\beta \vdash_W \gamma$ . Because of the above equation, each minimal state of  $\widehat{\alpha \vee \beta}$  is minimal in  $\widehat{\alpha} \cup \widehat{\beta}$ . Since  $\gamma$  is satisfied in all minimal states in  $\widehat{\alpha} \cup \widehat{\beta}$ ,  $\gamma$  is also satisfied in all minimal states of  $\widehat{\alpha \vee \beta}$ . Hence  $\alpha \vee \beta \vdash_W \gamma$ . □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Preferential  
Relations

Probabilistic  
Semantics

Literature

# Preferential Models

## Theorem (Soundness)

*The consequence relation  $\vdash_W$  induced by a preferential model is preferential.*

## Proof.

Since  $W$  is cumulative, we only have to verify that **Or** holds. Note that in preferential models we have  $\widehat{\alpha \vee \beta} = \widehat{\alpha} \cup \widehat{\beta}$ . Suppose  $\alpha \vdash_W \gamma$  and  $\beta \vdash_W \gamma$ . Because of the above equation, each minimal state of  $\widehat{\alpha \vee \beta}$  is minimal in  $\widehat{\alpha} \cup \widehat{\beta}$ . Since  $\gamma$  is satisfied in all minimal states in  $\widehat{\alpha} \cup \widehat{\beta}$ ,  $\gamma$  is also satisfied in all minimal states of  $\widehat{\alpha \vee \beta}$ . Hence  $\alpha \vee \beta \vdash_W \gamma$ . □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Preferential  
Relations

Probabilistic  
Semantics

Literature

# Preferential Models

## Theorem (Soundness)

*The consequence relation  $\vdash_W$  induced by a preferential model is preferential.*

## Proof.

Since  $W$  is cumulative, we only have to verify that **Or** holds. Note that in preferential models we have  $\widehat{\alpha \vee \beta} = \widehat{\alpha} \cup \widehat{\beta}$ . Suppose  $\alpha \vdash_W \gamma$  and  $\beta \vdash_W \gamma$ . Because of the above equation, each minimal state of  $\widehat{\alpha \vee \beta}$  is minimal in  $\widehat{\alpha} \cup \widehat{\beta}$ . Since  $\gamma$  is satisfied in all minimal states in  $\widehat{\alpha} \cup \widehat{\beta}$ ,  $\gamma$  is also satisfied in all minimal states of  $\widehat{\alpha \vee \beta}$ . Hence  $\alpha \vee \beta \vdash_W \gamma$ . □

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Preferential  
Relations

Probabilistic  
Semantics

Literature

# Preferential Models

KRR

Nebel,  
Helmert,  
Wölfel

## Theorem (Representation)

*A consequence relation is preferential iff it is induced by a preferential model.*

Proof.

Similar to the one for **C**.

System C

Reasoning

Semantics

Preferential  
Reasoning

Preferential  
Relations

Probabilistic  
Semantics

Literature

# Preferential Models

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Preferential  
Relations

Probabilistic  
Semantics

Literature

## Theorem (Representation)

*A consequence relation is preferential iff it is induced by a preferential model.*

## Proof.

Similar to the one for **C**.



# Summary of Consequence Relations

*System*

**C**

Reflexivity

Left Logical Equivalence

Right Weakening

Cut

Cautious Monotonicity

**CL**

+ Loop

**P**

+ Or

*Models*

States: sets of worlds

Preference relation: arbitrary

Models must be smooth

Preference relation: strict partial order

States: singletons

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Preferential  
Relations

Probabilistic  
Semantics

Literature

# Summary of Consequence Relations

*System*

**C**

Reflexivity

Left Logical Equivalence

Right Weakening

Cut

Cautious Monotonicity

**CL**

+ Loop

**P**

+ Or

*Models*

States: sets of worlds

Preference relation: arbitrary

Models must be smooth

Preference relation: strict partial order

States: singletons

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Preferential  
Relations

Probabilistic  
Semantics

Literature

# Summary of Consequence Relations

*System*

**C**

Reflexivity

Left Logical Equivalence

Right Weakening

Cut

Cautious Monotonicity

**CL**

+ Loop

**P**

+ Or

*Models*

States: sets of worlds

Preference relation: arbitrary

Models must be smooth

Preference relation: strict partial order

States: singletons

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Preferential  
Relations

Probabilistic  
Semantics

Literature

# Strengthening the Consequence Relation

- System **C** and System **P** do not produce many of the inferences one would hope for:

*Given  $K = \{Bird \sim Flies\}$  one cannot conclude  $Red \wedge Bird \sim Flies!$*

- In general, adding information that is **irrelevant** cancels the plausible conclusions.  $\implies$  Cumulative and Preferential consequence relations are **too nonmonotonic**.
- The plausible conclusions have to be strengthened!

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Preferential  
Relations

Probabilistic  
Semantics

Literature

# Strengthening the Consequence Relation

- System **C** and System **P** do not produce many of the inferences one would hope for:

*Given  $K = \{Bird \sim Flies\}$  one cannot conclude  $Red \wedge Bird \sim Flies!$*

- In general, adding information that is **irrelevant** cancels the plausible conclusions.  $\implies$  Cumulative and Preferential consequence relations are **too nonmonotonic**.
- The plausible conclusions have to be strengthened!

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Preferential  
Relations

Probabilistic  
Semantics

Literature

# Strengthening the Consequence Relations

- The rules so far seem to be reasonable and one cannot think of rules of the same form (if we have some plausible implications, other plausible implications should hold) that could be added.
- However, there are other types of rules one might want add.

- **Disjunctive Rationality:**

$$\frac{\alpha \not\sim \gamma, \beta \not\sim \gamma}{\alpha \vee \beta \not\sim \gamma}$$

- **Rational Monotonicity:**

$$\frac{\alpha \sim \gamma, \alpha \not\sim \neg\beta}{\alpha \wedge \beta \sim \gamma}$$

- **Note:** Consequence relations obeying these rules are not closed under intersection, which is a problem.

KRR

Nebel,  
Helmert,  
Wölfl

System C

Reasoning

Semantics

Preferential  
Reasoning

Preferential  
Relations

Probabilistic  
Semantics

Literature

# Strengthening the Consequence Relations

- The rules so far seem to be reasonable and one cannot think of rules of the same form (if we have some plausible implications, other plausible implications should hold) that could be added.
- However, there are other types of rules one might want add.

- **Disjunctive Rationality:**

$$\frac{\alpha \not\sim \gamma, \beta \not\sim \gamma}{\alpha \vee \beta \not\sim \gamma}$$

- **Rational Monotonicity:**

$$\frac{\alpha \sim \gamma, \alpha \not\sim \neg\beta}{\alpha \wedge \beta \sim \gamma}$$

- **Note:** Consequence relations obeying these rules are not closed under intersection, which is a problem.

KRR

Nebel,  
Helmert,  
Wölfl

System C

Reasoning

Semantics

Preferential  
Reasoning

Preferential  
Relations

Probabilistic  
Semantics

Literature

# Strengthening the Consequence Relations

- The rules so far seem to be reasonable and one cannot think of rules of the same form (if we have some plausible implications, other plausible implications should hold) that could be added.
- However, there are other types of rules one might want add.

- **Disjunctive Rationality:**

$$\frac{\alpha \not\sim \gamma, \beta \not\sim \gamma}{\alpha \vee \beta \not\sim \gamma}$$

- **Rational Monotonicity:**

$$\frac{\alpha \sim \gamma, \alpha \not\sim \neg\beta}{\alpha \wedge \beta \sim \gamma}$$

- **Note:** Consequence relations obeying these rules are not closed under intersection, which is a problem.

KRR

Nebel,  
Helmert,  
Wölfl

System C

Reasoning

Semantics

Preferential  
Reasoning

Preferential  
Relations

Probabilistic  
Semantics

Literature



# Strengthening the Consequence Relations

- The rules so far seem to be reasonable and one cannot think of rules of the same form (if we have some plausible implications, other plausible implications should hold) that could be added.
- However, there are other types of rules one might want add.

- **Disjunctive Rationality:**

$$\frac{\alpha \not\sim \gamma, \beta \not\sim \gamma}{\alpha \vee \beta \not\sim \gamma}$$

- **Rational Monotonicity:**

$$\frac{\alpha \sim \gamma, \alpha \not\sim \neg\beta}{\alpha \wedge \beta \sim \gamma}$$

- **Note:** Consequence relations obeying these rules are not closed under intersection, which is a problem.

KRR

Nebel,  
Helmert,  
Wölfl

System C

Reasoning

Semantics

Preferential  
Reasoning

Preferential  
Relations

Probabilistic  
Semantics

Literature

# Strengthening the Consequence Relations

- The rules so far seem to be reasonable and one cannot think of rules of the same form (if we have some plausible implications, other plausible implications should hold) that could be added.
- However, there are other types of rules one might want add.

- **Disjunctive Rationality:**

$$\frac{\alpha \not\sim \gamma, \beta \not\sim \gamma}{\alpha \vee \beta \not\sim \gamma}$$

- **Rational Monotonicity:**

$$\frac{\alpha \sim \gamma, \alpha \not\sim \neg\beta}{\alpha \wedge \beta \sim \gamma}$$

- **Note:** Consequence relations obeying these rules are not closed under intersection, which is a problem.

KRR

Nebel,  
Helmert,  
Wölfl

System C

Reasoning

Semantics

Preferential  
Reasoning

Preferential  
Relations

Probabilistic  
Semantics

Literature

# Probabilistic View of Plausible Consequences

- Consider probability distributions  $P$  on the set  $\mathcal{M}$  of all propositional interpretations  $m \in \mathcal{M}$  of our language.
- $P(m)$  is the probability of the possible world  $m$ .
- Extend this to probability of formulae:

$$P(\alpha) = \sum \{P(m) \mid m \in \mathcal{M}, m \models \alpha\}$$

- **Conditional probability** is defined in the standard way.

$$P(\beta|\alpha) = \frac{P(\alpha \wedge \beta)}{P(\alpha)}$$

KRR

Nebel,  
Helmert,  
Wölfl

System C

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

$\epsilon$ -Semantics  
Maximum  
Entropy

Literature

## Definition

$\alpha \sim \beta$  is  **$\epsilon$ -entailed** by a set  $K$  iff for all  $\epsilon > 0$  there is  $\delta > 0$  such that  $P(\beta|\alpha) \geq 1 - \epsilon$  for all probability distributions  $P$  such that  $P(\beta'|\alpha') \geq 1 - \delta$  for all  $\alpha' \sim \beta' \in K$ .

# $\epsilon$ -Entailment: Example

One probability distribution  $P$  such that  $P(f|b) \geq 0.9$ ,  $P(\neg f|p) \geq 0.9$  and  $P(b|p) \geq 0.9$  is the following.

	$p$	$b$	$f$	$P$
$w_1$	0	0	0	0.00
$w_2$	0	0	1	0.00
$w_3$	0	1	0	0.00
$w_4$	0	1	1	0.99
$w_5$	1	0	0	0.00
$w_6$	1	0	1	0.00
$w_7$	1	1	0	0.01
$w_8$	1	1	1	0.00

$$\begin{aligned}P(f|b) &= \frac{P(w_4)+P(w_8)}{P(w_3)+P(w_4)+P(w_7)+P(w_8)} \\ &= \frac{0.99}{1.00}\end{aligned}$$

$$\begin{aligned}P(\neg f|p) &= \frac{P(w_5)+P(w_7)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.01}{0.01}\end{aligned}$$

$$\begin{aligned}P(b|p) &= \frac{P(w_7)+P(w_8)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.01}{0.01}\end{aligned}$$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

$\epsilon$ -Semantics  
Maximum  
Entropy

Literature

# $\epsilon$ -Entailment: Example

One probability distribution  $P$  such that  $P(f|b) \geq 0.9$ ,  $P(\neg f|p) \geq 0.9$  and  $P(b|p) \geq 0.9$  is the following.

	$p$	$b$	$f$	$P$
$w_1$	0	0	0	0.00
$w_2$	0	0	1	0.00
$w_3$	0	1	0	0.00
$w_4$	0	1	1	0.99
$w_5$	1	0	0	0.00
$w_6$	1	0	1	0.00
$w_7$	1	1	0	0.01
$w_8$	1	1	1	0.00

$$\begin{aligned} P(f|b) &= \frac{P(w_4)+P(w_8)}{P(w_3)+P(w_4)+P(w_7)+P(w_8)} \\ &= \frac{0.99}{1.00} \end{aligned}$$

$$\begin{aligned} P(\neg f|p) &= \frac{P(w_5)+P(w_7)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.01}{0.01} \end{aligned}$$

$$\begin{aligned} P(b|p) &= \frac{P(w_7)+P(w_8)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.01}{0.01} \end{aligned}$$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

$\epsilon$ -Semantics  
Maximum  
Entropy

Literature

# $\epsilon$ -Entailment: Example

One probability distribution  $P$  such that  $P(f|b) \geq 0.9$ ,  $P(\neg f|p) \geq 0.9$  and  $P(b|p) \geq 0.9$  is the following.

	$p$	$b$	$f$	$P$
$w_1$	0	0	0	0.00
$w_2$	0	0	1	0.00
$w_3$	0	1	0	0.00
$w_4$	0	1	1	0.99
$w_5$	1	0	0	0.00
$w_6$	1	0	1	0.00
$w_7$	1	1	0	0.01
$w_8$	1	1	1	0.00

$$\begin{aligned}P(f|b) &= \frac{P(w_4)+P(w_8)}{P(w_3)+P(w_4)+P(w_7)+P(w_8)} \\ &= \frac{0.99}{1.00}\end{aligned}$$

$$\begin{aligned}P(\neg f|p) &= \frac{P(w_5)+P(w_7)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.01}{0.01}\end{aligned}$$

$$\begin{aligned}P(b|p) &= \frac{P(w_7)+P(w_8)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.01}{0.01}\end{aligned}$$

KRR

Nebel,  
Helmert,  
Wöfl

System C

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

$\epsilon$ -Semantics  
Maximum  
Entropy

Literature

# $\epsilon$ -Entailment: Example

One probability distribution  $P$  such that  $P(f|b) \geq 0.9$ ,  $P(\neg f|p) \geq 0.9$  and  $P(b|p) \geq 0.9$  is the following.

	$p$	$b$	$f$	$P$
$w_1$	0	0	0	0.00
$w_2$	0	0	1	0.00
$w_3$	0	1	0	0.00
$w_4$	0	1	1	0.99
$w_5$	1	0	0	0.00
$w_6$	1	0	1	0.00
$w_7$	1	1	0	0.01
$w_8$	1	1	1	0.00

$$\begin{aligned}P(f|b) &= \frac{P(w_4)+P(w_8)}{P(w_3)+P(w_4)+P(w_7)+P(w_8)} \\ &= \frac{0.99}{1.00}\end{aligned}$$

$$\begin{aligned}P(\neg f|p) &= \frac{P(w_5)+P(w_7)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.01}{0.01}\end{aligned}$$

$$\begin{aligned}P(b|p) &= \frac{P(w_7)+P(w_8)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.01}{0.01}\end{aligned}$$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

$\epsilon$ -Semantics  
Maximum  
Entropy

Literature



# $\epsilon$ -Entailment: Example

One probability distribution  $P$  such that  $P(f|b) \geq 0.9$ ,  $P(\neg f|p) \geq 0.9$  and  $P(b|p) \geq 0.9$  is the following.

	$p$	$b$	$f$	$P$
$w_1$	0	0	0	0.00
$w_2$	0	0	1	0.00
$w_3$	0	1	0	0.00
$w_4$	0	1	1	0.99
$w_5$	1	0	0	0.00
$w_6$	1	0	1	0.00
$w_7$	1	1	0	0.01
$w_8$	1	1	1	0.00

$$\begin{aligned}P(f|b) &= \frac{P(w_4)+P(w_8)}{P(w_3)+P(w_4)+P(w_7)+P(w_8)} \\ &= \frac{0.99}{1.00}\end{aligned}$$

$$\begin{aligned}P(\neg f|p) &= \frac{P(w_5)+P(w_7)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.01}{0.01}\end{aligned}$$

$$\begin{aligned}P(b|p) &= \frac{P(w_7)+P(w_8)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.01}{0.01}\end{aligned}$$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

$\epsilon$ -Semantics  
Maximum  
Entropy

Literature

# Properties of $\epsilon$ -Entailment

## Theorem

*$\alpha \sim \beta$  is in all preferential consequence relations that include  $K$  if and only if  $\alpha \sim \beta$  is  $\epsilon$ -entailed by  $K$ .*

So, System **P** provides a proof system that exactly corresponds to  $\epsilon$ -entailment.

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

$\epsilon$ -Semantics  
Maximum  
Entropy

Literature

# Weakness of $\epsilon$ -Entailment

- **Question:** Why is  $\text{Eagle} \sim \text{Flies}$  not an  $\epsilon$ -consequence of  $K = \{\text{Eagle} \sim \text{Bird}, \text{Bird} \sim \text{Flies}\}$ ?
- **Answer:** Because there are probability distributions that simultaneously assign very high probabilities to  $P(\text{Bird}|\text{Eagle})$  and  $P(\text{Flies}|\text{Bird})$  and a low probability to  $P(\text{Flies}|\text{Eagle})$ .
- $K$  does not justify the low probability of  $P(\text{Flies}|\text{Eagle})$ : there are exactly as many worlds satisfying  $\text{Bird} \wedge \text{Eagle} \wedge \text{Flies}$  and  $\text{Bird} \wedge \text{Eagle} \wedge \neg\text{Flies}$ , and the worlds satisfying  $\text{Bird} \wedge \text{Flies}$  have a much higher probability than those satisfying  $\text{Bird} \wedge \neg\text{Flies}$ . Why should the probabilities for eagles be the other way round?
- We would like to restrict to probability distributions that are not biased toward non-flying eagles without a reason.

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

$\epsilon$ -Semantics  
Maximum  
Entropy

Literature

# Entropy of a Probability Distribution

## Definition

The **entropy of a probability distribution  $P$**  is

$$H(P) = - \sum_{m \in \mathcal{M}} P(m) \log P(m)$$

The probability distribution with the highest entropy is the one that assigns the same probability to every world.

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

$\epsilon$ -Semantics

Maximum  
Entropy

Literature

## Definition

$\alpha \sim \beta$  is **ME-entailed** by a set  $K$  iff for all  $\epsilon > 0$  there is  $\delta > 0$  such that  $P(\beta|\alpha) \geq 1 - \epsilon$  for the distribution  $P$  that has the maximum entropy among distributions satisfying  $P(\beta'|\alpha') \geq 1 - \delta$  for all  $\alpha' \sim \beta' \in K$ .

# Entropy of a Probability Distribution: Example

The distribution  $P$  that has the maximum entropy among distributions such that  $P(b|e) \geq 0.9$  and  $P(f|b) \geq 0.9$  is the following.

	$e$	$b$	$f$	$P$
$w_1$	0	0	0	0.1875
$w_2$	0	0	1	0.1875
$w_3$	0	1	0	0.0292
$w_4$	0	1	1	0.1875
$w_5$	1	0	0	0.0204
$w_6$	1	0	1	0.0204
$w_7$	1	1	0	0.0292
$w_8$	1	1	1	0.3380

$$\begin{aligned}P(f|b) &= \frac{P(w_4)+P(w_8)}{P(w_3)+P(w_4)+P(w_7)+P(w_8)} \\ &= \frac{0.5255}{0.5839} = 0.9000\end{aligned}$$

$$\begin{aligned}P(b|e) &= \frac{P(w_7)+P(w_8)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.3672}{0.4080} = 0.9000\end{aligned}$$

$$\begin{aligned}P(f|e) &= \frac{P(w_6)+P(w_8)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.3584}{0.4080} = 0.8784\end{aligned}$$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

$\epsilon$ -Semantics

Maximum  
Entropy

Literature

# Entropy of a Probability Distribution: Example

The distribution  $P$  that has the maximum entropy among distributions such that  $P(b|e) \geq 0.9$  and  $P(f|b) \geq 0.9$  is the following.

	$e$	$b$	$f$	$P$
$w_1$	0	0	0	0.1875
$w_2$	0	0	1	0.1875
$w_3$	0	1	0	0.0292
$w_4$	0	1	1	0.1875
$w_5$	1	0	0	0.0204
$w_6$	1	0	1	0.0204
$w_7$	1	1	0	0.0292
$w_8$	1	1	1	0.3380

$$\begin{aligned}P(f|b) &= \frac{P(w_4)+P(w_8)}{P(w_3)+P(w_4)+P(w_7)+P(w_8)} \\ &= \frac{0.5255}{0.5839} = 0.9000\end{aligned}$$

$$\begin{aligned}P(b|e) &= \frac{P(w_7)+P(w_8)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.3672}{0.4080} = 0.9000\end{aligned}$$

$$\begin{aligned}P(f|e) &= \frac{P(w_6)+P(w_8)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.3584}{0.4080} = 0.8784\end{aligned}$$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

$\epsilon$ -Semantics  
Maximum  
Entropy

Literature

# Entropy of a Probability Distribution: Example

The distribution  $P$  that has the maximum entropy among distributions such that  $P(b|e) \geq 0.9$  and  $P(f|b) \geq 0.9$  is the following.

	$e$	$b$	$f$	$P$
$w_1$	0	0	0	0.1875
$w_2$	0	0	1	0.1875
$w_3$	0	1	0	0.0292
$w_4$	0	1	1	0.1875
$w_5$	1	0	0	0.0204
$w_6$	1	0	1	0.0204
$w_7$	1	1	0	0.0292
$w_8$	1	1	1	0.3380

$$\begin{aligned}P(f|b) &= \frac{P(w_4)+P(w_8)}{P(w_3)+P(w_4)+P(w_7)+P(w_8)} \\ &= \frac{0.5255}{0.5839} = 0.9000\end{aligned}$$

$$\begin{aligned}P(b|e) &= \frac{P(w_7)+P(w_8)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.3672}{0.4080} = 0.9000\end{aligned}$$

$$\begin{aligned}P(f|e) &= \frac{P(w_6)+P(w_8)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.3584}{0.4080} = 0.8784\end{aligned}$$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

$\epsilon$ -Semantics

Maximum  
Entropy

Literature



# Entropy of a Probability Distribution: Example

The distribution  $P$  that has the maximum entropy among distributions such that  $P(b|e) \geq 0.9$  and  $P(f|b) \geq 0.9$  is the following.

	$e$	$b$	$f$	$P$
$w_1$	0	0	0	0.1875
$w_2$	0	0	1	0.1875
$w_3$	0	1	0	0.0292
$w_4$	0	1	1	0.1875
$w_5$	1	0	0	0.0204
$w_6$	1	0	1	0.0204
$w_7$	1	1	0	0.0292
$w_8$	1	1	1	0.3380

$$\begin{aligned}P(f|b) &= \frac{P(w_4)+P(w_8)}{P(w_3)+P(w_4)+P(w_7)+P(w_8)} \\ &= \frac{0.5255}{0.5839} = 0.9000\end{aligned}$$

$$\begin{aligned}P(b|e) &= \frac{P(w_7)+P(w_8)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.3672}{0.4080} = 0.9000\end{aligned}$$

$$\begin{aligned}P(f|e) &= \frac{P(w_6)+P(w_8)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.3584}{0.4080} = 0.8784\end{aligned}$$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

$\epsilon$ -Semantics

Maximum  
Entropy

Literature

# Entropy of a Probability Distribution: Example

The distribution  $P$  that has the maximum entropy among distributions such that  $P(b|e) \geq 0.9$  and  $P(f|b) \geq 0.9$  is the following.

	$e$	$b$	$f$	$P$
$w_1$	0	0	0	0.1875
$w_2$	0	0	1	0.1875
$w_3$	0	1	0	0.0292
$w_4$	0	1	1	0.1875
$w_5$	1	0	0	0.0204
$w_6$	1	0	1	0.0204
$w_7$	1	1	0	0.0292
$w_8$	1	1	1	0.3380

$$\begin{aligned} P(f|b) &= \frac{P(w_4)+P(w_8)}{P(w_3)+P(w_4)+P(w_7)+P(w_8)} \\ &= \frac{0.5255}{0.5839} = 0.9000 \end{aligned}$$

$$\begin{aligned} P(b|e) &= \frac{P(w_7)+P(w_8)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.3672}{0.4080} = 0.9000 \end{aligned}$$

$$\begin{aligned} P(f|e) &= \frac{P(w_6)+P(w_8)}{P(w_5)+P(w_6)+P(w_7)+P(w_8)} \\ &= \frac{0.3584}{0.4080} = 0.8784 \end{aligned}$$

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

$\epsilon$ -Semantics

Maximum  
Entropy

Literature

# ME-Entailment: Examples

- 1 {Eagle  $\sim$  Bird, Bird  $\sim$  Flies} ME-entails Eagle  $\sim$  Flies
- 2 {Penguin  $\sim$  Bird, Bird  $\sim$  Flies, Penguin  $\sim$   $\neg$ Flies}  
ME-entails Bird  $\wedge$  Penguin  $\sim$   $\neg$ Flies
- 3 {Eagle  $\sim$  Bird} ME-entails  $\neg$ Bird  $\sim$   $\neg$ Eagle

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

$\epsilon$ -Semantics

Maximum  
Entropy

Literature

# Summary

- Instead of *ad hoc* extensions of the logical machinery, analyze the properties of nonmonotonic consequence relations.
- Correspondence between rule system and models for System **C**, and for System **P** also wrt a probabilistic semantics.
- Irrelevant information poses a problem. Solution approaches: rational monotonicity, maximum entropy.

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

$\epsilon$ -Semantics

Maximum  
Entropy

Literature

# Literature I



Sarit Kraus, Daniel Lehmann, and Menachem Magidor.  
Nonmonotonic reasoning, preferential models and cumulative logics.  
*Artificial Intelligence*, 44:167–207, 1990.

Introduces cumulative consequence relations.



Daniel Lehman and Menachem Magidor.  
What does a conditional knowledge base entail?  
*Artificial Intelligence*, 55:1–60, 1992.

Introduces rational consequence relations.



Dov M. Gabbay.  
Theoretical foundations for non-monotonic reasoning in expert  
systems.

In K. R. Apt, editor, *Proceedings NATO Advanced Study Institute on  
Logics and Models of Concurrent Systems*, pages 439–457.  
Springer-Verlag, Berlin, Heidelberg, New York, 1985.

First to consider abstract properties of nonmonotonic consequence relations.

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature



Judea Pearl.

*Probabilistic Reasoning in Intelligent Systems: Networks of Plausible Inference,*

Morgan Kaufmann Publishers, 1988.

One section on  $\epsilon$ -semantics and maximum entropy.



Yoav Shoham.

*Reasoning about Change.*

MIT Press, Cambridge, MA, 1988.

Introduces the idea of preferential models.

KRR

Nebel,  
Helmert,  
Wölfel

System C

Reasoning

Semantics

Preferential  
Reasoning

Probabilistic  
Semantics

Literature