

Principles of AI Planning

3. PDDL

Malte Helmert and Bernhard Nebel

Albert-Ludwigs-Universität Freiburg

April 29th, 2010

Principles of AI Planning

April 29th, 2010 — 3. PDDL

3.1 Schematic operators

3.2 PDDL

3.1 Schematic operators

- Schematic operators

Schematic operators

- ▶ Description of state variables and operators in terms of a given finite set of objects.
- ▶ Analogy: propositional logic vs. predicate logic
- ▶ Planners take input as schematic operators and translate them into (ground) operators. This is called grounding.

Schematic operators: example

Schematic operator

$$\begin{aligned} x &\in \{\text{car1}, \text{car2}\} \\ y_1 &\in \{\text{Freiburg}, \text{Strasbourg}\}, \\ y_2 &\in \{\text{Freiburg}, \text{Strasbourg}\}, y_1 \neq y_2 \\ &\langle \text{in}(x, y_1), \text{in}(x, y_2) \wedge \neg \text{in}(x, y_1) \rangle \end{aligned}$$

corresponds to the operators

$$\begin{aligned} &\langle \text{in}(\text{car1}, \text{Freiburg}), \text{in}(\text{car1}, \text{Strasbourg}) \wedge \neg \text{in}(\text{car1}, \text{Freiburg}) \rangle, \\ &\langle \text{in}(\text{car1}, \text{Strasbourg}), \text{in}(\text{car1}, \text{Freiburg}) \wedge \neg \text{in}(\text{car1}, \text{Strasbourg}) \rangle, \\ &\langle \text{in}(\text{car2}, \text{Freiburg}), \text{in}(\text{car2}, \text{Strasbourg}) \wedge \neg \text{in}(\text{car2}, \text{Freiburg}) \rangle, \\ &\langle \text{in}(\text{car2}, \text{Strasbourg}), \text{in}(\text{car2}, \text{Freiburg}) \wedge \neg \text{in}(\text{car2}, \text{Strasbourg}) \rangle \end{aligned}$$

Schematic operators: quantification

Existential quantification (for formulae only)

Finite disjunctions $\varphi(a_1) \vee \dots \vee \varphi(a_n)$ represented as $\exists x \in \{a_1, \dots, a_n\} : \varphi(x)$.

Universal quantification (for formulae and effects)

Finite conjunctions $\varphi(a_1) \wedge \dots \wedge \varphi(a_n)$ represented as $\forall x \in \{a_1, \dots, a_n\} : \varphi(x)$.

Example

$\exists x \in \{A, B, C\} : \text{in}(x, \text{Freiburg})$ is a short-hand for $\text{in}(A, \text{Freiburg}) \vee \text{in}(B, \text{Freiburg}) \vee \text{in}(C, \text{Freiburg})$.

3.2 PDDL

- Overview
- Domain files
- Problem files
- Example

PDDL: the Planning Domain Definition Language

- ▶ used by almost all implemented systems for deterministic planning
- ▶ supports a language comparable to what we have defined above (including schematic operators and quantification)
- ▶ syntax inspired by the Lisp programming language: e.g. prefix notation for formulae

```
(and (or (on A B) (on A C))
      (or (on B A) (on B C))
      (or (on C A) (on A B)))
```

PDDL: domain files

A domain file consists of

- ▶ (define (domain DOMAINNAME))
- ▶ a :requirements definition (use :adl :typing by default)
- ▶ definitions of types (each parameter has a type)
- ▶ definitions of predicates
- ▶ definitions of operators

Example: blocks world in PDDL

```
(define (domain BLOCKS)
  (:requirements :adl :typing)
  (:types block - object
           blueblock smallblock - block)
  (:predicates (on ?x - smallblock ?y - block)
               (ontable ?x - block)
               (clear ?x - block)
               )
)
```

PDDL: operator definition

- ▶ (:action OPERATORNAME
- ▶ list of parameters: (?x - type1 ?y - type2 ?z - type3)
- ▶ precondition: a formula
 - <schematic-state-var>
 - (and <formula> ... <formula>)
 - (or <formula> ... <formula>)
 - (not <formula>)
 - (forall (?x1 - type1 ... ?xn - typen) <formula>)
 - (exists (?x1 - type1 ... ?xn - typen) <formula>)

- ▶ effect:
 - <schematic-state-var>
 - (not <schematic-state-var>)
 - (and <effect> ... <effect>)
 - (when <formula> <effect>)
 - (forall (?x1 - type1 ... ?xn - typen) <effect>)

```

(:action fromtable
  :parameters (?x - smallblock ?y - block)
  :precondition (and (not (= ?x ?y))
                    (clear ?x)
                    (ontable ?x)
                    (clear ?y))

  :effect
    (and (not (ontable ?x))
          (not (clear ?y))
          (on ?x ?y)))

```

PDDL: problem files

A problem file consists of

- ▶ (define (problem PROBLEMNAME)
- ▶ declaration of which domain is needed for this problem
- ▶ definitions of objects belonging to each type
- ▶ definition of the initial state (list of state variables initially true)
- ▶ definition of goal states (a formula like operator precondition)

```

(define (problem example)
  (:domain BLOCKS)
  (:objects a b c - smallblock
            d e - block
            f - blueblock)
  (:init (clear a) (clear b) (clear c)
         (clear d) (clear e) (clear f)
         (ontable a) (ontable b) (ontable c)
         (ontable d) (ontable e) (ontable f))

  (:goal (and (on a d) (on b e) (on c f)))
)

```

Example run on the FF planner

```

# ./ff -o blocks-dom.pddl -f blocks-ex.pddl
ff: parsing domain file, domain 'BLOCKS' defined
ff: parsing problem file, problem 'EXAMPLE' defined
ff: found legal plan as follows
step   0: FROMTABLE A D
        1: FROMTABLE B E
        2: FROMTABLE C F
0.01 seconds total time

```

Example: blocks world in PDDL

```
(define (domain BLOCKS)
  (:requirements :adl :typing)
  (:types block)
  (:predicates (on ?x - block ?y - block)
               (ontable ?x - block)
               (clear ?x - block)
               )
)
```

```
(:action fromtable
  :parameters (?x - block ?y - block)
  :precondition (and (not (= ?x ?y))
                    (clear ?x)
                    (ontable ?x)
                    (clear ?y))
  :effect
  (and (not (ontable ?x))
        (not (clear ?y))
        (on ?x ?y)))
```

```
(:action totable
  :parameters (?x - block ?y - block)
  :precondition (and (clear ?x) (on ?x ?y))
  :effect
  (and (not (on ?x ?y))
        (clear ?y)
        (ontable ?x)))
```

```
(:action move
  :parameters (?x - block
              ?y - block
              ?z - block)
  :precondition (and (clear ?x) (clear ?z)
                    (on ?x ?y) (not (= ?x ?z)))
  :effect
  (and (not (clear ?z))
        (clear ?y)
        (not (on ?x ?y))
        (on ?x ?z)))
```

```
(define (problem blocks-10-0)
  (:domain BLOCKS)
  (:objects d a h g b j e i f c - block)
  (:init (clear c) (clear f)
    (ontable i) (ontable f)
    (on c e) (on e j) (on j b) (on b g)
    (on g h) (on h a) (on a d) (on d i))
  (:goal (and (on d c) (on c f) (on f j)
    (on j e) (on e h) (on h b)
    (on b a) (on a g) (on g i))))
)
```