

Introduction to Modal Logic

Introduction

Stefan Wöfl

Albert-Ludwigs-Universität Freiburg

May 2, 2011

Modalities and modal logic

What is a modality?

1: ...

2: the classification of logical propositions according to their asserting or denying the possibility, impossibility, contingency, or necessity of their content

3/4: ...

(from Merriam-Webster's Online Dictionary)

Modal Logic

Wöfl

Introduction

Modalities

History of modal logic

What is modal logic?

Examples of modal logics

What is modal logic? (rev'd)

Modal logic in CS and AI

Topics

Organization

Modalities and modal logic

Modal Logic

Wöfl

Introduction

Modalities

History of modal logic

What is modal logic?

Examples of modal logics

What is modal logic? (rev'd)

Modal logic in CS and AI

Topics

Organization

Modal logic?

Modal logic can be viewed broadly as the logic of different sorts of modalities, or modes of truth: alethic (“necessarily”), epistemic (“it is known that”), deontic (“it ought to be the case that”), or temporal (“it has been the case that”) among others . . . In the strict sense however, the term “modal logic” is reserved for the logic of the alethic modalities.

(from *Stanford Encyclopedia of Philosophy*)

History of modal logic – 1

- Modal-logical principles presumably first discussed in a systematic way by [Aristotle](#) in *De Interpretatione*
For example:
 - “Necessity implies possibility”
 - Inter-definability of “it is possible that” and “it is necessary that”
 - Logical laws of modalities
- Contributions by the Megarians, the Stoics, Ockham, and Pseudo-Scotus
- Leibniz introduced the concept of [possible world](#)

Modal Logic

Wöfl

Introduction

Modalities

History of modal logic

What is modal logic?

Examples of modal logics

What is modal logic? (rev'd)

Modal logic in CS and AI

Topics

Organization

History of modal logic – 2

Anselm's argument for the existence of God (*Proslogion*, 1077/78):

And indeed we believe you are something greater than which cannot be thought (*"id, quo nihil maius cogitari potest"*). Or is there no such kind of thing, for "the fool said in his heart, 'there is no God"'...? But certainly that same fool, having heard what I just said, "something greater than which cannot be thought," understands what he heard, and what he understands is in his thought, even if he does not think it exists ...

In fact, it so undoubtedly exists that it cannot be thought of as not existing. For one can think there exists something that cannot be thought of as not existing, and that would be greater than something which can be thought of as not existing. For if that greater than which cannot be thought can be thought of as not existing, then that greater than which cannot be thought is not that greater than which cannot be thought, which does not make sense. Thus that greater than which nothing can be thought so undoubtedly exists that it cannot even be thought of as not existing.

Modal Logic

Wölfl

Introduction

Modalities

History of modal logic

What is modal logic?

Examples of modal logics

What is modal logic? (rev'd)

Modal logic in CS and AI

Topics

Organization

History of modal logic – 3

Thomas on determinism

(interpretation by Plantinga, *The nature of necessity*, 1974):

In *Summa Contra Gentiles*, St. Thomas considers the question whether God's foreknowledge of human action—a foreknowledge that consists, according to St. Thomas, in God's simply **seeing** the relevant action's taking place—is consistent with human freedom. In this connection he inquires into the truth of

(13) What is seen to be sitting is necessarily sitting.

For suppose at t_1 God sees Theatetus is sitting at t_2 . If (13) is true, then presumably Theatetus is **necessarily** sitting at t_2 , in which case he was not free, at that time, to do anything **but sit**. St. Thomas concludes that (13) is true taken **de dicto** but false taken **de re**; that is

(13') It is necessarily true that whatever is seen to be sitting is sitting
is true but

(13'') Whatever is seen to be sitting has the property of sitting necessarily
or essentially

is false. The deterministic argument, however, requires the truth of (13'');
and hence that argument fails.

Modal Logic

Wölfl

Introduction

Modalities

History of modal
logic

What is modal
logic?

Examples of
modal logics

What is modal
logic? (rev'd)

Modal logic in
CS and AI

Topics

Organization

History of modal logic – 4

- In the 1910s C. I. Lewis investigated modal logic as a possibility to introduce a strengthening of **material implication**.
- First semantics of modal logic introduced by A. Tarski (**topological semantics**)
- R. Carnap's suggestion (1942, 1947): Let M be a set of state descriptions. Then 'Necessarily p ' is true in s if and only if p is true in every state description in M .
- A. Prior (1957): 'It was once the case that p ' is true at instant t if and only if there is an instant t' **earlier than** t s. t. p is true at t' .
- S. Kripke (1959) introduced the concept of **accessibility relation** defined on (**possible**) **worlds**. 'Necessarily p ' is true in w if and only if p is true in every world w' **accessible** from w .

Modal Logic

Wöfl

Introduction

Modalities

History of modal logic

What is modal logic?

Examples of modal logics

What is modal logic? (rev'd)

Modal logic in CS and AI

Topics

Organization

Intensional connectives

A first slogan

Modal logic is the theory of non truth-functional connectives.




Figure: Truth-functional connectives

Modal Logic

Wölfel

Introduction

Modalities

History of modal logic

What is modal logic?

Examples of modal logics

What is modal logic? (rev'd)

Modal logic in CS and AI

Topics

Organization

Example: Basic modal logic

Modal operators:

$\Box\varphi$ it is necessarily the case that φ

$\Diamond\varphi$ it is possibly the case that φ

Interpretation:

- relational structures
- topological spaces
- modal algebras

Modal Logic

Wöfl

Introduction

Modalities

History of modal logic

What is modal logic?

Examples of modal logics

What is modal logic? (rev'd)

Modal logic in CS and AI

Topics

Organization

Example: Doxastic / epistemic logic

Modal operators:

$B_a\varphi$ agent a holds φ true

$B_a(\varphi, \psi)$ ψ is a reason for a to believe φ

$K_a\varphi$ agent a knows φ

$K\varphi$ it is known that φ is true

$K_\gamma\varphi$ among the members of group γ it is common knowledge that φ

Interpretation:

- relational structures
- belief sets (set filters)
- probability functions

Modal Logic

Wöfl

Introduction

Modalities

History of modal logic

What is modal logic?

Examples of modal logics

What is modal logic? (rev'd)

Modal logic in CS and AI

Topics

Organization

Example: Deontic logic

Modal operators:

$O_a\varphi$ agent a is obliged to make φ true

$O_a(\varphi, \psi)$ given ψ , a is obliged to make φ true

$O\varphi$ φ should be true

$A\varphi$ φ is allowed

$F\varphi$ φ is forbidden

Interpretation:

- relational structures (normatively optimal worlds?)
- utility functions

Modal Logic

Wöfl

Introduction

Modalities

History of modal logic

What is modal logic?

Examples of modal logics

What is modal logic? (rev'd)

Modal logic in CS and AI

Topics

Organization

Example: Temporal logic

Modal operators:

$F\varphi$ sometimes in the future φ will be true

$G\varphi$ always in the future φ will be true

$X\varphi$ in the next state φ will be true

$U(\varphi, \psi)$ until φ will be true, ψ will be true

Interpretation:

- discrete / continuous time
- linear / branching time
- concrete flows of time $\langle \mathbb{N}, <_{\mathbb{N}} \rangle$, $\langle \mathbb{Q}, <_{\mathbb{Q}} \rangle$, $\langle \mathbb{R}, <_{\mathbb{R}} \rangle$

Modal Logic

Wöfl

Introduction

Modalities

History of modal logic

What is modal logic?

Examples of modal logics

What is modal logic? (rev'd)

Modal logic in CS and AI

Topics

Organization


Example: Conditional logics

Modal operators:

$\varphi \Box \rightarrow \psi$ if φ , then ψ

Interpretation:

- sphere models based on similarity relation between words (Lewis, 1973)



Modal Logic

Wölfl

Introduction

Modalities

History of modal logic

What is modal logic?

Examples of modal logics

What is modal logic? (rev'd)

Modal logic in CS and AI

Topics

Organization

Example: Probabilistic modal logics

Modal operators:

$\Box_p \varphi$ in the next step, φ will be true with probability $\geq p$

Interpretation (Larsen and Skou, 1991):

- probabilistic transition systems

Modal Logic

Wölfel

Introduction

Modalities

History of modal logic

What is modal logic?

Examples of modal logics

What is modal logic? (rev'd)

Modal logic in CS and AI

Topics

Organization

Example: Agent logics

Modal operators:

$[\gamma]\varphi$ the group of agents, γ , has a joint strategy to guarantee that φ becomes true

Interpretation:

- non-deterministic transition systems

Modal Logic

Wölfel

Introduction

Modalities

History of modal logic

What is modal logic?

Examples of modal logics

What is modal logic? (rev'd)

Modal logic in CS and AI

Topics

Organization

Example: Dynamic logics

Modal operators:

$[\alpha] \varphi$ after executing α , φ will be true

$[\alpha; \beta] \varphi$ after executing α followed by β , φ will be true

...

$[(\psi?; \alpha) \cup (\neg\psi?; \beta)] \varphi$

after executing the program “If ψ , then α ; else β ”, φ will be true

...

Interpretation:

- labeled transition systems

Modal Logic

Wöfl

Introduction

Modalities

History of modal logic

What is modal logic?

Examples of modal logics

What is modal logic? (rev'd)

Modal logic in CS and AI

Topics

Organization

Example: Description logic

“Modal” operators:

$\exists r.\varphi$ true for all objects x such that there exists an object y that is in relation r to x and satisfies φ

$\forall r.\varphi$ true for all objects x such that for each object y in relation r to x , φ is true for y

...

$\exists r^{-1}.\varphi$ (converse relation)

$\exists r^*.\varphi$ (reflexive and transitive closure)

$\exists(r \circ s).\varphi$ (composition)

Interpretation:

- relational structures / first-order structures

Modal Logic

Wölfel

Introduction

Modalities

History of modal logic

What is modal logic?

Examples of modal logics

What is modal logic? (rev'd)

Modal logic in CS and AI

Topics

Organization

Slogan

Modal languages are simple yet expressive languages for talking about relational structures. [BRV02]

- Modal languages extend propositional logic by further connectives (**boxes** \square and **diamonds** \diamond)
- ... which are semantically characterized in terms of **relational structures** (e.g., linear orders, transition systems)

Slogan

Modal languages provide an internal, local perspective on relational structures. [BRV02]

- Modal formulae are evaluated at a state / possible world in a relational structure / transition system
- ... and for evaluating a formulae only those states are relevant that are accessible by a transition in the system

Slogan

Modal languages are not isolated formal systems. [BRV02]

- Modal languages have corresponding (first- / second-order) languages that describe the same class of relational structures / transition systems
- ... which enables import and export of results ([correspondence theory](#))

Modal logics in computer science

- Specification languages for properties of reactive and distributed programs:
temporal logics (LTL, CTL, CTL*), dynamic logics, ...
- Logics for different topics in AI:
temporal logics, logics of belief/knowledge, logics of space
- Language for data and knowledge representation:
description logics

Modal Logic

Wöfl

Introduction

Modalities

History of modal logic

What is modal logic?

Examples of modal logics

What is modal logic? (rev'd)

Modal logic in CS and AI

Topics

Organization

Model checking (verification)

- possible worlds = states of the system that we are verifying
- accessibility/reachability relation = transitions the system can make
- Modal logics are specification languages for expressing the correctness properties the system has to satisfy
 - p will hold in every future state of the system: Gp
 - p will hold infinitely often: GFp
 - Whenever p is true, q will be true later: $G(p \rightarrow Fq)$

Modal Logic

Wöfl

Introduction

Modalities

History of modal logic

What is modal logic?

Examples of modal logics

What is modal logic? (rev'd)

Modal logic in CS and AI

Topics

Organization

- Applications similar to those in philosophical logic, except that the goal is to formalize and solve problems by **automated reasoning** (complexity issues)
- How to reason about knowledge and beliefs?
- How to reason about time and change?
- How to reason about space?

Topics

- 1 Overview on diverse modal logics
- 2 The modal logic S5: From propositional to modal logic
- 3 Modal logic, language and semantics: the general setting
- 4 Bisimulation and expressivity
- 5 Completeness and compactness
- 6 Complexity of reasoning in modal logics
- 7 Decision procedures for modal logics
- 8 Doxastic and epistemic modal logics
- 9 Temporal logics
- 10 Propositional dynamic logic
- 11 Fixpoint logics, model μ -calculus
- 12 Description logics
- 13 CTL and model checking
- 14 Modal first-order logics

Modal Logic

Wölfel

Introduction

Modalities

History of modal logic

What is modal logic?

Examples of modal logics

What is modal logic? (rev'd)

Modal logic in CS and AI

Topics

Organization

Lectures: Where, When, Web Page

Where

101, Room 01-018

When

Monday: 10:15–12:00

Wednesday: 10:15–11:00 (+ exercises: 11:15–12:00)

Summer Term Holidays

June 13, 2011 – June 17, 2011

Web Page

<http://www.informatik.uni-freiburg.de/~ki/teaching/ss11/ml/>

Modal Logic

Wölfel

Introduction

Organization

Time, Location, Web

Lecturers

Exercises

Literature

Course goals

PD Dr. Jan-Georg Smaus

Room 52-00-042

Consultation: by appointment

Phone: 0761/203-8251

Email: smaus@informatik.uni-freiburg.de

Dr. Stefan Wölfl

Room 52-00-043

Consultation: by appointment

Phone: 0761/203-8228

Email: woelfl@informatik.uni-freiburg.de

Modal Logic

Wölfl

Introduction

Organization

Time, Location,
Web

Lecturers

Exercises

Literature

Course goals

Exercises

Who

Robert Mattmüller

Room 52-00-045

Consultation: by appointment

Phone: 0761/203-8229

Email: mattmuel@informatik.uni-freiburg.de

Where

101, Room 01-018

When

Wednesday, 11:15-12:00

Modal Logic

Wölfel

Introduction

Organization

Time, Location,
Web

Lecturers

Exercises


Literature

Course goals

Exams

- Oral exams in September 2011

 Patrick Blackburn, Maarten de Rijke, and Yde Venema.
Modal Logic,
Cambridge University Press, 2002

 M.J. Cresswell and G.E. Hughes.
A New Introduction to Modal Logic,
Routledge, 1996

 Further readings will be given during the lecture.

Course Prerequisites & Goals

Goals

- Acquiring in-depth knowledge on modal logics and related families of logics, "applications" of modal logics in AI, proof techniques, relationship between expressiveness and complexity of logical formalisms, . . .
- Understanding the principles behind techniques for solving reasoning problems in modal logics
- Being able to read and understand research literature
- Being able to complete a thesis in this research area

Prerequisites

- Basic knowledge in the area of AI
- Basic knowledge in formal logic
- Basic knowledge in theoretical computer science

Modal Logic

Wöfl

Introduction

Organization

Time, Location,
Web

Lecturers

Exercises

Literature

Course goals