

Multi-Agent Systems

Albert-Ludwigs-Universität Freiburg



**UNI
FREIBURG**

Bernhard Nebel, Felix Lindner, and Thorsten Engesser

Summer Term 2017

Before we start ...



- ... let's do the programming we actually wanted to do last time.

- 1 Introduction
- 2 Agent-Based Simulation
- 3 Agent Architectures
- 4 Beliefs, Desires, Intentions
 - The GOAL Agent Programming Language
 - Introduction to Modal Logics
 - Part I: Kripke Models
 - Part II: Normal Modal Logic
 - Epistemic Logic
 - BDI Logic
- 5 Norms and Duties
- 6 Communication and Argumentation
- 7 Coordination and Decision Making

■ Specification

- The intended behavior of a MAS can be specified using a logical specification language. The concrete program is derived from the specification (manually, in most cases).

■ Verification

- Once a program \mathcal{P} is built, one wishes to be able to proof that it behaves according to its specification φ_p , i.e., $\mathcal{P} \models \varphi_p$.


■ Agent programming

- Agents themselves can be realized deductive reasoners: What an agent knows is represented as formulae of a formal language. The agent can reason about these formulae to derive new formulae, or to determine what to do next.

- Temporal concepts like **always**, **next**, ... can be modeled as relations between world states (Prior, 1957).
- Execution of computer program can be modeled as transitions between world states (Pratt, 1976).
- Knowledge and belief of an agent can be modeled as truth in all worlds states that the agent considers **possible** (Hintikka, 1962).
- Obligations and permissions can be modeled as truth in all (resp. some) **ideal** world states (Kanger, 1957; Hintikka 1957).
- Desires and intentions can be modeled as truth in all world states an agent **prefers** (Cohen & Levesque, 1990).


Graphical Model

A graphical model is made up of **nodes** and **edges** between nodes. Both nodes and edges may have **labels**.




- If the light is on then it is true that after toggling the light is off. If the light is off then it is true that after toggling the light is on.

Graphical Model: Examples (Single-Agent Knowledge)




- If the light is on then it is true that mary considers possible both that the light is on or off. If the light is off then it is true that mary considers possible both that the light is on or off.


Graphical Model: Examples (Multi-Agent Knowledge)



- If the light is on it is true that John only considers possible that the light is on. If the light is off it is true that John only considers possible that the light is off.
- In either world it is true that Mary is **uncertain** about the state of the switch and John **knows** about the state of the switch.



- If the light is on it is true that it is permissible to bring about that the light is off and it is not permissible to leave the light on.
- If the light is off it is true that it is permissible leave the light off and it is not permissible to bring about that the light is on.
- \Rightarrow In both worlds it is obligatory to bring about/maintain that the light is off.



- Of the light switch it is true that it is off.

Kripke Frame


Given a countable set of edge labels \mathcal{I} , a **Kripke Frame** is a tuple (W, R) such that:

- W is a non-empty set of possible worlds, and
- $R : \mathcal{I} \rightarrow 2^{W \times W}$ maps each $I \in \mathcal{I}$ to a binary relation $R(I)$ on W (called the **accessibility relation** of I).

Kripke Model

$M = (W, R, V)$ is a **Kripke Model** where:

- (W, R) is a Kripke frame, and
- $V : \mathcal{P} \rightarrow 2^W$ is called the **valuation** of a set of node labels \mathcal{P} .



■ Kripke Frame (W, R)


- Possible worlds $W = \{w_l, w_r\}$
- Edge labels $\mathcal{I} = \{mary\}$
- $R(mary) = \{(w_l, w_l), (w_l, w_r), (w_r, w_r), (w_r, w_l)\}$

■ Kripke Model (W, R, V)

- W, R as before.
- Node labels $\mathcal{P} = \{light_on, light_off\}$
- $V(light_on) = \{w_l\}, V(light_off) = \{w_r\}$

- Besides being able to model concrete situations, we are interested in the study of the general properties of concepts like knowledge, intention, obligation etc.
- \Rightarrow Identify particular **classes of Kripke models** as representations of the concept under consideration.
 - Classes of Kripke models can be distinguished based on the properties of their respective frames.
 - **K**: All Kripke frames
 - **T**: Kripke frames with reflexive accessibility relation
 - **D**: Kripke frames with serial accessibility relation
 - **4**: Kripke frames with transitive accessibility relation
 - **5**: Kripke frames with Euclidean accessibility relation
 - Can be combined:
 - **K, KD, K4, K5, KT = KDT, K45, KD5, KD4, KT4 = KDT4, KD45, KT5 = KT45 = KDT5 = KDT45**
 - Some abbreviations often used: **KT** is called **T**, **KT4** is called **S4**, **KD45** is weak-S5, **KT5** called **S5**.

A Lattice of Classes



Discussion: Which Class of Models for which Concept?



- Programs:
- Knowledge:
- Belief:
- Desire:
- Obligation:

- Hint: ask yourself for each concept C:
 - If $[C]x$ then x ? **reflexive**
 - Is it impossible that $[C]x$ and $[C]\text{not-}x$? **serial**
 - If $[C]x$ then $[C][C]x$? **transitive**
 - If $\text{not}[C]x$ then $[C]\text{not}[C]x$? **Euclidean**

Next time: Languages for Talking about Kripke Models

- Kripke models can be described and reasoned about using **modal logics**.
 - Does a given Kripke model satisfy some given property?
 - E.g., is it currently true that Mary does not know whether the light is on?
 - Do all Kripke models of a class satisfying property A also satisfy property B?
 - E.g., is it always true that if some agent X knows that some agent Y knows Z that agent X knows Z, too?
 - \Rightarrow We will learn how to check formulae against given Kripke models, and how to automatically build Kripke models to (dis-)prove a formula's satisfiability.

- 1 Introduction
- 2 Agent-Based Simulation
- 3 Agent Architectures
- 4 Beliefs, Desires, Intentions
 - The GOAL Agent Programming Language
 - Introduction to Modal Logics
 - Part I: Kripke Models
 - Part II: Normal Modal Logic
 - Epistemic Logic
 - BDI Logic
- 5 Norms and Duties
- 6 Communication and Argumentation
- 7 Coordination and Decision Making



M. Wooldridge, An Introduction to MultiAgent Systems, 2nd Edition, John Wiley & Sons, 2009.



Y. Shoham, K. Layton-Brown, Multiagent Systems: Algorithmic, Game-Theoretic, and Logical Foundations, Cambridge University Press, 2009.



O. Gasquet, A. Herzig, B. Said, F. Schwarzentruher, Kripke's Worlds — An Introduction to Modal Logics via Tableaux, Springer, ISBN 978-3-7643-8503-3, 2014.