

Dynamic Epistemic Logic

3. Public Announcements

Albert-Ludwigs-Universität Freiburg



Bernhard Nebel and Robert Mattmüller

May 13th, 2019

Introduction



Introduction

Syntax

Semantics

Revelations

Principles

Common Knowledge

Unsuccessful Updates

Axiomatization

Example

Summary

May 13th, 2019

B. Nebel, R. Mattmüller – DEL

2 / 61

Public Announcements



So far: Only **static** knowledge

(Or, where knowledge changed over time, we discussed this change only intuitively, not formally.)

Now: How to model **change** of knowledge over time?

Note: Knowledge may change in different ways, e. g., via public or private announcements, by sensing, or by ontic (world-changing) actions that affect knowledge along the way.

This chapter: Only **public announcements**.

Introduction

Syntax

Semantics

Revelations

Principles

Common Knowledge

Unsuccessful Updates

Axiomatization

Example

Summary

Public Announcements



Announcement = **public** and **truthful** announcement

Example

I announce the fact: “The sun is shining”.

This announcement makes the fact common knowledge.

This holds for all public announcements of true facts about the **world**.

It does **not** generally hold for all public announcements of true statements about **knowledge**.

Introduction

Syntax

Semantics

Revelations

Principles

Common Knowledge

Unsuccessful Updates

Axiomatization

Example

Summary

May 13th, 2019

B. Nebel, R. Mattmüller – DEL

3 / 61

May 13th, 2019

B. Nebel, R. Mattmüller – DEL

4 / 61


Example (Unsuccessful update)

I announce: “ p is true, but Bob does not know it” ($p \wedge \neg K_b p$).

As Bob hears my announcement, he now knows p , and the announced formula $p \wedge \neg K_b p$ becomes **false!**

Intuition: How should epistemic models look like before and after?

Before:



After: Only those states survive where the announced formula is true.



Example

Anne, Bill and Cath have drawn one card from a stack of three cards, 0, 1, 2. Anne has drawn a 0, Bill has drawn a 1 and Cath the 2.

Notation: We write 0_a for the fact that Anne has card 0, etc. In order to describe states, we write three digits for Anne's, Bill's, and Cath's card, e. g., 012 to describe the actual card distribution.

Example (ctd.)

Anne, Bill and Cath have drawn one card from a stack of three cards, 0, 1, 2. Anne has drawn 0, Bill has drawn 1 and Cath 2.


Anne says: “I do not have card 1”. (“ $\neg 1_a$ ”)

Bill states: “I don't know Anne's card”. (“ $\neg(K_b 0_a \vee K_b 1_a \vee K_b 2_a)$ ”)

Anne says: “I know Bill's card”. (“ $K_a 0_b \vee K_a 1_b \vee K_a 2_b$ ”)

Anne says: “I have 0, Bill has 1, Cath has 2.” (“ $0_a \wedge 1_b \wedge 2_c$ ”)

Hexa :



Hexa, 012 $\models K_a \neg(K_b 0_a \vee K_b 1_a \vee K_b 2_a)$,

Hexa, 012 $\models K_a \neg 1_a$.

Announcement Syntax

Definition (Languages $\mathcal{L}_{K[]}$ and $\mathcal{L}_{KC[]}$)

Let P be a countable set of atomic propositions and A be a finite set of agent symbols. Then the language $\mathcal{L}_{KC[]}$ is defined by the following BNF:

$$\varphi ::= p \mid \neg\varphi \mid (\varphi \wedge \varphi) \mid K_a\varphi \mid C_B\varphi \mid [\varphi]\varphi,$$

where $p \in P$, $a \in A$, and $B \subseteq A$.

The language $\mathcal{L}_{K[]}$ is the same without the C_B clause.

$[\varphi]\psi$ reads “after a truthful announcement of φ , it holds that ψ ”. $\langle\varphi\rangle\psi$ is the dual of $[\varphi]\psi$: “after some truthful announcement of φ , it holds that ψ ”.

Example

In (Hexa, 012), after Anne announces $\neg 1_a$, Cath knows that 0_a :

$$\text{Hexa}, 012 \models [\neg 1_a]K_c 0_a$$

After Bill’s announcement that he does not know Anne’s card, Anne knows Bill’s card:

$$\begin{aligned} &\text{Hexa}, 012 \models [\neg 1_a][\neg(K_b 0_a \vee K_b 1_a \vee K_b 2_a)]K_a 1_b \\ \text{or: } &\text{Hexa}', 012 \models [\neg(K_b 0_a \vee K_b 1_a \vee K_b 2_a)]K_a 1_b \end{aligned}$$

Announcement Semantics

Recall that, for models \mathcal{M} with domain S and formulas φ , we write $\llbracket\varphi\rrbracket_{\mathcal{M}} = \{s \in S \mid \mathcal{M}, s \models \varphi\}$.

Definition

Let $\mathcal{M} = (S, R, V)$ be an epistemic model and φ a formula. Then $\mathcal{M}|_{\varphi} = (S', R', V')$ with

- $S' = \llbracket\varphi\rrbracket_{\mathcal{M}}$,
- $R'_a = R_a \cap (S' \times S')$ for all $a \in A$, and
- $V'(p) = V(p) \cap S'$.

Definition

The truth of an $\mathcal{L}_{K[]}$ (or $\mathcal{L}_{KC[]}$) formula φ in an epistemic state (\mathcal{M}, s) , symbolically $\mathcal{M}, s \models \varphi$, is defined as for \mathcal{L}_K (or \mathcal{L}_{KC}), with an additional clause for public announcements:

$$\mathcal{M}, s \models [\varphi]\psi \quad \text{iff} \quad (\mathcal{M}, s \models \varphi \text{ implies } \mathcal{M}|_{\varphi}, s \models \psi).$$

Note: $[\varphi]\psi$ is satisfied in s if φ is not satisfied in s .

The dual $\langle \varphi \rangle \psi = \neg[\varphi]\neg\psi$ has the truth condition $\mathcal{M}, s \models \langle \varphi \rangle \psi$ and $\mathcal{M}|_{\varphi}, s \models \psi$.

Announcements and Revelations

Question: Who actually makes the announcement?

- One of the agents?
- An omniscient external entity?

Observation: This makes a difference!

- If agent a announces φ , she must know φ , and could also announce $K_a\varphi$. This can make a difference!
- If the announcement comes from the outside, it is just $[\varphi]$. This is also called a **revelation**.

Principles of Public Announcement Logics

- Introduction
- Syntax
- Semantics
- Revelations
- Principles**
- Common Knowledge
- Unsuccessful Updates
- Axiomatization
- Example
- Summary

Motivation: In this section, we will prove some valid formulas of the language $\mathcal{L}_{K\Box}$ that will ultimately allow us to reduce $\mathcal{L}_{K\Box}$ to \mathcal{L}_K and get rid of announcement modalities.

- Introduction
- Syntax
- Semantics
- Revelations
- Principles**
- Common Knowledge
- Unsuccessful Updates
- Axiomatization
- Example
- Summary

Proposition (Functionality)

It is valid that $\langle \varphi \rangle \psi \rightarrow [\varphi] \psi$.

Proof.

Let \mathcal{M}, s be arbitrary. Assume that $\mathcal{M}, s \models \langle \varphi \rangle \psi$. This is true if and only if $\mathcal{M}, s \models \varphi$ and $\mathcal{M}|_{\varphi}, s \models \psi$. This implies that $\mathcal{M}, s \models \varphi$ implies $\mathcal{M}|_{\varphi}, s \models \psi$, i. e., $\mathcal{M}, s \models [\varphi] \psi$. □

- Introduction
- Syntax
- Semantics
- Revelations
- Principles**
- Common Knowledge
- Unsuccessful Updates
- Axiomatization
- Example
- Summary

Question: What about the opposite direction?

Is $[\varphi] \psi \rightarrow \langle \varphi \rangle \psi$ also valid?

Proposition

$[\varphi] \psi \rightarrow \langle \varphi \rangle \psi$ is not valid.

Proof.

Counterexample: model \mathcal{M} with a single state s where atom p is false. Then $\mathcal{M}, s \models [p]p$, but $\mathcal{M}, s \not\models \langle p \rangle p$. □

- Introduction
- Syntax
- Semantics
- Revelations
- Principles**
- Common Knowledge
- Unsuccessful Updates
- Axiomatization
- Example
- Summary

Proposition (Partiality)

$\langle \varphi \rangle \top$ is not valid.

Proof.

In any epistemic state (\mathcal{M}, s) with $\mathcal{M}, s \not\models \varphi$, we have $\mathcal{M}, s \not\models \langle \varphi \rangle \top$. □

Proposition (Negation)

$[\varphi]\neg\psi \leftrightarrow (\varphi \rightarrow \neg[\varphi]\psi)$ is valid.

Proof.

Omitted. Note that the bimplication can be equivalently written as $[\varphi]\neg\psi \leftrightarrow (\neg\varphi \vee \langle\varphi\rangle\neg\psi)$. □

Proposition

All of the following are equivalent:

- 1 $\varphi \rightarrow [\varphi]\psi$
- 2 $\varphi \rightarrow \langle\varphi\rangle\psi$
- 3 $[\varphi]\psi$

Proof ((1) iff (3); Rest: homework).

$\mathcal{M}, s \models \varphi \rightarrow [\varphi]\psi$ iff $\mathcal{M}, s \models \varphi$ implies $\mathcal{M}, s \models [\varphi]\psi$
 iff $\mathcal{M}, s \models \varphi$ implies
 $(\mathcal{M}, s \models \varphi$ implies $\mathcal{M}|_{\varphi}, s \models \psi)$
 iff $(\mathcal{M}, s \models \varphi$ and $\mathcal{M}, s \models \varphi)$ implies
 $\mathcal{M}|_{\varphi}, s \models \psi$
 iff $\mathcal{M}, s \models \varphi$ implies $\mathcal{M}|_{\varphi}, s \models \psi$
 iff $\mathcal{M}, s \models [\varphi]\psi$. □

Proposition

All of the following are equivalent:

- 1 $\langle\varphi\rangle\psi$
- 2 $\varphi \wedge \langle\varphi\rangle\psi$
- 3 $\varphi \wedge [\varphi]\psi$

Proof.

Clear. □

Proposition (Composition)

$[\varphi][\psi]\chi$ is equivalent to $[\varphi \wedge [\varphi]\psi]\chi$.

Proof.

For arbitrary (\mathcal{M}, s) , we have

$s \in \mathcal{M}|_{\varphi \wedge [\varphi]\psi}$ iff $\mathcal{M}, s \models \varphi \wedge [\varphi]\psi$
 iff $\mathcal{M}, s \models \varphi$ and
 $(\mathcal{M}, s \models \varphi$ implies $\mathcal{M}|_{\varphi}, s \models \psi)$
 iff $s \in \mathcal{M}|_{\varphi}$ and $\mathcal{M}|_{\varphi}, s \models \psi$
 iff $s \in (\mathcal{M}|_{\varphi})|_{\psi}$. □

Let us now study how knowledge changes with announcements.

We find that $[\varphi]K_a\psi$ is **not** equivalent to $K_a[\varphi]\psi$.

Counterexample: $\text{Hexa}, 012 \models [1_a]K_c0_a$, but $\text{Hexa}, 012 \not\models K_c[1_a]0_a$.

Proposition (Knowledge)

$[\varphi]K_a\psi$ is equivalent to $\varphi \rightarrow K_a[\varphi]\psi$.

Proof.

$\mathcal{M}, s \models \varphi \rightarrow K_a[\varphi]\psi$ iff $\mathcal{M}, s \models \varphi$ implies $\mathcal{M}, s \models K_a[\varphi]\psi$

iff $\mathcal{M}, s \models \varphi$ implies

$(\mathcal{M}, t \models \varphi$ implies $\mathcal{M}|_{\varphi}, t \models \psi)$

for all t such that $(s, t) \in R_a$

iff $\mathcal{M}, s \models \varphi$ implies

$(\mathcal{M}, t \models \varphi$ and $(s, t) \in R_a$

implies $\mathcal{M}|_{\varphi}, t \models \psi)$ for all $t \in S$

iff $\mathcal{M}, s \models \varphi$ implies

$((s, t) \in R_a$ implies $\mathcal{M}|_{\varphi}, t \models \psi)$

for all $t \in \llbracket \varphi \rrbracket$

iff $\mathcal{M}, s \models \varphi$ implies $(\mathcal{M}|_{\varphi}, s \models K_a\psi)$

iff $\mathcal{M}, s \models [\varphi]K_a\psi$. □

Proposition (Reduction)

All of the following schemas are valid:

- 1 $[\varphi]p \leftrightarrow (\varphi \rightarrow p)$ for all $p \in P$
- 2 $[\varphi](\psi \wedge \chi) \leftrightarrow ([\varphi]\psi \wedge [\varphi]\chi)$
- 3 $[\varphi](\psi \rightarrow \chi) \leftrightarrow ([\varphi]\psi \rightarrow [\varphi]\chi)$
- 4 $[\varphi]\neg\psi \leftrightarrow (\varphi \rightarrow \neg[\varphi]\psi)$
- 5 $[\varphi]K_a\psi \leftrightarrow (\varphi \rightarrow K_a[\varphi]\psi)$
- 6 $[\varphi][\psi]\chi \leftrightarrow [\varphi \wedge [\varphi]\psi]\chi$

Proof.

We already showed (4), (5), and (6). The others are an easy homework exercise. □

Note: Using this proposition, one can reduce any $\mathcal{L}_{K\Box}$ formula to an \mathcal{L}_K formula. This means that both logics are equally expressive, and that we can use \mathcal{L}_K theorem provers or model checkers for $\mathcal{L}_{K\Box}$ as well.

Announcements and Common Knowledge

Announcements and Common Knowledge

Question: Can we also systematically eliminate announcement modalities as shown above in the presence of the **common knowledge** modality?

Recall:

$$[\varphi]K_a\psi \leftrightarrow (\varphi \rightarrow K_a[\varphi]\psi) \text{ is valid.}$$

Attempted generalization to common knowledge:


$$[\varphi]C_B\psi \leftrightarrow (\varphi \rightarrow C_B[\varphi]\psi).$$

Problem: This is invalid!

Announcements and Common Knowledge

Counterexample:

Before announcement of p :



After announcement of p :



$$\begin{aligned} \mathcal{M}, s &\models [p]C_{ab}q \\ \mathcal{M}, s &\not\models p \rightarrow C_{ab}[p]q \end{aligned}$$

Announcements and Common Knowledge

So, how to relate announcements and common knowledge?

Proposition (Announcements and common knowledge)

If $\chi \rightarrow [\varphi]\psi$ and $(\chi \wedge \varphi) \rightarrow E_B\chi$ are valid, then $\chi \rightarrow [\varphi]C_B\psi$ is valid.

Proof.

Let \mathcal{M}, s be arbitrary and suppose that $\mathcal{M}, s \models \chi$. We want to show that $\mathcal{M}, s \models [\varphi]C_B\psi$. Suppose $\mathcal{M}, s \models \varphi$, and let t be in the domain of $\mathcal{M}|_\varphi$ such that sR_B^*t . We prove $\mathcal{M}|_\varphi, t \models \psi$ by induction over the path length from s to t . [...]

Proof (ctd.)

[...]

- **Base case:** If the path length is 0, then $s = t$ and $\mathcal{M}|_\varphi, s \models \psi$, which follows from $\mathcal{M}, s \models \chi$, $\mathcal{M}, s \models \varphi$, and the validity of $\chi \rightarrow [\varphi]\psi$.
- **Inductive case:** Assume that the path length is $n + 1$ for some $n \in \mathbb{N}$, with $sR_a u R_B^* t$ for $a \in B$ and $u \in \mathcal{M}|_\varphi$. From $\mathcal{M}, s \models \chi$, $\mathcal{M}, s \models \varphi$, from the validity of $(\chi \wedge \varphi) \rightarrow E_B \chi$, and $sR_a u$, it follows that $\mathcal{M}, u \models \chi$. Because u is in the domain of $\mathcal{M}|_\varphi$, we know that $\mathcal{M}, u \models \varphi$. Now, we can apply the induction hypothesis to the length- n path from u to t , which gives us $\mathcal{M}|_\varphi, t \models \psi$. □

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates
- Axiomatisation
- Example
- Summary

Corollary

$[\varphi]\psi$ is valid iff $[\varphi]C_B \psi$ is valid.

Proof.

- (\Leftarrow) trivial
- (\Rightarrow) previous proposition with $\chi = \top$ □

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates
- Axiomatisation
- Example
- Summary

Unsuccessful Updates

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates
- Axiomatisation
- Example
- Summary

Unsuccessful Updates

Definition

Given a formula $\varphi \in \mathcal{L}_{KC\Box}$ and an epistemic state (\mathcal{M}, s) , we define:

- φ is a **successful formula** iff $[\varphi]\varphi$ is valid.
- φ is an **unsuccessful formula** iff it is not successful.
- φ is a **successful update** in (\mathcal{M}, s) iff $\mathcal{M}, s \models \langle \varphi \rangle \varphi$.
- φ is an **unsuccessful update** in (\mathcal{M}, s) iff $\mathcal{M}, s \models \langle \varphi \rangle \neg \varphi$.

Note:

- Updates with true successful formulas are always successful.
- Updates with unsuccessful formulas can be successful. (Homework: Example?)

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates
- Axiomatisation
- Example
- Summary

Unsuccessful Updates



Question: Can we characterize successful formulas syntactically?

Answer: Not trivially, since it is possible that φ and ψ are successful, but their conjunction or disjunction are not. (Homework: find such formulas and discuss!)

Idea for an easy result: Announcing something that is already public knowledge should not affect existing knowledge. Formally: if we restrict the model in such a way that only “irrelevant” worlds are lost, public knowledge remains public knowledge.

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates**
- Axiomatization
- Example
- Summary

Unsuccessful Updates



Definition (Submodel)

We call a model \mathcal{M}' a **submodel** of \mathcal{M} if $\mathcal{D}(\mathcal{M}') \subseteq \mathcal{D}(\mathcal{M})$ and R and V are restricted accordingly.

Proposition (Public knowledge updates are successful)

Let $\varphi \in \mathcal{L}_{KC}$. Then $[C_A\varphi]C_A\varphi$ is valid.

Proof sketch.

Let (\mathcal{M}, s) be arbitrary and assume that $\mathcal{M}, s \models C_A\varphi$. Then $\mathcal{M}, t \models \varphi$ and even $\mathcal{M}, t \models C_A\varphi$ for all t with sR_A^*t . The R_A^* -reachable submodels of $\mathcal{M}|_{C_A\varphi} = \mathcal{M}|_\varphi$ are identical. Hence $\mathcal{M}|_{C_A\varphi}, s \models C_A\varphi$, i. e., $\mathcal{M}, s \models [C_A\varphi]C_A\varphi$. □

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates**
- Axiomatization
- Example
- Summary

Unsuccessful Updates



Question: What if $B \subsetneq A$? Is $[C_B\varphi]C_B\varphi$ still valid?

Answer: It is not!

Counterexample: Recall the example from earlier that showed that $p \wedge \neg K_b p$ is not valid. Let $B = \{a\}$. Now consider the update formula $[C_B(p \wedge \neg K_b p)]C_B(p \wedge \neg K_b p)$. This is not valid, obviously.

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates**
- Axiomatization
- Example
- Summary

Unsuccessful Updates



Back to the previous positive result (public knowledge updates are successful): Let us try to generalize the idea of preservation of truth under submodels.

Definition

The language \mathcal{L}_{KC}^0 is the following fragment of \mathcal{L}_{KC} :

$$\varphi ::= p \mid \neg p \mid (\varphi \wedge \varphi) \mid (\varphi \vee \varphi) \mid K_a \varphi \mid C_B \varphi \mid [\neg \varphi]$$

Definition

A formula φ is **preserved under submodels** iff, for all (\mathcal{M}, s) and all submodels \mathcal{M}' of \mathcal{M} with $s \in \mathcal{D}(\mathcal{M}')$, if $\mathcal{M}, s \models \varphi$, then also $\mathcal{M}', s \models \varphi$.

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates**
- Axiomatization
- Example
- Summary

Proposition (Preservation)

Fragment $\mathcal{L}_{KC\Box}^0$ is preserved under submodels.

Proof.

By structural induction.

- **Base cases:** p and $\neg p$ are trivial: assume that \mathcal{M}' is a submodel of \mathcal{M} with $s \in \mathcal{D}(\mathcal{M}')$. Then $\mathcal{M}', s \models p$ iff $\mathcal{M}, s \models p$.
- **Inductive case $\varphi \wedge \psi$:**

$$\mathcal{M}, s \models \varphi \wedge \psi \quad \text{iff}$$

$$\mathcal{M}, s \models \varphi \text{ and } \mathcal{M}, s \models \psi \quad \text{iff (2} \times \text{I.H.)}$$

$$\mathcal{M}', s \models \varphi \text{ and } \mathcal{M}', s \models \psi \quad \text{iff}$$

$$\mathcal{M}', s \models \varphi \wedge \psi$$

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates**
- Axiomatization
- Example
- Summary

Proof (ctd.)

- **Inductive case $\varphi \vee \psi$:** Similar.
- **Inductive case $K_a\varphi$:** Let $\mathcal{M} = (S, R, V)$ be given and $\mathcal{M}' = (S', R', V')$ a submodel of \mathcal{M} . Let $s \in S'$. Suppose $\mathcal{M}, s \models K_a\varphi$. Let $s' \in S'$ and $sR'_a s'$. Then $\mathcal{M}, s' \models \varphi$. By induction hypothesis, $\mathcal{M}', s' \models \varphi$. Therefore $\mathcal{M}', s \models K_a\varphi$.
- **Inductive case $C_B\varphi$:** Similar.

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates**
- Axiomatization
- Example
- Summary

Proof (ctd.)

- **Inductive case $[\neg\varphi]\psi$:** Suppose $\mathcal{M}, s \models [\neg\varphi]\psi$ and suppose for contradiction that $\mathcal{M}', s \not\models [\neg\varphi]\psi$. This implies $\mathcal{M}', s \models \neg\varphi$ and $\mathcal{M}'|_{\neg\varphi}, s \not\models \psi$. Using the contrapositive of the induction hypothesis, we arrive at $\mathcal{M}, s \models \neg\varphi$. Moreover $\mathcal{M}'|_{\neg\varphi}$ is a submodel of $\mathcal{M}|_{\neg\varphi}$, because $t \in S'$ only survives if $\mathcal{M}', t \models \neg\varphi$. Again by induction hypothesis, $\mathcal{M}, t \models \neg\varphi$, so $[[\neg\varphi]]_{\mathcal{M}'} \subseteq [[\neg\varphi]]_{\mathcal{M}}$. But from $\mathcal{M}, s \models [\neg\varphi]\psi$ and $\mathcal{M}, s \models \neg\varphi$ it follows that $\mathcal{M}|_{\neg\varphi}, s \models \psi$, therefore, by induction hypothesis, $\mathcal{M}'|_{\neg\varphi}, s \models \psi$, which is a contradiction. □

Homework: What about formulas of the form $\hat{K}_a\varphi$, or $[\varphi]\psi$? Are they also preserved under submodels? If not, why not? Counterexamples?

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates**
- Axiomatization
- Example
- Summary

Corollary

Let $\varphi \in \mathcal{L}_{KC\Box}^0$ and $\psi \in \mathcal{L}_{KC\Box}$. Then $\varphi \rightarrow [\psi]\varphi$ is valid.

Proof.

Follows immediately from the previous proposition, since restriction to ψ -states creates a submodel. □

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates**
- Axiomatization
- Example
- Summary

Unsuccessful Updates



Corollary

Let $\varphi \in \mathcal{L}_{KC}^0$. Then $\varphi \rightarrow [\varphi]\varphi$ is valid.

Proof.

Previous proposition with $\psi = \varphi$. □

Corollary (\mathcal{L}_{KC}^0 formulas are successful)

Let $\varphi \in \mathcal{L}_{KC}^0$. Then $[\varphi]\varphi$ is valid.

Proof.

Previous corollary using equivalence of $\varphi \rightarrow [\varphi]\varphi$ and $[\varphi]\varphi$. □

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates**
- Axiomatisation
- Example
- Summary

Unsuccessful Updates



Remark: The converse does not hold, i. e., there are also formulas not in \mathcal{L}_{KC}^0 that are successful. Example: $\neg K_a p$. Or:

Proposition

Inconsistent formulas are successful.

Example

$p \wedge \neg p$

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates**
- Axiomatisation
- Example
- Summary

Axiomatisation



- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates
- Axiomatisation**
- Without Common Knowledge
- With Common Knowledge
- Example
- Summary

Axiomatisation



Notation:

- **PA:** The set of all **valid** $\varphi \in \mathcal{L}_{K}$.
- **PAC:** The set of all **valid** $\varphi \in \mathcal{L}_{KC}$.
- **PA:** Axiomatization of \mathcal{L}_{K} validities (to be defined below)
- **PAC:** Axiomatization of \mathcal{L}_{KC} validities (to be defined below)

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates
- Axiomatisation**
- Without Common Knowledge
- With Common Knowledge
- Example
- Summary

Axioms and inference rules for logic $\mathcal{L}_{K\Box}$ with $a \in A$ and $p \in P$:

- all instantiations of propositional tautologies (Taut.)
- $K_a(\varphi \rightarrow \psi) \rightarrow (K_a\varphi \rightarrow K_a\psi)$ (Distribution of K_a over \rightarrow)
- $K_a\varphi \rightarrow \varphi$ (Truth)
- $K_a\varphi \rightarrow K_aK_a\varphi$ (Positive introspection)
- $\neg K_a\varphi \rightarrow K_a\neg K_a\varphi$ (Negative introspection)
- $[\varphi]p \leftrightarrow (\varphi \rightarrow p)$ (Atomic permanence)
- $[\varphi]\neg\psi \leftrightarrow (\varphi \rightarrow \neg[\varphi]\psi)$ (Announcement + negation)
- $[\varphi](\psi \wedge \chi) \leftrightarrow ([\varphi]\psi \wedge [\varphi]\chi)$ (Announcement + conj.)
- $[\varphi]K_a\psi \leftrightarrow (\varphi \rightarrow K_a[\varphi]\psi)$ (Announcement + knowledge)
- $[\varphi][\psi]\chi \leftrightarrow [\varphi \wedge [\varphi]\psi]\chi$ (Composition of announcements)
- From φ and $\varphi \rightarrow \psi$, infer ψ . (Modus ponens)
- From φ , infer $K_a\varphi$. (Necessitation)

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates
- Axiomatisation
- Without Common Knowledge
- With Common Knowledge
- Example
- Summary

Note: in example derivations, we will get sloppier over time and occasionally skip steps, especially those that involve purely propositional reasoning. Hence, the given derivations may not be derivations in the formal sense, strictly speaking, but it should always be clear how to fill in the missing details/steps.

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates
- Axiomatisation
- Without Common Knowledge
- With Common Knowledge
- Example
- Summary

Example

We want to show that $\vdash [p]K_a p$:

- 1 $p \rightarrow p$ (prop. taut.)
- 2 $[p]p \leftrightarrow (p \rightarrow p)$ (atomic permanence)
- 3 $[p]p$ (1, 2, another prop. tautology, MP)
- 4 $K_a[p]p$ (3, necessitation)
- 5 $p \rightarrow K_a[p]p$ (4, prop. taut.)
- 6 $[p]K_a p \leftrightarrow (p \rightarrow K_a[p]p)$ (announcements + knowledge)
- 7 $[p]K_a p$ (5, 6, prop. taut.)

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates
- Axiomatisation
- Without Common Knowledge
- With Common Knowledge
- Example
- Summary

Theorem

The axiomatisation **PA** of PA is sound and complete. \square

Note:

- We already showed that the axioms involving announcements are sound.

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates
- Axiomatisation
- Without Common Knowledge
- With Common Knowledge
- Example
- Summary



Axioms and inference rules for logic $\mathcal{L}_{KC\Box}$ ($B \subseteq A$):

- all axioms and inference rules of $\mathcal{L}_{K\Box}$
- $C_B(\varphi \rightarrow \psi) \rightarrow (C_B\varphi \rightarrow C_B\psi)$ (Distribution of C_B over \rightarrow)
- $C_B\varphi \rightarrow (\varphi \wedge E_B C_B\varphi)$ (Mix)
- $C_B(\varphi \rightarrow E_B\varphi) \rightarrow (\varphi \rightarrow C_B\varphi)$
(Induction of common knowledge)
- From φ , infer $C_B\varphi$.
(Necessitation of common knowledge)
- From φ , infer $[\psi]\varphi$. (Necessitation of announcements)
- From $\chi \rightarrow [\varphi]\psi$ and $\chi \wedge \varphi \rightarrow E_B\chi$, infer $\chi \rightarrow [\varphi]C_B\psi$.
(Mix of announcements and common knowledge)

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates
- Axiomatisation
- Without Common Knowledge
- With Common Knowledge
- Example
- Summary



Theorem

The axiomatisation PAC of PAC is sound and complete. \square

Note:

- We already showed soundness for (most of) the additional rules and axioms.

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates
- Axiomatisation
- Without Common Knowledge
- With Common Knowledge
- Example
- Summary



Example

We show that $\vdash [\neg p]C_A\neg p$:

- 1 $\neg p \rightarrow \neg(\neg p \rightarrow p)$ (prop. taut.)
- 2 $[\neg p]p \leftrightarrow (\neg p \rightarrow p)$ (atomic permanence)
- 3 $\neg p \rightarrow \neg[\neg p]p$ (1, 2, prop. taut.)
- 4 $[\neg p]\neg p \leftrightarrow (\neg p \rightarrow \neg[\neg p]p)$ (announcements + negation)
- 5 $[\neg p]\neg p$ (3, 4, prop. taut.)
- 6 $\top \rightarrow [\neg p]\neg p$ (5, prop. taut.)
- 7 \top (prop. taut.)
- 8 $K_a\top$ (7, necessitation)
- 9 $\top \wedge \neg p \rightarrow K_a\top$ (8, prop. taut.)
- 10 $\top \wedge \neg p \rightarrow E_A\top$ (9, for all $a \in A$, prop. taut.)
- 11 $\top \rightarrow [\neg p]C_A\neg p$ (10, 6, ann. + common knowledge)
- 12 $[\neg p]C_A\neg p$ (11, prop. taut.)

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates
- Axiomatisation
- Without Common Knowledge
- With Common Knowledge
- Example
- Summary

Example: Muddy Children

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates
- Axiomatisation
- Example
- Summary

Example (Muddy children)

- There are n children. Some of them have a muddy forehead.
- They only see whether the other children are muddy, not themselves.
- They are perfect reasoners/logicians.
- Their father says (repeatedly): “At least one of you is muddy. Those of you who know whether they are muddy please raise your hand.”

Announcements: Raising hands or not.

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates
- Axiomatization
- Example
- Summary

We look at example with three children (a, b , and c), where a and b are muddy, while c not, i. e., $m_a \wedge m_b \wedge \neg m_c$.

Some abbreviations:


$$\text{muddy} = m_a \vee m_b \vee m_c.$$

$$\text{knowmuddy} = (K_a m_a \vee K_a \neg m_a) \vee (K_b m_b \vee K_b \neg m_b) \vee (K_c m_c \vee K_c \neg m_c).$$

$$\text{abknowmuddy} = (K_a m_a \vee K_a \neg m_a) \wedge (K_b m_b \vee K_b \neg m_b).$$

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates
- Axiomatization
- Example
- Summary

Model $\text{Cube}''' = \text{Cube}''|_{\text{abknowmuddy}}$ (after a and b raise their hands):



$\text{Cube}''', 110 \models \text{knowmuddy}$

$\text{Cube}''', 110 \models C_{abc}(m_a \wedge m_b \wedge \neg m_c)$

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates
- Axiomatization
- Example
- Summary

Summary

- Introduction
- Syntax
- Semantics
- Revelations
- Principles
- Common Knowledge
- Unsuccessful Updates
- Axiomatization
- Example
- Summary

- Public announcements change knowledge state.
- Semantics: via submodels
- Without common knowledge: $\mathcal{L}_{K\Box}$ can be reduced to \mathcal{L}_K .
- With common knowledge: not.
- Announcements can be successful or unsuccessful.
Preserved formulas are successful
- Sound and complete axiomatizations exist.

Introduction

Syntax

Semantics

Revelations

Principles

Common
Knowledge

Unsuccess-
ful
Updates

Axiomatisati-
on

Example

Summary