

Game Theory

5. Complexity

Albert-Ludwigs-Universität Freiburg



Bernhard Nebel and Robert Mattmüller

May 9th, 2018

1 Motivation



- Motivation
- Search Problems
- Complexity Results
- Summary

May 9th, 2018

B. Nebel, R. Mattmüller – Game Theory

3 / 22

Motivation



Motivation: We already know some algorithms for finding Nash equilibria in restricted settings from the previous chapter, and **upper bounds** on their complexity.

- For **finite zero-sum games**: **polynomial-time** computation.
- For **general finite two player games**: computation in **NP**.

Question: What about **lower bounds** for those cases and in general?

Approach to an answer: In this chapter, we study the **computational complexity** of finding Nash equilibria.

- Motivation
- Search Problems
- Complexity Results
- Summary

May 9th, 2018

B. Nebel, R. Mattmüller – Game Theory

4 / 22

Finding Nash Equilibria as a Search Problem



Definition (The problem of computing a Nash equilibrium)

NASH

Given: A finite two-player strategic game G .

Find: A mixed-strategy Nash equilibrium (α, β) of G .

Remarks:

- No need to add restriction "... if one exists, else 'fail'", because existence is guaranteed by Nash's theorem.
- The corresponding **decision** problem can be trivially solved in **constant time** (always return "true"). Hence, we really need to consider the **search** problem version instead.

- Motivation
- Search Problems
- Complexity Results
- Summary

May 9th, 2018

B. Nebel, R. Mattmüller – Game Theory

5 / 22

Finding Nash Equilibria as a Search Problem



- Motivation
- Search Problems
- Complexity Results
- Summary

In this form, NASH looks similar to other search problems, e. g.:

SAT

Given: A propositional formula φ in CNF.

Find: A truth assignment that makes φ true, if one exists, else 'fail'.

Note: This is the search version of the usual decision problem.

2 Search Problems



- Motivation
- Search Problems
- Complexity Results
- Summary

Search Problems



- Motivation
- Search Problems
- Complexity Results
- Summary

A **search problem** is given by a binary relation $R(x, y)$.

Definition (Search problem)

A **search problem** is a problem that can be stated in the following form, for a given binary relation $R(x, y)$ over strings:

SEARCH- R

Given: x .

Find: Some y such that $R(x, y)$ holds, if such a y exists, else 'fail'.

Complexity Classes for Search Problems



- Motivation
- Search Problems
- Complexity Results
- Summary

Some complexity classes for search problems:

- **FP:** class of search problems that can be solved by a **deterministic** Turing machine in **polynomial time**.
- **FNP:** class of search problems that can be solved by a **nondeterministic** Turing machine in **polynomial time**.
- **TFNP:** class of search problems in **FNP** where the relation R is **total**, i. e., $\forall x \exists y. R(x, y)$.
- **PPAD:** class of search problems that can be **polynomially reduced to END-OF-LINE**.
(PPAD: Polynomial Parity Argument in Directed Graphs)

To understand **PPAD**, we need to understand what the **END-OF-LINE** problem is.

The END-OF-LINE Problem



Definition (END-OF-LINE instance)

Consider a directed graph \mathcal{G} with node set $\{0, 1\}^n$ such that each node has **in-degree and out-degree at most one** and there are no isolated vertices. The graph \mathcal{G} is specified by two polynomial-time computable functions π and σ :

- $\pi(v)$: returns the predecessor of v , or \perp if v has no predecessor.
- $\sigma(v)$: returns the successor of v , or \perp if v has no successor.

In \mathcal{G} , there is an arc from v to v' if and only if $\sigma(v) = v'$ and $\pi(v') = v$.

- Motivation
- Search Problems
- Complexity Results
- Summary

The END-OF-LINE Problem



Definition (END-OF-LINE instance (ctd.))

We call a triple (π, σ, v) consisting of such functions π and σ and a node v in \mathcal{G} with in-degree zero (a “source”) an **END-OF-LINE instance**.

With this, we can define the **END-OF-LINE problem**:

Definition (END-OF-LINE problem)

END-OF-LINE

Given: An END-OF-LINE instance (π, σ, v) .


Find: Some node $v' \neq v$ such that v' has out-degree zero (a “sink”) or in-degree zero (another “source”).

- Motivation
- Search Problems
- Complexity Results
- Summary

The END-OF-LINE Problem



Example (END-OF-LINE)



- Motivation
- Search Problems
- Complexity Results
- Summary

Comparison of Search Complexity Classes



Relationship of different search complexity classes:

$$FP \subseteq PPAD \subseteq TFNP \subseteq FNP$$

Compare to upper runtime bound that we already know:
Lemke-Howson algorithm has **exponential** time complexity in the worst case.

- Motivation
- Search Problems
- Complexity Results
- Summary

3 Complexity Results



- Motivation
- Search Problems
- Complexity Results**
- Summary

PPAD-Completeness of NASH



- Motivation
- Search Problems
- Complexity Results**
- Summary

Theorem (Daskalakis et al., 2006)

NASH is **PPAD**-complete.

The same holds for k -player instead of just two-player NASH. \square

Thus, NASH is presumably “simpler” than the SAT search problem, but presumably “harder” than any polynomial search problem.

FNP-Completeness of 2ND-NASH



- Motivation
- Search Problems
- Complexity Results**
- Summary

Another search problem related to Nash equilibria is the problem of **finding a second Nash equilibrium** (given a first one has already been found). As it turns out, this is **at least as hard** as finding a first Nash equilibrium.

Definition (2ND-NASH problem)

2ND-NASH

Given: A finite two-player game G and a mixed-strategy Nash equilibrium of G .

Find: A second different mixed-strategy Nash equilibrium of G , if one exists, else ‘fail’.

Theorem (Conitzer and Sandholm, 2003)

2ND-NASH is **FNP**-complete. \square

Some Further Hardness Results



- Motivation
- Search Problems
- Complexity Results**
- Summary

Theorem (Conitzer and Sandholm, 2003)

For each of the following properties P^ℓ , $\ell = 1, 2, 3, 4$, given a finite two-player game G , it is **NP**-hard to decide whether there exists a mixed-strategy Nash equilibrium (α, β) in G that has property P^ℓ .

P^1 : player 1 (or 2) receives a payoff $\geq k$ for some given k .
 (“Guaranteed payoff problem”)

P^2 : $U_1(\alpha, \beta) + U_2(\alpha, \beta) \geq k$ for some given k .
 (“Guaranteed social welfare problem”)

P^3 : player 1 (or 2) plays some given action a with prob. > 0 .

P^4 : (α, β) is Pareto-optimal, i. e., there is no strategy profile (α', β') such that

- $U_i(\alpha', \beta') \geq U_i(\alpha, \beta)$ for both $i \in \{1, 2\}$, and
 - $U_i(\alpha', \beta') > U_i(\alpha, \beta)$ for at least one $i \in \{1, 2\}$.
- \square

- **PPAD** is the complexity class for which the **END-OF-LINE problem** is complete.
- Finding a mixed-strategy Nash equilibrium in a finite two-player strategic game is **PPAD-complete**.
- **FNP** is the search-problem equivalent of the class **NP**.
- Finding a second mixed-strategy Nash equilibrium in a finite two-player strategic game is **FNP-complete**.
- Several **decision problems** related to Nash equilibria are **NP-complete**:
 - guaranteed payoff
 - guaranteed social welfare
 - inclusion in support
 - Pareto-optimality of Nash equilibria