#### Game Theory

7. Repeated Games

Albert-Ludwigs-Universität Freiburg

Bernhard Nebel and Robert Mattmüller

Summer semester 2019

#### Motivation and Intuition

- Remember: The *Prisoner's Dilemma* leads to the unsatisfying result because there is neither experience nor future encounters.
- What if the game is played repeatedly?
- Model this as an extensive game where in each turn, we repeat a given base game.
- Will social norms evolve?
- Will punishments, which can lead to short-term costs, nevertheless be played (are these potential punishments credible threats?)

See: http://ncase.me/trust/

#### Motivation

UNI FREIBURG

Repeated Prisoners Dilemma

Strategies and Preferences in Infinite Games

Analysis of Inifinite PD

Punishments Enforceable Outcomes

4 / 29

#### 1 Motivation



#### Motivation

Repeated Prisoners Dilemma

> Strategies and Preferences in Infinite Games

Analysis of Inifinite PD

Punishments and Enforceable

SS 2019

B. Nebel, R. Mattmüller - Game Theory

3 / 29

### 2 Repeated Prisoners Dilemma



Motivation

Repeated Prisoners Dilemma

and Preferences in Infinite Games

Analysis of Inifinite PD

Punishments and Enforceable

B. Nebel, R. Mattmüller - Game Theory

SS 2019

B. Nebel, R. Mattmüller - Game Theory

SS 2019

#### Reminder



NE NE

	C	D
С	3,3	0,4
D	4,0	1,1

(D,D) (i.e. both players defect) is the unique Nash equilibrium, the pair of maximinimizers and the pair of strictly dominating strategies.

So, in a single encounter, there is no argument for rationally playing C!

Motivation

Repeated Prisoners Dilemma

and Preferences in Infinite Games

Analysis of Inifinite PD

Punishments and

SS 2019

B. Nebel, R. Mattmüller - Game Theory

7 / 29

#### Finitely Repeated PD

Use backward induction:



 $\blacksquare$  Assume we play PD a pre-specified number of times k.

Repeated Prisoners

Dilemma

Motivation

and Preferences Games

Analysis of Inifinite PD

Punishments and

SS 2019

B. Nebel, R. Mattmüller - Game Theory

(D,D) is the NE in the last subgame, since this would be

■ So, the (only) subgame-perfect equilibrium and the only

NE of this repeated game is (D,D), (D,D), ..., (D,D).

### Infinitely Repeated PD



9 / 29

- If we play PD infinitely often, we need to solve two problems:
  - How to define a strategy?
  - 2 How to define the payoff or preference?
- How to specify a strategy using only finite resources?
  - In general: One could use an algorithm.
  - Usually done in game theory: use Moore automata, i.e., finite state automata, where the inputs are actions of the other players, and in each state, a response action to the previous actions is generated.
  - A Nash equilibrium would then be a profile of automata (strategies) such that no deviation would be profitable.

Repeated Prisoners Dilemma

Strategies and Preferences in Infinite

Analysis of Inifinite PD

Punishments and Enforceable Outcomes

3 Strategies and Preferences in Infinite Games

■ What will be a subgame perfect equilibirium?

the only NE in the one-shot game.

■ So, (D,D) will also be played in period k-1.



Motivation

Strategies and Preferences in Infinite Games

Analysis of Inifinite PD

Punishments and

SS 2019

B. Nebel, R. Mattmüller - Game Theory

SS 2019

B. Nebel, R. Mattmüller - Game Theory

11 / 29

### Some Possible Strategies



Using Moore automata, we can specify what to do in response to the new input (action played by others) and the state we are in. Since the automata are finite, we have only finite memory!

- Unconditionally cooperative: Always play C.
- Unconditionally uncooperative: Always play D.
- Bipolar: Start with D and then always exchange between C and D.
- *Tit-for-Tat*: Start with *C* and then reply with *C* to each *C* and D to each D.
- *Grim*: Start with *C*. After any play of *D* play *D* in the future forever.

Motivation

Repeated Prisoners Dilemma

Strategies Preferences in Infinite Games

Analysis of Inifinite PD

Punishments

SS 2019

B. Nebel, R. Mattmüller - Game Theory


12 / 29

14 / 29

#### Strategies as Automata




Uncooperative



**Bipolar** 

Grim



Tit-for-tat

Motivation

Repeated Prisoners

and Preferences in Infinite

> Analysis of Inifinite PD

Motivation

Strategies

in Infinite

Analysis of

Inifinite PD

Preferences

and

SS 2019


B. Nebel, R. Mattmüller - Game Theory


13 / 29

#### Game traces



Player 1 plays Tit-for-tat, player 2 plays bipolar; 4 rounds.





Round	Action	Utility	Accumulated payo
1	(C,D)	(0,4)	(0,4
2	(D,C)	(4,0)	(4,4
3	(C,D)	(0,4)	(4,8
4	(D,C)	(4,0)	(8,8)

Motivation

Repeated Prisoners Dilemma

Strategies and Preferences in Infinite Games

Analysis of Inifinite PD

Punishment Enforceable Outcomes

## Preferences over payoffs (1)



How to define the payoff of an infinite game or whether to prefer one outcome over another one?

Given two infinite sequences  $(v_i^t)_{t=1}^{\infty}$  and  $(w_i^t)_{t=1}^{\infty}$ , we will define when the first is prefered over the second by player *i*:  $(\mathbf{v}_i^t)_{t=1}^{\infty} \succeq_i (\mathbf{w}_i^t)_{t=1}^{\infty}$ 

A common method is discounting by a discount factor  $\delta \in (0,1)$ :

$$(v_i^t)_{t=1}^{\infty} \succsim_i (w_i^t)_{t=1}^{\infty} \quad \text{iff} \quad \sum_{t=1}^{\infty} \delta^{t-1} (v_i^t - w_i^t) \ge 0$$

Overtaking is an alternative (every period counts the same):

$$(v_i^t)_{t=1}^{\infty} \succsim_i (w_i^t)_{t=1}^{\infty} \quad \text{iff} \quad \lim\inf_{T \to \infty} \sum_{t=1}^T (v_i^t - w_i^t) \ge 0$$

### Preferences over payoffs (2)



■ Instead one could require that on average the payoff is better, which leads to the limit of means criterion:

$$(v_i^t)_{t=1}^{\infty} \succsim_i (w_i^t)_{t=1}^{\infty} \quad \text{iff} \quad \lim\inf_{T \to \infty} \sum_{t=1}^T (v_i^t - w_i^t)/T \ge 0$$

■ In this case,  $\lim_{T\to\infty} \sum_{t=1}^T v_i^t/T$  would be considered the payoff, if the limit exists.

Motivation

Prisoners Dilemma

Strategies and Preferences in Infinite

Analysis of Inifinite PD

Games

Punishments and Enforceable

SS 2019

B. Nebel, R. Mattmüller - Game Theory

16 / 29

### **Example Preferences**



Motivation

Repeated Prisoners Dilemma

Strategies and Preferences in Infinite Games

Analysis of Inifinite PD

Punishments and Enforceable

SS 2019

B. Nebel, R. Mattmüller - Game Theory

 $\blacksquare$  (1,-1,0,0,...)  $\succ$  (0,0,0,0,...) for any  $\delta \in (0,1)$  under

 $\blacksquare$  (-1,2,0,0,...)  $\succ$  (0,0,0,0,...) under *overtaking*, but for

sequence after *m* zeros there are only ones, under the

*limit of means*. However, for every  $\delta$  there exists an  $m^*$ 

such that for all  $m > m^*$  the preference under discounting

 $\blacksquare$  (0,...,0,1,1,1,...)  $\succ$  (1,0,0,0,...), where in the first

the *limit of means* there is no preference.

discounting, but not under limit of means and overtaking.

17 / 29

### Infinitly Repeated Games Formally



#### Definition (Infinitely repeated game of *G*)

Let  $G = \langle N, (A_i)_{i \in N}, (u_i)_{i \in N} \rangle$  be a strategic game with  $A = \prod_{i \in N} A_i$ . An *infinitely repeated game of G* is an extensive game with perfect information and simultaneous moves  $\langle N, H, P, (\succsim_i)_{i \in N} \rangle$  in which

- $\blacksquare H = \{\langle\rangle\} \cup (\bigcup_{t=1}^{\infty} A^t) \cup A^{\infty},$
- P(h) = N for all nonterminal histories  $h \in H$ ,
- $\succsim_i$  is a preference relation on  $A^{\infty}$  that is based on discounting, limit of means or overtaking.

Motivation

Repeated Prisoners Dilemma

Strategies and Preferences in Infinite Games

Analysis of Inifinite PD

Punishments and Enforceable Outcomes

### 4 Analysis of Inifinite PD

is the other way around.



Motivation

Repeated Prisoners

Strategies and Preferences in Infinite Games

Analysis of Inifinite PD

> Punishments and Enforceable

18 / 29

### Infinite PD Again (1)

NE NE

BURG

Motivation

and

Preferences

Analysis of

Inifinite PD

in Infinite Games

Let us consider the Grim strategy. Is (Grim, Grim) a Nash equilibrium under all the preference criteria?

- Overtaking and limit of means: Yes! Any deviation will result in getting  $\leq$  1 instead of 3 infinitely often.
- Discounting: This is a bit more complicated.
  - $\blacksquare$  If a player gets v for every round, he will accumulate the following payoff:

$$v + \delta v + \delta^2 v + \ldots = \sum_{i=1}^{\infty} \delta^{i-1} v.$$

■ Since we know that  $\sum_{i=0}^{\infty} x^i = \frac{1}{1-x}$  (for 0 < x < 1), we have:

$$\sum_{i=1}^{\infty} \delta^{i-1} v = v \sum_{i=0}^{\infty} \delta^{i} = \frac{v}{1-\delta}.$$

SS 2019

B. Nebel, R. Mattmüller - Game Theory

21 / 29

#### Infinite PD Again (2)



Motivation

Dilemma

Preference

Analysis of Inifinite PD

and

- Assume now, both players play *Grim* for the first *k* rounds. Then player 1 deviates and plays *D* once. In the remainder he must play D in order to get at least 1 in each round.
  - Starting in round *k*, he receives:

$$4 + \delta + \delta^2 + \dots = 3 + \sum_{i=0}^{\infty} \delta^i = 3 + \frac{1}{1 - \delta}$$

If he had not deviated, the accumulated payoff starting at round *k* would have been:

$$3+3\delta+3\delta^2+\ldots=3\sum_{i=0}^{\infty}\delta^i=\frac{3}{1-\delta}.$$

- So, a deviation is profitable if  $3+1/(1-\delta) > 3/(1-\delta)$ .
- When  $\delta$  < 1/3 the deviation is profitable, i.e., for  $\delta \geq 1/3$ , Grim is a NE strategy.

SS 2019

B. Nebel, R. Mattmüller - Game Theory

22 / 29

### Infinite PD Again (3)



23 / 29

- Under which preference criteria is *Tit-for-tat* an equilibrium strategy?
- Limit of means: Finitely many deviations do not change the payoff profile in the limit. Infinitely many deviations lead to less payoff. So Tit-for-tat is an NE strategy under this preference criterion.
- Overtaking: Even only one deviation leads to a payoff of 5 over two rounds instead of 6. So in no case, a deviation can lead to a better payoff.
- *Discounting*: Deviating only in one move in round *k* and then returning to be cooperative leads in round k to  $4+0+\ldots$  instead to  $3+\delta 3+\ldots$

B. Nebel, R. Mattmüller - Game Theory

- The deviation is profitable if  $4 > 3 + \delta 3$ .
- This means, we only get a profitable deviation if  $\delta < 1/3$ ; and this is the best case for a deviation!
- So *Tit-for-tat* is NE if  $\delta > 1/3$ .

Motivation

Repeated Dilemma

and Preferences in Infinite

Analysis of Inifinite PD

Punishment

### 5 Punishments and Enforceable Outcomes



Motivation

and Preference

Analysis of Inifinite PD

> Punishments Enforceable Outcomes

#### **Punishments**



Observe that the NE strategies are based on being able to punish a deviating player.

#### Definition (Minmax payoff)

Let  $G = \langle N, (A_i)_{i \in N}, (u_i)_{i \in N} \rangle$  a strategic game. Player *i*'s minimax payoff in G, also written as  $v_i(G)$ , is the lowest payoff that the other players can force upon player *i*:

$$v_i(G) = \min_{a_{-i} \in A_{-i}} \max_{a_i \in A_i} u_i(a_{-i}, a_i).$$

■ The idea is that the other players all punish a deviating player in the next round(s) and allow him only to get  $v_i$ .

wouvallon

Prisoners Dilemma

Strategies and Preferences in Infinite

Analysis of Inifinite PD

Punishments and Enforceable Outcomes

SS 2019

B. Nebel, R. Mattmüller - Game Theory

26 / 2

UNI FREIBURG

and

Preferences

Analysis of

Inifinite PD

Punishments

Enforceable

Outcomes

in Infinite

## Enforceable Payoffs



REIBC

Motivation

and

Preference

Analysis of

Inifinite PD

**Punishments** 

Enforceable

Games

#### Definition (Feasible Payoff Profile)

Given a strategic game  $G = \langle N, (A_i)_{i \in N}, (u_i)_{i \in N} \rangle$ , a vector  $v \in \mathbb{R}^N$  is called payoff profile of G if there exists  $a \in A$  such that v = u(a).  $v \in \mathbb{R}$  is called feasible payoff profile if there exists a vector  $(\alpha_a)_{a \in A} \in \mathbb{Q}^A$  with  $\sum \alpha_a = 1$  and  $v = \sum \alpha_a u(a)$ .

Note: Such payoffs can be generated in a repeated game by playing  $\beta_a$  rounds a in a set of  $\gamma$  games with  $\gamma = \sum_{a \in A} \beta_a$  and  $\alpha_a = \beta_a/\gamma$ .

#### Definition (Enforceable payoff)

Given a strategic game  $G = \langle N, (A_i)_{i \in N}, (u_i)_{i \in N} \rangle$ , a payoff profile w with  $w_i \geq v_i(G)$  for all  $i \in N$  is called enforceable. If  $w_i > v_i(G)$  for all  $i \in N$ , it is said to be strictly enforceable.

SS 2019

B. Nebel, R. Mattmüller - Game Theory

27 / 29

# Many different Equilibria ...

- Using the concept of enforceable payoffs, one can construct many different Nash equilibria and payoff profiles for PD!
- E.g., (31/3,2) is a feasible payoff profile, because  $4 \times (C,C)$  and  $2 \times (D,C)$  leads to  $((4 \times 3 + 2 \times 4)/6, (4 \times 3 + 2 \times 0)/6)$ .
- Construct two automata that implement this repeated sequence and in case of deviation revert to playing *D*.
- These two automatons implement Nash equilibria strategies, since deviating leads to a payoff of 1 instead of 31/3 or 2!
- Folk theorems stating that all enforceable outcomes are reachable have been proven for the general case.

## Summary

- Z Z
- Repeated games are extensive games with simultaneous moves, in which a base startegic game is played in each round.
- Strategies are described using finite Moore automata.
- For preferences over the payoffs of infinitely repeated games, different perfrence criteria are possible.
- In the repeated *Prisoners Dilemma*, it is possible to play Nash Equilibrium strategies that result in (C,C) sequences.
- In fact, it is possible to achieve any possible feasible payoff profile in the limit of means criterion.

Motivat

Repeated Prisoners Dilemma

Strategies and Preferences in Infinite

Analysis of Inifinite PD

> Punishments and Enforceable Outcomes

SS 2019 B. Nebel, R. Mattmüller – Game Theory

28 / 29

SS 2019

B. Nebel, R. Mattmüller - Game Theory

29 / 2