Game Theory

8. Social Choice Theory

Albert-Ludwigs-Universität Freiburg

UNI

Bernhard Nebel and Robert Mattmüller

June 14th, 2016



Social Choice Theory

Social Choice Theory

Introduction
Social Choice
Functions
Condorcet
Methods

Arrow's Impossibility Theorem

Gibbard-Satterthwaite

Theorem
Some
Positive

Results Summary

Social Choice Theory



Socia

Motivation: Aggregation of individual preferences

Examples:

- political elections
- council decisions
- Eurovision Song Contest

Question: If voters' preferences are private, then how to implement aggregation rules such that voters vote truthfully (no "strategic voting")?

Social Choice Theory

Introduction

Social Choic Functions Condorcet

Arrow's Impossibility Theorem

Gibbard-Satterthwaite

Satterthwait Theorem

Some Positive Results

Definition (Social Welfare and Social Choice Function)

Let A be a set of alternatives (candidates) and L be the set of all linear orders on A. For n voters, a function

$$F: L^n \rightarrow L$$

is called a social welfare function. A function

$$f:L^n\to A$$

is called a social choice function.

Notation: Linear orders $\prec \in L$ express preference relations.

 $a \prec_i b$: voter *i* prefers candidate *b* over candidate *a*.

 $a \prec b$: candidate b socially preferred over candidate a.

Examples



- Plurality voting (aka first-past-the-post or winner-takes-all):
 - only top preferences taken into account
 - candidate with most top preferences wins

Drawback: Wasted votes, compromising, winner only preferred by minority

- Plurality voting with runoff:
 - First round: two candidates with most top votes proceed to second round (unless absolute majority)
 - Second round: runoff

Drawback: still, tactical voting and strategic nomination possible.

Social Choice Theory

Ineory

Social Choice Functions

Condorcet Methods

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

Examples





- each voter submits his preference order
- iteratively candidates with fewest top preferences are eliminated until one candidate has absolute majority

Drawback: Tactical voting still possible.

Borda count:

- each voter submits his preference order over the m candidates
- if a candidate is in position j of a voter's list, he gets m-j points from that voter
- points from all voters are added
- candidate with most points wins

Drawback: Tactical voting still possible ("Voting opponent down").

Social Choice Theory

Introduction

Social Choice Functions Condorcet

Arrow's

Impossibility Theorem

Satterthwaite Theorem

Some Positive Results

Examples





Social Choice

Introduction Social Choice Functions

Functions Condorcet Methods

Arrow's Impossibility Theorem

Gibbard-Satterthwaite

Some Positive Results

Summary

Condorcet winner:

- each voter submits his preference order
- perform pairwise comparisons between candidates
- if one candidate wins all his pairwise comparisons, he is the Condorcet winner

Drawback: Condorcet winner does not always exist.

Examples

23 voters, candidates a, b, c, d, e.

| # voters | 8 | 6 | 4 | 3 | 1 | 1 |
|----------|---|---|---|---|---|---|
| 1st | е | а | b | С | d | d |
| 2nd | d | b | С | b | С | С |
| 3rd | b | С | d | d | а | b |
| 4th | С | е | а | а | b | е |
| 5th | а | d | е | е | е | а |

- Plurality voting:
- Plurality voting with runoff:
 - first round
 - second round:



Social Choice Theory

> Introduction Social Choice

Functions Condorcet Methods

Arrow's Impossibility Theorem

Gibbard-Satterthwait Theorem

Some Positive Results

Examples

23 voters, candidates a, b, c, d, e.

| # voters | 8 | 6 | 4 | 3 | 1 | 1 |
|----------|---|---|---|---|---|---|
| 1st | е | а | b | С | d | d |
| 2nd | d | b | С | b | С | С |
| 3rd | b | С | d | d | а | b |
| 4th | С | е | а | а | b | е |
| 5th | а | d | е | е | е | а |

- Plurality voting:
- Plurality voting with runoff:
 - first round
 - second round:



Social Choice

Theory

Social Choice Functions Condorcet Methods

Arrow's Impossibility

Gibbard-Satterthwait Theorem

Some Positive Results

Examples

JNI FREBURG

23 voters, candidates a, b, c, d, e.

| # voters | 8 | 6 | 4 | 3 | 1 | 1 |
|----------|---|---|---|---|---|---|
| 1st | е | а | b | С | d | d |
| 2nd | d | b | С | b | С | С |
| 3rd | b | С | d | d | а | b |
| 4th | С | е | а | а | b | е |
| 5th | а | d | е | е | е | а |

- Plurality voting: candidate e wins (8 votes)
- Plurality voting with runoff:
 - first round
 - second round:

Social Choice

Theory Introduction

Social Choice Functions

Methods

Arrow's

Impossibility Theorem

Satterthwaite Theorem

Some Positive Results

Examples

23 voters, candidates a, b, c, d, e.

| # voters | 8 | 6 | 4 | 3 | 1 | 1 |
|----------|---|---|---|---|---|---|
| 1st | е | а | b | С | d | d |
| 2nd | d | b | С | b | С | С |
| 3rd | b | С | d | d | а | b |
| 4th | С | е | а | а | b | е |
| 5th | а | d | е | е | е | а |

- Plurality voting: candidate e wins (8 votes)
- Plurality voting with runoff:
 - first round:
 - second round:



Social Choice Theory

Social Choice Functions

Condorcet Methods Arrow's

Impossibility Theorem

Satterthwaite Theorem

Some Positive Results

Examples



23 voters, candidates a, b, c, d, e.

| # voters | 8 | 6 | 4 | 3 | 1 | 1 |
|----------|---|---|---|---|---|---|
| 1st | е | а | b | С | d | d |
| 2nd | d | b | С | b | С | С |
| 3rd | b | С | d | d | а | b |
| 4th | С | е | а | а | b | е |
| 5th | а | d | е | е | е | а |

- Plurality voting: candidate e wins (8 votes)
- Plurality voting with runoff:
 - first round: candidates e (8 votes) and a (6 votes) proceed
 - second round:

Social Choice Theory

Introduction Social Choice

Functions
Condorcet
Methods

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

Examples



23 voters, candidates a, b, c, d, e.

| # voters | 8 | 6 | 4 | 3 | 1 | 1 |
|----------|---|---|---|---|---|---|
| 1st | е | а | b | С | d | d |
| 2nd | d | b | С | b | С | С |
| 3rd | b | С | d | d | а | b |
| 4th | С | е | а | а | b | е |
| 5th | а | d | е | е | е | а |

- Plurality voting: candidate e wins (8 votes)
- Plurality voting with runoff:
 - first round: candidates e (8 votes) and a (6 votes) proceed
 - second round: candidate a (6+4+3+1=14 votes) beats candidate e (8+1=9 votes)

Social Choice

Introduction
Social Choice

Functions
Condorcet
Methods

Arrow's Impossibility Theorem

Gibbard-Satterthwaite

Some Positive Results

Examples

23 voters, candidates a, b, c, d, e.

| # voters | 8 | 6 | 4 | 3 | 1 | 1 |
|----------|---|---|---|---|---|---|
| 1st | е | а | b | С | d | d |
| 2nd | d | b | С | b | С | С |
| 3rd | b | С | d | d | а | b |
| 4th | С | е | а | а | b | е |
| 5th | а | d | е | е | е | а |

Instant runoff voting:



Social Choice Theory

Introduction Social Choice Functions

Functions Condorcet Methods

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

Examples

23 voters, candidates a, b, c, d, e.

| # voters | 8 | 6 | 4 | 3 | 1 | 1 |
|----------|---|---|---|---|---|---|
| 1st | е | а | b | С | d | d |
| 2nd | d | b | С | b | С | С |
| 3rd | b | С | d | d | а | b |
| 4th | С | е | а | а | b | е |
| 5th | а | d | е | е | е | а |

Instant runoff voting:
First elimination: d

JNI REIBURG

> Social Choice Theory

Social Choice Functions

Condorcet Methods Arrow's

Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

Examples

23 voters, candidates a, b, c, d, e.

| # voters | 8 | 6 | 4 | 3 | 1 | 1 |
|----------|---|---|---|---|---|---|
| 1st | е | а | b | С | d | d |
| 2nd | d | b | С | b | С | С |
| 3rd | b | С | d | d | а | b |
| 4th | С | е | а | а | b | е |
| 5th | а | d | е | е | е | а |

Instant runoff voting:

First elimination: d

Second elimination: b



Social Choice Theory

Introduction Social Choice Functions

Functions Condorcet Methods

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

Examples

23 voters, candidates a, b, c, d, e.

| # voters | 8 | 6 | 4 | 3 | 1 | 1 |
|----------|---|---|---|---|---|---|
| 1st | е | а | b | С | d | d |
| 2nd | d | b | С | b | С | С |
| 3rd | b | С | d | d | а | b |
| 4th | С | е | а | а | b | е |
| 5th | а | d | е | е | е | а |

Instant runoff voting:

First elimination: d

Second elimination: b

Third elimination: a



Social Choice Theory

Introduction
Social Choice
Functions

Functions Condorcet Methods

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

Examples

23 voters, candidates a, b, c, d, e.

| # voters | 8 | 6 | 4 | 3 | 1 | 1 |
|----------|---|---|---|---|---|---|
| 1st | е | а | b | С | d | d |
| 2nd | d | b | С | b | С | С |
| 3rd | b | С | d | d | а | b |
| 4th | С | е | а | а | b | е |
| 5th | а | d | е | е | е | а |

Instant runoff voting:

First elimination: d

Second elimination: b

Third elimination: a

Now c has absolute majority and wins.



Social Choice Theory

Introduction
Social Choice

Functions
Condorcet
Methods

Arrow's Impossibility Theorem

Gibbard-Satterthwaite

Some Positive Results

Examples

23 voters, candidates a, b, c, d, e.

| # voters | 8 | 6 | 4 | 3 | 1 | 1 | |
|----------|---|---|---|---|---|---|----------|
| 1st | е | а | b | С | d | d | 4 points |
| 2nd | d | b | С | b | С | С | 3 points |
| 3rd | b | С | d | d | а | b | 2 points |
| 4th | С | е | а | а | b | е | 1 point |
| 5th | а | d | е | е | е | а | 0 points |

■ Borda count:

- Cand. a: $8 \cdot 0 + 6 \cdot 4 + 4 \cdot 1 + 3 \cdot 1 + 1 \cdot 2 + 1 \cdot 0 = 33$ pts
- \blacksquare Cand. b: $8 \cdot 2 + 6 \cdot 3 + 4 \cdot 4 + 3 \cdot 3 + 1 \cdot 1 + 1 \cdot 2 = 62$ pts
- Cand. c: $8 \cdot 1 + 6 \cdot 2 + 4 \cdot 3 + 3 \cdot 4 + 1 \cdot 3 + 1 \cdot 3 = 50$ pts
- Cand. d: $8 \cdot 3 + 6 \cdot 0 + 4 \cdot 2 + 3 \cdot 2 + 1 \cdot 4 + 1 \cdot 4 = 46$ pts
- Cand. e: $8 \cdot 4 + 6 \cdot 1 + 4 \cdot 0 + 3 \cdot 0 + 1 \cdot 0 + 1 \cdot 1 = 39$ pts
- ∼ Candidate b wins.

Social Choice

Social Choice Functions

Arrow's Impossibility

Gibbard-Satterthwaite

Some Positive Results

Examples



| # voters | 8 | 6 | 4 | 3 | 1 | 1 |
|----------|---|---|---|---|---|---|
| 1st | е | а | b | С | d | d |
| 2nd | d | b | С | b | С | С |
| 3rd | b | С | d | d | а | b |
| 4th | С | е | а | а | b | е |
| 5th | а | d | е | е | е | а |

■ Condorcet winner: Ex.: a \prec_i b 16 times, b \prec_i a 7 times

| | а | b | С | d | е | |
|---|---|---|---|---|---|---------------------------------------|
| а | _ | 0 | 0 | 0 | 1 | |
| b | 1 | _ | 1 | 1 | 1 | \leftarrow candidate b wins. |
| С | 1 | 0 | _ | 1 | 1 | |
| d | 1 | 0 | 0 | _ | 0 | |
| е | 0 | 0 | 0 | 1 | _ | |





Social Choice Theory

Introduction
Social Choice

Functions
Condorcet
Methods

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

Examples

23 voters, candidates a, b, c, d, e.

| # voters | 8 | 6 | 4 | 3 | 1 | 1 |
|----------|---|---|---|---|---|---|
| 1st | е | а | b | С | d | d |
| 2nd | d | b | С | b | С | С |
| 3rd | b | С | d | d | а | b |
| 4th | С | е | а | а | b | е |
| 5th | а | d | е | е | е | а |

- Plurality voting: candidate e wins.
- Plurality voting with runoff: candidate a wins.
- Instant runoff voting: candidate c wins.
- Borda count / Condorcet winner: candidate b wins.
- Different winners for different voting systems.
- Which voting system to prefer? Can even strategically choose voting system!

Social Choice Theory

Introduction Social Choice Functions

Condorcet Methods

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive

Condorcet Paradox

Why Condorcet Winner not Always Exists



Example: Preferences of voters 1, 2 and 3 on candidates *a*, *b* and *c*.

$$a \prec_1 b \prec_1 c$$

$$b \prec_2 c \prec_2 a$$

$$c \prec_3 a \prec_3 b$$

Then we have cyclical preferences.

| | а | b | С |
|---|---|---|---|
| а | _ | 0 | 1 |
| b | 1 | _ | 0 |
| С | 0 | 1 | _ |

 $a \prec b, b \prec c, c \prec a$: violates transitivity of linear order consistent with these preferences.

Social Choice

Introduction Social Choir Functions

Condorcet Methods

Arrow's Impossibility Theorem

Gibbard-Satterthwaite

Some Positive Results

Condorcet Methods





Definition

A Condorcet method return a Condorcet winner, if one exists.

One particular Condorcet method: the Schulze method.

Relatively new: Proposed in 1997

Already many users: Debian, Ubuntu, Pirate Party, ...

Social Choice Theory

> Social Cho Functions Condorcet

Condorcet Methods

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results





Notation: d(X, Y) = number of pairwise comparisons won by X against Y

Definition

For candidates X and Y, there exists a path C_1, \ldots, C_n between X and Y of strength z if

- $C_1 = X$
- $C_n = Y$.
- $d(C_i, C_{i+1}) > d(C_{i+1}, C_i)$ for all i = 1, ..., n-1, and
- $d(C_i, C_{i+1}) \ge z$ for all i = 1, ..., n-1 and there exists j = 1, ..., n-1 s.t. $d(C_j, C_{j+1}) = z$

Example: path of strength 3.

$$a \xrightarrow{8} b \xrightarrow{5} c \xrightarrow{3} d$$

Social Choice Theory

> Introduction Social Choic Functions

Condorcet Methods

Arrow's Impossibility

Gibbard-Satterthwaite

Some Positive

Summary





Definition

Let p(X, Y) be the maximal value z such that there exists a path of strength z from X to Y, and p(X, Y) = 0 if no such path exists.

Then, the Schulze winner is the Condorcet winner, if it exists. Otherwise, a potential winner is a candidate a such that $p(a,X) \ge p(X,a)$ for all $X \ne a$.

Tie-Breaking is used between potential winners.

Social Choice Theory

> Social Choi Functions Condorcet Methods

Arrow's

Gibbard-

Satterthwaite Theorem

Some Positive Results

Example



| # voters | 3 | 2 | 2 | 2 |
|----------|---|---|---|---|
| 1st | а | d | d | С |
| 2nd | b | а | b | b |
| 3rd | С | b | С | d |
| 4th | d | С | а | а |

Is there a Condorcet winner?

| | а | b | С | d |
|---|---|---|---|---|
| а | _ | 1 | 1 | 0 |
| b | 0 | _ | 1 | 1 |
| С | 0 | 0 | _ | 1 |
| d | 1 | 0 | 0 | _ |

Social Choice Theory

Introduction
Social Choic
Functions
Condorcet
Methods

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

Example



| # voters | 3 | 2 | 2 | 2 |
|----------|---|---|---|---|
| 1st | а | d | d | С |
| 2nd | b | а | b | b |
| 3rd | С | b | С | d |
| 4th | d | С | а | а |

Weights d(X, Y):

| | а | b | С | d |
|---|---|---|---|---|
| а | _ | 5 | 5 | 3 |
| b | 4 | _ | 7 | 5 |
| С | 4 | 2 | _ | 5 |
| d | 6 | 4 | 4 | _ |

Social Choice Theory

> Introduction Social Choi Functions Condorcet Methods

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results


Example



| # voters | 3 | 2 | 2 | 2 |
|----------|---|---|---|---|
| 1st | а | d | d | С |
| 2nd | b | а | b | b |
| 3rd | С | b | С | d |
| 4th | d | С | а | а |

Weights d(X, Y):

As a graph:





Social Theory

Condorcet Methods

Arrow's Theorem

Theorem

Some Positive Results

Example




| # voters | 3 | 2 | 2 | 2 |
|----------|---|---|---|---|
| 1st | а | d | d | С |
| 2nd | b | а | b | b |
| 3rd | С | b | С | d |
| 4th | d | С | а | а |

Weights d(X, Y):

a b c d a 5 5 3 b 4 7 5 c 4 2 5 d 6 4 4

As a graph:



Path strengths p(X, Y):

| | | _ | | |
|---|---|---|---|---|
| | а | b | С | d |
| а | _ | 5 | 5 | 5 |
| b | 5 | _ | 7 | 5 |
| С | 5 | 5 | – | 5 |
| d | 6 | 5 | 5 | – |
| | | | | |

Social Choice Theory

Introduction Social Choi Functions Condorcet Methods

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

Example




| # voters | 3 | 2 | 2 | 2 |
|----------|---|---|---|---|
| 1st | а | d | d | С |
| 2nd | b | а | b | b |
| 3rd | С | b | С | d |
| 4th | d | С | а | а |

Weights d(X, Y):

a b c d a 5 5 3 b 4 7 5 c 4 2 5 d 6 4 4

As a graph:



Path strengths p(X, Y):

| | • | | 1 \ | |
|---|---|---|-----|---|
| | а | b | С | d |
| а | _ | 5 | 5 | 5 |
| b | 5 | _ | 7 | 5 |
| С | 5 | 5 | _ | 5 |
| d | 6 | 5 | 5 | _ |

Social Choice Theory

Introduction
Social Choic
Functions
Condorcet
Methods

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive

Results Summary

Why Use the Schulze Method?



According to Wikipedia

(http://en.wikipedia.org/wiki/Schulze_method), the method satisfies a large number of desirable criteria:

Unrestricted domain, non-imposition, non-dictatorship, Pareto criterion, monotonicity criterion, majority criterion, majority loser criterion, Condorcet criterion, Condorcet loser criterion, Schwartz criterion, Smith criterion, independence of Smith-dominated alternatives, mutual majority criterion, independence of clones, reversal symmetry, mono-append, mono-add-plump, resolvability criterion, polynomial runtime, prudence, MinMax sets, Woodall's plurality criterion if winning votes are used for d[X,Y], symmetric-completion if margins are used for d[X,Y].

Social Choice Theory

> Social Choi Functions Condorcet Methods

Arrow's Impossibility Theorem

Gibbard-Satterthwaite

Some Positive



PREBC PREBC

Choice Theory

Impossibility Theorem

I heorem Motivation

Properties of Social Welfare Functions Main Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

Summar

Arrow's Impossibility Theorem

Arrow's Impossibility Theorem

Motivation



Social

Theory
Arrow's

Theorem

Motivation

Properties of So Welfare Function

Main Theorem

Gibbard-

Satterthwait

Some Positive Results

Summar

Motivation: It appears as if all considered voting systems encourage strategic voting.

Question: Can this be avoided or is it a fundamental problem?

Answer (simplified): It is a fundamental problem!

Definition (Unanimity)

A social welfare function satisfies

- total unanimity if for all $\prec \in L$, $F(\prec, ..., \prec) = \prec$.
- **partial unanimity** if for all $\prec_1, \prec_2, \ldots, \prec_n \in L$, $a, b \in A$,

$$a \prec_i b$$
 for each $i = 1, ..., n \implies a \prec b$

where
$$\prec := F(\prec_1, \ldots, \prec_n)$$
.

Remark

Partial unanimity implies total unanimity, but not vice versa.

Social Choice Theory

Arrow's

Motivation

Properties of Social Welfare Functions

Main Theorem

Gibbard-Satterthwaite

Some Positive Results

Desirable properties of social welfare functions:

Definition (Non-Dictatorship)

A voter *i* is called a dictator for *F*, if $F(\prec_1, ..., \prec_i, ..., \prec_n) = \prec_i$ for all orders $\prec_1, ..., \prec_n \in L$.

F is called non-dictatorial if there is no dictator for F.

Definition (Independence of Irrelevant Alternatives, IIA)

F satisfies IIA if for all alternatives a, b the social preference between a and b depends only on the preferences of the voters between a and b.

Formally, for all
$$(\prec_1, \ldots, \prec_n)$$
, $(\prec'_1, \ldots, \prec'_n) \in L^n$, $\prec := F(\prec_1, \ldots, \prec_n)$, and $\prec' := F(\prec'_1, \ldots, \prec'_n)$, $a \prec_i b$ iff $a \prec'_i b$, for each $i = 1, \ldots, n \implies a \prec b$ iff $a \prec' b$.

Properties of Social Welfare Functions



NE NE

Lemma

Total unanimity and independence of irrelevant alternatives together imply partial unanimity.

Proof

Consider any $\prec_1, \ldots, \prec_n \in L$ with $a \prec_i b$ for all voters i.

To show: $a \prec b$ (with $\prec := F(\prec_1, \ldots, \prec_n)$).

Define $\prec_1', \ldots, \prec_n'$ with $\prec_i' := \prec_1$ for each voter *i*.

By total unanimity, $\prec' := F(\prec'_1, \ldots, \prec'_n) = F(\prec_1, \ldots, \prec_1) = \prec_1$.

Hence, we have $a \prec' b$.

Moreover, $a \prec_i b$ iff $a \prec'_i b$, for all voters i.

By IIA, it follows $a \prec b$ iff $a \prec' b$

From $a \prec' b$ we conclude that $a \prec b$ must hold.

Social Choice Theory

Arrow's Impossibili Theorem

Motivation

Properties of Social

Welfare Functions
Main Theorem

Gibbard-

Satterthwait Theorem

Some Positive Results



AR ME

Lemma

Total unanimity and independence of irrelevant alternatives together imply partial unanimity.

Proof

Consider any $\prec_1, \ldots, \prec_n \in L$ with $a \prec_i b$ for all voters i.

To show: $a \prec b$ (with $\prec := F(\prec_1, \ldots, \prec_n)$).

Define $\prec_1', \ldots, \prec_n'$ with $\prec_i' := \prec_1$ for each voter *i*.

By total unanimity, $\prec' := F(\prec'_1, \ldots, \prec'_n) = F(\prec_1, \ldots, \prec_1) = \prec_1$.

Hence, we have $a \prec' b$.

Moreover, $a \prec_i b$ iff $a \prec'_i b$, for all voters i.

By IIA, it follows $a \prec b$ iff $a \prec' b$

From $a \prec' b$ we conclude that $a \prec b$ must hold.

Social Choice Theory

Arrow's Impossibili Theorem

Properties of Social Welfare Functions

Main Theorem

Gibbard-Satterthwaite

Some Positive Results



S H

Lemma

Total unanimity and independence of irrelevant alternatives together imply partial unanimity.

Proof

Consider any $\prec_1, \ldots, \prec_n \in L$ with $a \prec_i b$ for all voters i.

To show: $a \prec b$ (with $\prec := F(\prec_1, \ldots, \prec_n)$).

Define $\prec_1', \ldots, \prec_n'$ with $\prec_i' := \prec_1$ for each voter i.

By total unanimity, $\prec' := F(\prec'_1, \ldots, \prec'_n) = F(\prec_1, \ldots, \prec_1) = \prec_1$.

Hence, we have $a \prec' b$.

Moreover, $a \prec_i b$ iff $a \prec'_i b$, for all voters i.

By IIA, it follows $a \prec b$ iff $a \prec' b$

From $a \prec' b$ we conclude that $a \prec b$ must hold.

Social Choice Theory

Arrow's Impossibili Theorem

> Properties of Social Welfare Functions Main Theorem

Gibbard-

Theorem

Positive Results



Lemma

Total unanimity and independence of irrelevant alternatives together imply partial unanimity.

Proof

Consider any $\prec_1, \ldots, \prec_n \in L$ with $a \prec_i b$ for all voters i.

To show: $a \prec b$ (with $\prec := F(\prec_1, \ldots, \prec_n)$).

Define $\prec_1', \ldots, \prec_n'$ with $\prec_i' := \prec_1$ for each voter *i*.

By total unanimity, $\prec' := F(\prec'_1, \ldots, \prec'_n) = F(\prec_1, \ldots, \prec_1) = \prec_1$.

Hence, we have $a \prec' b$.

Moreover, $a \prec_i b$ iff $a \prec'_i b$, for all voters i.

By IIA, it follows $a \prec b$ iff $a \prec' b$

From $a \prec' b$ we conclude that $a \prec b$ must hold.

Social Choice Theory

Arrow's Impossibili Theorem

Properties of Social Welfare Functions

Main Theorem

Gibbard-Satterthwait

Theorem

Positive Results



HE SE

Lemma

Total unanimity and independence of irrelevant alternatives together imply partial unanimity.

Proof

Consider any $\prec_1, \ldots, \prec_n \in L$ with $a \prec_i b$ for all voters i.

To show: $a \prec b$ (with $\prec := F(\prec_1, \ldots, \prec_n)$).

Define $\prec_1', \ldots, \prec_n'$ with $\prec_i' := \prec_1$ for each voter i.

By total unanimity, $\prec' := F(\prec'_1, \ldots, \prec'_n) = F(\prec_1, \ldots, \prec_1) = \prec_1$.

Hence, we have $a \prec' b$.

Moreover, $a \prec_i b$ iff $a \prec'_i b$, for all voters i.

By IIA, it follows $a \prec b$ iff $a \prec' b$.

From $a \prec' b$ we conclude that $a \prec b$ must hold.

Social Choice Theory

Arrow's Impossibili Theorem

Motivation

Properties of Social

Welfare Functions
Main Theorem

Maii Theorem

Satterthwaite

Some Positive Results



Lemma

Total unanimity and independence of irrelevant alternatives together imply partial unanimity.

Proof

Consider any $\prec_1, \ldots, \prec_n \in L$ with $a \prec_i b$ for all voters i.

To show: $a \prec b$ (with $\prec := F(\prec_1, \ldots, \prec_n)$).

Define $\prec_1', \ldots, \prec_n'$ with $\prec_i' := \prec_1$ for each voter i.

By total unanimity, $\prec' := F(\prec'_1, \ldots, \prec'_n) = F(\prec_1, \ldots, \prec_1) = \prec_1$.

Hence, we have $a \prec' b$.

Moreover, $a \prec_i b$ iff $a \prec'_i b$, for all voters i.

By IIA, it follows $a \prec b$ iff $a \prec' b$.

From $a \prec' b$ we conclude that $a \prec b$ must hold.

Social Choice Theory

Arrow's Impossibilit Theorem

Properties of Social Welfare Functions

Gibbard-

Satterthwaite Theorem

Some Positive Results



Z H

Lemma

Total unanimity and independence of irrelevant alternatives together imply partial unanimity.

Proof

Consider any $\prec_1, \ldots, \prec_n \in L$ with $a \prec_i b$ for all voters i.

To show: $a \prec b$ (with $\prec := F(\prec_1, \ldots, \prec_n)$).

Define $\prec_1', \ldots, \prec_n'$ with $\prec_i' := \prec_1$ for each voter *i*.

By total unanimity, $\prec' := F(\prec'_1, \ldots, \prec'_n) = F(\prec_1, \ldots, \prec_1) = \prec_1$.

Hence, we have $a \prec' b$.

Moreover, $a \prec_i b$ iff $a \prec'_i b$, for all voters i.

By IIA, it follows $a \prec b$ iff $a \prec' b$.

From $a \prec' b$ we conclude that $a \prec b$ must hold.

Social Choice Theory

Arrow's Impossibili Theorem

Properties of Social Welfare Functions

Gibbard-

Satterthwair Theorem

Positive Results



S E

Lemma

Total unanimity and independence of irrelevant alternatives together imply partial unanimity.

Proof

Consider any $\prec_1, \ldots, \prec_n \in L$ with $a \prec_i b$ for all voters i.

To show: $a \prec b$ (with $\prec := F(\prec_1, \ldots, \prec_n)$).

Define $\prec_1', \ldots, \prec_n'$ with $\prec_i' := \prec_1$ for each voter *i*.

By total unanimity, $\prec' := F(\prec'_1, \ldots, \prec'_n) = F(\prec_1, \ldots, \prec_1) = \prec_1$.

Hence, we have $a \prec' b$.

Moreover, $a \prec_i b$ iff $a \prec'_i b$, for all voters i.

By IIA, it follows $a \prec b$ iff $a \prec' b$.

From $a \prec' b$ we conclude that $a \prec b$ must hold.

Social Choice Theory

Arrow's Impossibility Theorem

Properties of Social Welfare Functions

Main Theorem

Gibbard-Satterthwaite

Some Positive Results

Lemma (pairwise neutrality)

Let F be a social welfare function satisfying (total or partial) unanimity and independence of irrelevant alternatives.

Let $(\prec_1, \ldots, \prec_n)$ and $(\prec'_1, \ldots, \prec'_n)$ be two preference profiles, $\prec := F(\prec_1, \ldots, \prec_n)$ and $\prec' := F(\prec'_1, \ldots, \prec'_n)$. Then.

 $a \prec_i b$ iff $c \prec_i' d$ for each $i = 1, ..., n \implies a \prec b$ iff $c \prec_i' d$.

Social Choice Theory

Arrow's Impossibilit

Motivation

Properties of S

Main Theorem

Gibbard-

Satterthwaite

Some Positive



Lemma (pairwise neutrality)

Let F be a social welfare function satisfying (total or partial) unanimity and independence of irrelevant alternatives. Let $(\prec_1, \ldots, \prec_n)$ and $(\prec'_1, \ldots, \prec'_n)$ be two preference profiles,

 $\prec := F(\prec_1, ..., \prec_n)$ and $\prec' := F(\prec'_1, ..., \prec'_n)$.

Then

 $a \prec_i b$ iff $c \prec'_i d$ for each $i = 1, ..., n \implies a \prec b$ iff $c \prec' d$.

Social Choice Theory

Arrow's

Motivation

Properties of S Welfare Function

Main Theorem

Gibbard-Satterthwaite

Some Positive

Lemma (pairwise neutrality)

Let F be a social welfare function satisfying (total or partial) unanimity and independence of irrelevant alternatives. Let (\prec_1,\ldots,\prec_n) and $(\prec'_1,\ldots,\prec'_n)$ be two preference profiles, $\prec:=F(\prec_1,\ldots,\prec_n)$ and $\prec':=F(\prec'_1,\ldots,\prec'_n)$. Then.

 $a \prec_i b$ iff $c \prec_i' d$ for each $i = 1, ..., n \implies a \prec b$ iff $c \prec_i' d$.

Social Choice Theory

Arrow's

Motivation

Properties of S Welfare Function

Main Theorem

Gibbard-Satterthwaite

Some Positive

Results



Proof

Wlog., $a \prec b$ (otherwise, rename a and b) and $c \not= d$ $c \not= b$ (otherwise, rename a and c as well as b and d). Construct a new preference profile $(\prec''_1, \ldots, \prec''_n)$, where $c \prec''_i a$ (unless c = a) and $b \prec''_i d$ (unless b = d) for all $i = 1, \ldots, n$, whereas the order of the pairs (c, d) is taken from \prec'_i .

By unanimity, we get $c \prec'' a$ and $b \prec'' d$ ($\prec'' := F(\prec''_1, \ldots, \prec''_n)$). Because of IIA, we have $a \prec'' b$.

With IIA, it follows $c \prec' d$.

The proof for the opposite direction is similar.

Turns out the proof [Nisan 2007] is incomplete [Nipkow 2009].

Social Choice Theory

> Arrow's Impossibili

Motivation Properties of

> Welfare Functio Main Theorem

Gibbard-Satterthwait Theorem

Some Positive Results



Proof

Wlog., $a \prec b$ (otherwise, rename a and b) and $c \not= d$ $c \not= b$

otherwise, rename a and c as well as b and d).

Construct a new preference profile $(\prec_1'', \ldots, \prec_n'')$, where $c \prec_i'' a$ (unless c = a) and $b \prec_i'' d$ (unless b = d) for all $i = 1, \ldots, n$,

whereas the order of the pairs (a,b) is copied from \prec_i and the order of the pairs (c,d) is taken from \prec_i' .

By unanimity, we get $c \prec'' a$ and $b \prec'' d$ $(\prec'' := F(\prec''_1, \ldots, \prec''_n))$. Because of IIA, we have $a \prec'' b$.

By transitivity, we obtain $c \prec'' d$.

With IIA, it follows $c \prec' d$.

The proof for the opposite direction is similar.

Turns out the proof [Nisan 2007] is incomplete [Nipkow 2009].

Social

Choice Theory

Impossibili Theorem

Properties of S

Main Theorem

Gibbard-Satterthwait Theorem

Some Positive Results



FREIB

Proof

Wlog., $a \prec b$ (otherwise, rename a and b) and $c \not= d$ $c \not= b$ (otherwise, rename a and c as well as b and d).

Construct a new preference profile $(\prec_1'', \ldots, \prec_n'')$, where $c \prec_i'' a$ (unless c = a) and $b \prec_i'' d$ (unless b = d) for all $i = 1, \ldots, n$, whereas the order of the pairs (a,b) is copied from \prec_i and the order of the pairs (c,d) is taken from \prec_i' .

By unanimity, we get $c \prec'' a$ and $b \prec'' d$ ($\prec'' := F(\prec''_1, \ldots, \prec''_n)$). Because of IIA, we have $a \prec'' b$. By transitivity, we obtain $c \prec'' d$.

With IIA, it follows $c \prec' d$.

The proof for the opposite direction is similar.

Turns out the proof [Nisan 2007] is incomplete [Nipkow 2009].

Social Choice Theory

Arrow's

Theorem Motivation

Welfare Function

Gibbard-Satterthwaite Theorem

Some Positive Results



REB

Proof

Wlog., $a \prec b$ (otherwise, rename a and b) and $c \not\vdash d$ $c \not\vdash b$ (otherwise, rename a and c as well as b and d). Construct a new preference profile $(\prec''_1, \ldots, \prec''_n)$, where $c \prec''_i a$ (unless c = a) and $b \prec''_i d$ (unless b = d) for all $i = 1, \ldots, n$, whereas the order of the pairs (a,b) is copied from \prec_i and the order of the pairs (c,d) is taken from \prec_i' .

By unanimity, we get $c \prec'' a$ and $b \prec'' d$ $(\prec'' := F(\prec''_1, \ldots, \prec''_n))$. Because of IIA, we have $a \prec'' b$. By transitivity, we obtain $c \prec'' d$.

With IIA, it follows $c \prec' d$.

The proof for the opposite direction is similar.

Turns out the proof [Nisan 2007] is incomplete [Nipkow 2009].

Social Choice

Arrow's Impossibility Theorem

Properties of S Welfare Functi

Main Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results



NE B

Proof

Wlog., $a \prec b$ (otherwise, rename a and b) and $c \not= d$ $c \not= b$ (otherwise, rename a and c as well as b and d).

Construct a new preference profile $(\prec''_1, \ldots, \prec''_n)$, where $c \prec''_i a$ (unless c = a) and $b \prec''_i d$ (unless b = d) for all $i = 1, \ldots, n$, whereas the order of the pairs (a,b) is copied from \prec_i and the order of the pairs (c,d) is taken from \prec'_i .

By unanimity, we get $c \prec'' a$ and $b \prec'' d$ ($\prec'' := F(\prec''_1, \ldots, \prec''_n)$).

Because of IIA, we have $a \prec'' b$

By transitivity, we obtain $c \prec'' d$.

With IIA, it follows $c \prec' d$.

The proof for the opposite direction is similar.

Turns out the proof [Nisan 2007] is incomplete [Nipkow 2009].

Social Choice

> Arrow's Impossibility Theorem

Properties of Si Welfare Function

Main Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results



Proof

Wlog., $a \prec b$ (otherwise, rename a and b) and $c \not= d$ $c \not= b$ (otherwise, rename a and c as well as b and d).

Construct a new preference profile $(\prec''_1, \ldots, \prec''_n)$, where $c \prec''_i a$ (unless c = a) and $b \prec''_i d$ (unless b = d) for all $i = 1, \ldots, n$, whereas the order of the pairs (a,b) is copied from \prec_i and the order of the pairs (c,d) is taken from \prec'_i .

By unanimity, we get $c \prec'' a$ and $b \prec'' d$ ($\prec'' := F(\prec''_1, \ldots, \prec''_n)$). Because of IIA, we have $a \prec'' b$.

By transitivity, we obtain $c \prec'' d$.

With IIA, it follows $c \prec' d$.

The proof for the opposite direction is similar.

Turns out the proof [Nisan 2007] is incomplete [Nipkow 2009].

Social Choice

> Arrow's Impossibility Theorem

Properties of S Welfare Funct

Main Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results



L REIB

Proof

Wlog., $a \prec b$ (otherwise, rename a and b) and $c \not= d$ $c \not= b$ (otherwise, rename a and c as well as b and d).

Construct a new preference profile $(\prec''_1, \ldots, \prec''_n)$, where $c \prec''_i a$ (unless c = a) and $b \prec''_i d$ (unless b = d) for all $i = 1, \ldots, n$, whereas the order of the pairs (a,b) is copied from \prec_i and the order of the pairs (c,d) is taken from \prec'_i .

By unanimity, we get $c \prec'' a$ and $b \prec'' d$ ($\prec'' := F(\prec''_1, \ldots, \prec''_n)$). Because of IIA, we have $a \prec'' b$. By transitivity, we obtain $c \prec'' d$.

With IIA, it follows $c \prec' d$.

The proof for the opposite direction is similar.

Turns out the proof [Nisan 2007] is incomplete [Nipkow 2009].

Social Choice Theory

Arrow's Impossibility Theorem

Properties of S Welfare Functi

Main Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results



ERE B

Proof

Wlog., $a \prec b$ (otherwise, rename a and b) and $c \not= d$ $c \not= b$ (otherwise, rename a and c as well as b and d).

Construct a new preference profile $(\prec''_1, \ldots, \prec''_n)$, where $c \prec''_i a$ (unless c = a) and $b \prec''_i d$ (unless b = d) for all $i = 1, \ldots, n$, whereas the order of the pairs (a,b) is copied from \prec_i and the order of the pairs (c,d) is taken from \prec'_i .

By unanimity, we get $c \prec'' a$ and $b \prec'' d$ ($\prec'' := F(\prec''_1, \ldots, \prec''_n)$). Because of IIA, we have $a \prec'' b$. By transitivity, we obtain $c \prec'' d$.

With IIA, it follows $c \prec' d$.

The proof for the opposite direction is similar.

Turns out the proof [Nisan 2007] is incomplete [Nipkow 2009].

Social Choice

Arrow's Impossibility Theorem

Properties of S Welfare Funct

Main Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results



FREB

Proof

Wlog., $a \prec b$ (otherwise, rename a and b) and $c \not= d$ $c \not= b$ (otherwise, rename a and c as well as b and d).

Construct a new preference profile $(\prec_1'', \ldots, \prec_n'')$, where $c \prec_i'' a$ (unless c = a) and $b \prec_i'' d$ (unless b = d) for all $i = 1, \ldots, n$, whereas the order of the pairs (a,b) is copied from \prec_i and the order of the pairs (c,d) is taken from \prec_i' .

By unanimity, we get $c \prec'' a$ and $b \prec'' d$ ($\prec'' := F(\prec''_1, \ldots, \prec''_n)$). Because of IIA, we have $a \prec'' b$. By transitivity, we obtain $c \prec'' d$.

With IIA, it follows $c \prec' d$.

The proof for the opposite direction is similar.

Turns out the proof [Nisan 2007] is incomplete [Nipkow 2009].

Social Choice Theory

> Arrow's Impossibility Theorem

Properties of S Welfare Function

Main Theorem

Gibbard-Satterthwaite

Some Positive Results

Let us assume $a \prec b$ and a = d and b = c. I.e., we want to show: $a \prec_i b$ iff $b \prec_i' a$ for each $i \implies a \prec b$ iff $b \prec_i' a$. Pick c and create \prec_i'' from $\prec_i b$ y moving c directly below b, i.e., $a \prec_i b$ iff $a \prec_i'' c$. This implies $a \prec b$ iff $a \prec_i'' c$ (by the previous part). Construct \prec_i''' from \prec_i'' by moving b directly below b. Construct $b \prec_i'''$ from $b \prec_i''' b$ iff $b \prec_i''' a$. Comparing $b \prec_i''' a$. Comparing $b \prec_i''' a$. With $b \prec_i'' a$ iff $b \prec_i''' a$, hence $b \prec_i''' a$. By IIA, it follows, $b \prec_i'' a$ iff $b \prec_i''' a$, yielding $b \prec_i'' a$ as

Social Choice Theory

Arrow's Impossibility Theorem

> Motivation Properties of

Main Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results



Let us assume $a \prec b$ and a = d and b = c. I.e., we want to show: $a \prec_i b$ iff $b \prec'_i a$ for each $i \implies a \prec b$ iff $b \prec' a$.

Pick c and create \prec_i'' from \prec_i by moving c directly below b, i.e., $a \prec_i b$ iff $a \prec_i'' c$. This implies $a \prec b$ iff $a \prec'' c$ (by the previous part). Construct \prec_i''' from \prec_i'' by moving b directly below a. Construct \prec_i'''' from \prec_i''' by moving a directly below c. It follows that $a \prec'' c$ iff $b \prec''' c$ and $b \prec''' c$ iff $b \prec'''' a$. Comparing \prec'''' with \prec , we notice: $a \prec_i b$ iff $b \prec_i''' a$, hence $a \prec_i' b$ iff $a \prec_i''' b$. By IIA, it follows, $a \prec' b$ iff $a \prec_i'''' b$, yielding $a \prec b$ iff $b \prec' a$ as desired

Social Choice Theory

Arrow's Impossibility Theorem

Motivation
Properties of S
Welfare Function

Main Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results





Let us assume $a \prec b$ and a = d and b = c. I.e., we want to show: $a \prec_i b$ iff $b \prec'_i a$ for each $i \implies a \prec b$ iff $b \prec' a$.

Pick c and create \prec''_i from $\prec_i b$ by moving c directly below b, i.e., $a \prec_i b$ iff $a \prec''_i c$. This implies $a \prec b$ iff $a \prec'' c$ (by the previous part). Construct \prec'''_i from $\prec''_i b$ by moving b directly below b.

Construct $b \prec'''_i$ from $b \prec''_i b$ moving $b \prec''_i c$ and $b \prec''_i c$ iff $b \prec'''_i c$. Comparing $b \prec'''_i c$ and $b \prec'''_i c$ iff $b \prec'''_i c$. Comparing $b \prec'''_i c$ iff $b \prec'''_i c$ and $b \prec'''_i c$ iff $b \prec''$

Social Choice Theory

Arrow's Impossibilit Theorem

> Properties of S Welfare Function

Main Theorem

Gibbard-Satterthwaite

Some Positive Results





Let us assume $a \prec b$ and a = d and b = c. I.e., we want to show: $a \prec_i b$ iff $b \prec'_i a$ for each $i \implies a \prec b$ iff $b \prec' a$.

Pick c and create \prec''_i from $\prec_i b$ by moving c directly below b, i.e., $a \prec_i b$ iff $a \prec''_i c$. This implies $a \prec b$ iff $a \prec'' c$ (by the previous part). Construct \prec''_i from $\prec''_i b$ moving a directly below a.

Construct \prec'''_i from $\prec''_i b$ moving a directly below a. It follows that $a \prec'' c$ iff $b \prec''' c$ and $b \prec''' c$ iff $b \prec''' a$. Comparing \prec'''' with \prec , we notice: $a \prec_i b$ iff $b \prec'''' a$, hence $a \prec_i b$ iff $a \prec'''' b$. By IIA, it follows, $a \prec' b$ iff $a \prec'''' b$, yielding $a \prec b$ iff $b \prec' a$ as desired

Social Choice Theory

Arrow's Impossibilit Theorem

> Properties of Si Welfare Function

Main Theorem

Gibbard-Satterthwaite

Some Positive Results





Let us assume $a \prec b$ and a = d and b = c. I.e., we want to show: $a \prec_i b$ iff $b \prec'_i a$ for each $i \implies a \prec b$ iff $b \prec' a$. Pick c and create \prec''_i from $\prec_i b$ by moving c directly below b, i.e., $a \prec_i b$ iff $a \prec''_i c$. This implies $a \prec b$ iff $a \prec'' c$ (by the previous part). Construct \prec''_i from \prec''_i by moving b directly below a.

Construct \prec_i'''' from \prec_i''' by moving a directly below c. It follows that $a \prec'' c$ iff $b \prec''' c$ and $b \prec''' c$ iff $b \prec'''' a$. Comparing \prec'''' with \prec , we notice: $a \prec_i b$ iff $b \prec_i'''' a$, hence $a \prec_i' b$ iff $a \prec_i'''' b$. By IIA, it follows, $a \prec' b$ iff $a \prec'''' b$, yielding $a \prec b$ iff $b \prec' a$ as desired.

Social Choice Theory

Arrow's Impossibilit Theorem

Motivation
Properties of So

Main Theorem

Gibbard-Satterthwaite

Some Positive Results





Let us assume $a \prec b$ and a = d and b = c. I.e., we want to show: $a \prec_i b$ iff $b \prec_i' a$ for each $i \implies a \prec b$ iff $b \prec_i' a$. Pick c and create \prec_i'' from $\prec_i b$ by moving c directly below b, i.e., $a \prec_i b$ iff $a \prec_i'' c$. This implies $a \prec b$ iff $a \prec_i'' c$ (by the previous part). Construct \prec_i''' from \prec_i'' by moving b directly below b. Construct d_i''' from d_i''' by moving d directly below d. Construct d_i'''' from d0 moving d0 directly below d0. It follows that d0 iff d0 moving d0 iff d0 iff d0 moving d0 iff d

Social Choice Theory

Arrow's Impossibility

Properties of So Welfare Function

Main Theorem

Satterthwaite Theorem

Some Positive Results





Let us assume $a \prec b$ and a = d and b = c. I.e., we want to show: $a \prec_i b$ iff $b \prec_i' a$ for each $i \implies a \prec b$ iff $b \prec_i' a$. Pick c and create \prec_i'' from $\prec_i b$ by moving c directly below b, i.e., $a \prec_i b$ iff $a \prec_i'' c$. This implies $a \prec b$ iff $a \prec_i'' c$ (by the previous part). Construct \prec_i''' from \prec_i'' by moving b directly below b. Ut follows that $b \prec_i''' c$ and $b \prec_i''' c$ iff $b \prec_i''' a$. Comparing $b \prec_i''' c$ iff $b \prec_i''' a$. Comparing $b \prec_i''' c$ iff $b \prec_i''' a$, hence $b \prec_i''' c$ iff $b \prec_i''' c$. By IIA, it follows, $b \prec_i'' c$ iff $b \prec_i''' c$, yielding $b \prec_i''' c$ as desired

Social Choice Theory

Arrow's Impossibility

> Properties of S Welfare Function

iain i neorem

Gibbard-Satterthwaite Theorem

Some Positive Results

Summan





Let us assume $a \prec b$ and a = d and b = c. I.e., we want to show: $a \prec_i b$ iff $b \prec_i' a$ for each $i \Longrightarrow a \prec b$ iff $b \prec_i' a$. Pick c and create \prec_i'' from $\prec_i b$ by moving c directly below b, i.e., $a \prec_i b$ iff $a \prec_i'' c$. This implies $a \prec b$ iff $a \prec_i'' c$ (by the previous part). Construct \prec_i''' from \prec_i'' by moving b directly below b. Construct $b \prec_i''' c$ iff $b \prec_i''' c$ and $b \prec_i''' c$ iff $b \prec_i''' c$. It follows that $b \prec_i'' c$ iff $b \prec_i''' c$ and $b \prec_i''' c$ iff $b \prec_i''' c$. Comparing $b \prec_i''' c$ iff $c \prec_i'' c$ iff $c \prec_i' c$ iff $c \prec_i'' c$ iff $c \prec_i' c$ iff

Social Choice Theory

Arrow's Impossibility

> Properties of So Welfare Functio

Gibbard-

Satterthwaite Theorem

Some Positive Results



NE

Proof

Let us assume $a \prec b$ and a = d and b = c. I.e., we want to show: $a \prec_i b$ iff $b \prec_i' a$ for each $i \implies a \prec b$ iff $b \prec_i' a$. Pick c and create \prec_i'' from $\prec_i b$ by moving c directly below b, i.e., $a \prec_i b$ iff $a \prec_i'' c$. This implies $a \prec b$ iff $a \prec_i'' c$ (by the previous part). Construct \prec_i''' from $\prec_i'' b$ by moving b directly below b. Ut follows that $b \prec_i''' c$ iff $b \prec_i''' c$ and $b \prec_i''' c$ iff $b \prec_i''' a$. Comparing $b \prec_i''' c$ with $b \prec_i'' c$ and $b \prec_i''' c$ iff $b \prec_i''' c$ and $b \prec_i''' c$ iff $b \prec_i'' c$ iff $b \prec_i''' c$ iff $b \prec_i'' c$ iff b

Social Choice Theory

Arrow's Impossibility

> Properties of So Welfare Function

2ibbard

Satterthwaite Theorem

Some Positive Results

Every social welfare function over more than two alternatives that satisfies unanimity and independence of irrelevant alternatives is necessarily dictatorial.

Proof

We assume unanimity and independence of irrelevant alternatives.

Consider two elements $a, b \in A$ mit $a \neq b$ and construct a sequence $(\pi^i)_{i=0,...,n}$ of preference profiles such that in π^i exactly the first i voters prefer b to a, i.e., $a \prec_i b$ iff $j \leq i$:

Social Choice Theory

Arrow's Impossibilit

Motivation

Properties of

Welfare Functio

Main Theorem

Gibbard-Satterthwait

> Some Positive

Every social welfare function over more than two alternatives that satisfies unanimity and independence of irrelevant alternatives is necessarily dictatorial.

Proof

We assume unanimity and independence of irrelevant alternatives.

Consider two elements $a, b \in A$ mit $a \neq b$ and construct a sequence $(\pi^i)_{i=0,\dots,n}$ of preference profiles such that in π^i exactly the first *i* voters prefer *b* to a, i.e., $a \prec_i b$ iff $j \leq i$:

. . .



NO E

Proof (ctd.)

| | π^0 | | π^{i^*-1} | π^{i^*} | | π^n |
|-----------------|--|-----|--|-------------------------------------|-----|----------------------------------|
| 1: | <i>b</i> ≺ ₁ <i>a</i> | | $a \prec_1 b$ | $a \prec_1 b$ | | a ≺ ₁ <i>b</i> |
| ÷ | : | | : | : | • • | : |
| <i>i</i> * − 1: | $b \prec_{i^*-1} a$ | | $a \prec_{i^*-1} b$ | $a \prec_{i^*-1} b$ | | $a \prec_{i^*-1} b$ |
| <i>i</i> *: | <i>b</i> ≺ _{i*} a | | b | a ≺ _{i*} b | | a ≺ _{i*} b |
| <i>i</i> * + 1: | <i>b</i> ≺ _{<i>i</i>*+1} <i>a</i> | | <i>b</i> ≺ _{<i>i</i>*+1} <i>a</i> | <i>b</i> ≺ _{i*+1} <i>a</i> | | $a \prec_{i^*+1} b$ |
| ÷ | : | • • | : | : | ٠ | : |
| <i>n</i> : | b ≺ _n a | | b ≺ _n a | b ≺ _n a | | $a \prec_n b$ |
| <i>F</i> : | $b \prec^0 a$ | | $b \prec^{i^*-1} a$ | a ≺ ^{i*} b | | $a \prec^n b$ |

Unanimity $\Rightarrow b \prec^0 \mathbf{a}$ for $\prec^0 = F(\pi^0)$, $\mathbf{a} \prec^n b$ for $\prec^n := F(\pi^n)$.

Thus, there must exist a minimal index i^* such that $b \prec^{i^*-1} a$ and $a \prec^{i^*} b$ for $\prec^{i^*-1} := F(\pi^{i^*-1})$ and $\prec^{i^*} = F(\pi^{i^*})$.

Social Choice Theory

Arrow's Impossibility Theorem

Motivation
Properties of S
Welfare Function
Main Theorem

waiii illeoreiii

Satterthwaite Theorem

Some Positive Results



Proof (ctd.)

| | π^0 | | π^{i^*-1} | π^{i^*} | | π^n |
|-----------------|--|-----|--|-------------------------------------|-----|----------------------------------|
| 1: | <i>b</i> ≺ ₁ <i>a</i> | | $a \prec_1 b$ | $a \prec_1 b$ | | a ≺ ₁ b |
| ÷ | : | | : | : | • • | : |
| <i>i</i> * − 1: | b ≺ _{i*−1} a | | $a \prec_{i^*-1} b$ | $a \prec_{i^*-1} b$ | | $a \prec_{i^*-1} b$ |
| <i>i</i> *: | <i>b</i> ≺ _{i*} a | | <i>b</i> ≺ _{i*} a | a ≺ _{i*} b | | a ≺ _{i*} b |
| <i>i</i> * + 1: | <i>b</i> ≺ _{<i>i</i>*+1} <i>a</i> | | <i>b</i> ≺ _{<i>i</i>*+1} <i>a</i> | <i>b</i> ≺ _{i*+1} <i>a</i> | | $a \prec_{i^*+1} b$ |
| ÷ | : | • • | : | : | ٠ | : |
| <i>n</i> : | <i>b</i> ≺ _n <i>a</i> | | $b \prec_n a$ | <i>b</i> ≺ _n a | | $a \prec_n b$ |
| F: | $b \prec^0 a$ | | $b \prec^{i^*-1} a$ | a ≺ ^{i*} b | | $a \prec^n b$ |

Unanimity $\Rightarrow b \prec^0 \mathbf{a}$ for $\prec^0 = F(\pi^0)$, $\mathbf{a} \prec^n b$ for $\prec^n := F(\pi^n)$.

Thus, there must exist a minimal index i^* such that $b \prec^{i^*-1} a$ and $a \prec^{i^*} b$ for $\prec^{i^*-1} := F(\pi^{i^*-1})$ and $\prec^{i^*} = F(\pi^{i^*})$.

Social Choice Theory

Arrow's Impossibility Theorem

Motivation
Properties of So
Welfare Function
Main Theorem

Gibbard-

Satterthwait Theorem

Positive Results



Proof (ctd.)

Show that i^* is a dictator.

Consider two alternatives $c, d \in A$ with $c \neq d$ and show that for all $(\prec_1, \ldots, \prec_n) \in L^n$, $c \prec_{i^*} d$ implies $c \prec d$, where $\prec = F(\prec_1, \ldots, \prec_{i^*}, \ldots, \prec_n)$.

Consider $e \notin \{c,d\}$ and construct preference profile $(\prec'_1,\ldots,\prec'_n)$, where:

for
$$j < i^*$$
: $e \prec_j' c \prec_j' d$ or $e \prec_j' d \prec_j' c$
for $j = i^*$: $c \prec_j' e \prec_j' d$ or $d \prec_j' e \prec_j' c$
for $j > i^*$: $c \prec_j' d \prec_j' e$ or $d \prec_j' c \prec_j' e$

depending on whether $c \prec_j d$ or $d \prec_j c$.

Social Choice Theory

Arrow's Impossibility Theorem

Motivation
Properties of Socia

Welfare Function

Main Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results



NE NE

Proof (ctd.)

Show that i^* is a dictator.

Consider two alternatives $c, d \in A$ with $c \neq d$ and show that for all $(\prec_1, \ldots, \prec_n) \in L^n$, $c \prec_{i^*} d$ implies $c \prec d$, where $\prec = F(\prec_1, \ldots, \prec_{i^*}, \ldots, \prec_n)$.

Consider $e \notin \{c,d\}$ and construct preference profile $(\prec'_1,\ldots,\prec'_n)$, where:

for
$$j < i^*$$
: $e \prec_j' c \prec_j' d$ or $e \prec_j' d \prec_j' c$
for $j = i^*$: $c \prec_j' e \prec_j' d$ or $d \prec_j' e \prec_j' c$
for $j > i^*$: $c \prec_j' d \prec_j' e$ or $d \prec_j' c \prec_j' e$

depending on whether $c \prec_j d$ or $d \prec_j c$.

Social Choice Theory

Arrow's Impossibility Theorem

Motivation
Properties of S
Welfare Function

Main Theorem

Gibbard-Satterthwaite

Some Positive Results



SE.

Proof (ctd.)

Show that i^* is a dictator.

Consider two alternatives $c, d \in A$ with $c \neq d$ and show that for all $(\prec_1, \ldots, \prec_n) \in L^n$, $c \prec_{i^*} d$ implies $c \prec d$, where $\prec = F(\prec_1, \ldots, \prec_{i^*}, \ldots, \prec_n)$.

Consider $e \notin \{c,d\}$ and construct preference profile $(\prec'_1,\ldots,\prec'_n)$, where:

for
$$j < i^*$$
: $\mathbf{e} \prec_j' c \prec_j' d$ or $\mathbf{e} \prec_j' d \prec_j' c$
for $j = i^*$: $c \prec_j' \mathbf{e} \prec_j' d$ or $d \prec_j' \mathbf{e} \prec_j' c$
for $j > i^*$: $c \prec_i' d \prec_i' \mathbf{e}$ or $d \prec_i' c \prec_i' \mathbf{e}$

depending on whether $c \prec_j d$ or $d \prec_j c$.

Social Choice Theory

Arrow's Impossibilit Theorem

Motivation
Properties of S

Main Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results



Proof (ctd.)

Let
$$\prec' = F(\prec'_1, \ldots, \prec'_n)$$
.

Independence of irrelevant alternatives implies $c \prec' d$ iff $c \prec d$.

For (e,c) we have the same preferences in $\prec_1, \ldots, \prec_n'$ as for (a,b) in π^{i^*-1} . Pairwise neutrality implies $c \prec' e$.

For (e,d) we have the same preferences in $\prec_1', \ldots, \prec_n'$ as for (a,b) in π^{i^*} . Pairwise neutrality implies $e \prec' d$.

NE NE

Social Choice Theory

Arrow's Impossibility Theorem

Motivation
Properties of So
Welfare Function
Main Theorem

Gibbard-Satterthwaite Theorem

Some Positive



NO HE

Proof (ctd.)

Let
$$\prec' = F(\prec'_1, \ldots, \prec'_n)$$
.

Independence of irrelevant alternatives implies $c \prec' d$ iff $c \prec d$.

| | π^{i^*-1} | $(\prec_i')_{i=1,,n}$ | π^{i^*} | $(\prec_i')_{i=1,,n}$ |
|-----------------|--|-----------------------------------|-----------------------------------|-----------------------|
| 1: | $a \prec_1 b$ | <i>e</i> ≺′ ₁ <i>c</i> | <i>a</i> ≺ ₁ <i>b</i> | $e \prec_1' d$ |
| <i>i</i> * − 1: | $a \prec_{i^*-1} b$ | $e \prec_{i^*-1}' c$ | $a \prec_{i^*-1} b$ | $e \prec'_{i^*-1} d$ |
| <i>i</i> *: | <i>b</i> ≺ _{<i>i</i>*} <i>a</i> | $c \prec'_{i^*} e$ | <i>a</i> ≺ _{i*} <i>b</i> | $e \prec_{i^*}' d$ |
| n: | <i>b</i> ≺ _n <i>a</i> | $c \prec'_n e$ | <i>b</i> ≺ _n <i>a</i> | $d \prec'_n e$ |
| F: | $b \prec^{i^*-1} a$ | <i>c</i> ≺′ <i>e</i> | a ≺ ^{i*} b | <i>e</i> ≺′ <i>d</i> |

For (e,c) we have the same preferences in $\prec_1', \ldots, \prec_n'$ as for (a,b) in π^{i^*-1} . Pairwise neutrality implies $c \prec' e$.

For (e,d) we have the same preferences in \prec_1',\ldots,\prec_n' as for (a,b) in π^{i^*} . Pairwise neutrality implies $e \prec' d$.

Social Choice Theory

Arrow's Impossibility Theorem

Motivation Properties of So Welfare Function

Main Theorem

Satterthwaite Theorem

Some Positive Results



FRE

Proof (ctd.)

Let $\prec' = F(\prec'_1, \ldots, \prec'_n)$.

Independence of irrelevant alternatives implies $c \prec' d$ iff $c \prec d$.

| | π^{i^*-1} | $(\prec_i')_{i=1,,n}$ | π^{i^*} | $(\prec_i')_{i=1,,n}$ |
|-----------------|--|-----------------------------------|-----------------------------------|-----------------------|
| 1: | $a \prec_1 b$ | <i>e</i> ≺′ ₁ <i>c</i> | <i>a</i> ≺ ₁ <i>b</i> | $e \prec_1' d$ |
| <i>i</i> * − 1: | $a \prec_{i^*-1} b$ | $e \prec_{i^*-1}' c$ | $a \prec_{i^*-1} b$ | $e \prec'_{i^*-1} d$ |
| <i>i</i> *: | <i>b</i> ≺ _{<i>i</i>*} <i>a</i> | $c \prec'_{i^*} e$ | <i>a</i> ≺ _{i*} <i>b</i> | $e \prec'_{i^*} d$ |
| <i>n</i> : | <i>b</i> ≺ _n <i>a</i> | $c \prec'_n e$ | <i>b</i> ≺ _n <i>a</i> | $d \prec'_n e$ |
| <i>F</i> : | $b \prec^{i^*-1} a$ | <i>c</i> ≺′ <i>e</i> | a ≺ ^{i*} b | <i>e</i> ≺′ <i>d</i> |

For (e,c) we have the same preferences in $\prec_1', \ldots, \prec_n'$ as for (a,b) in π^{i^*-1} . Pairwise neutrality implies $c \prec' e$.

For (e, d) we have the same preferences in $\prec'_1, \ldots, \prec'_n$ as for (a, b) in π^{i^*} . Pairwise neutrality implies $e \prec' d$.

Social Choice Theory

Arrow's Impossibility Theorem

Properties of So Welfare Functio

Gibbard-

Satterthwaite Theorem

Positive Results



AR S

Proof (ctd.)

With transitivity, we get $c \prec' d$.

By construction of \prec' and independence of irrelevant alternatives, we get $c \prec d$.

Opposite direction: similar.

Social Choice Theory

Arrow's Impossibility

Theorem

Motivation

Properties of S Welfare Functi

Main Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results





Proof (ctd.)

With transitivity, we get $c \prec' d$.

By construction of \prec' and independence of irrelevant alternatives, we get $c \prec d$.

Opposite direction: similar.

Social Choice Theory

Arrow's Impossibility

Theorem

Motivation

Welfare Functi

Main Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results





Proof (ctd.)

With transitivity, we get $c \prec' d$.

By construction of \prec' and independence of irrelevant alternatives, we get $c \prec d$.

Opposite direction: similar.

Social Choice Theory

Arrow's Impossibility

Theorem

Motivation

Welfare Functi

Main Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results



Social Choice Theory

Arrow's

Impossibilit Theorem

> Properties of S Welfare Function

Main Theorem

Gibbard-Satterthwai

Some Positive

Summar

Remark:

Unanimity and non-dictatorship often satisfied in social welfare functions. Problem usually lies with independence of irrelevant alternatives.

Closely related to possibility of strategic voting: insert "irrelevant" candidate between favorite candidate and main competitor to help favorite candidate (only possible if independence of irrelevant alternatives is violated).



UNI FREIBURG

Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Motivation Preliminaries

Preliminaries Main Theorem

Some Positive Results

Summary

Gibbard-Satterthwaite Theorem



Motivation:

- Arrow's Impossibility Theorem only applies to social welfare functions.
- Can this be transferred to social choice functions?
- Yes! Intuitive result: Every "reasonable" social choice function is susceptible to manipulation (strategic voting).

Theory Arrow's

Theorem

Satterthwaite

Motivation

Some Results

A social choice function f can be strategically manipulated by voter i if there are preferences $\prec_1, \ldots, \prec_i, \ldots, \prec_n, \prec_i' \in L$ such that $a \prec_i b$ for $a = f(\prec_1, \ldots, \prec_i, \ldots, \prec_n)$ and $b = f(\prec_1, \ldots, \prec_i', \ldots, \prec_n)$.

The function f is called incentive compatible if f cannot be strategically manipulated.

Definition (Monotonicity)

A social choice function is monotone if $f(\prec_1, ..., \prec_i, ..., \prec_n) = a$, $f(\prec_1, ..., \prec'_i, ..., \prec_n) = b$ and $a \neq b$ implies $b \prec_i a$ and $a \prec'_i b$.

Social Choice Theory

Arrow's Impossibility

> Gibbard-Satterthwaite Theorem

Motivation Preliminaries

Main Theorem

Some Positive Results

Incentive Compatibility and Monotonicity



Proposition

A social choice function is monotone iff it is incentive compatible.

Proof

Let f be monotone. If $f(\prec_1, \ldots, \prec_i, \ldots, \prec_n) = a$, $f(\prec_1, \ldots, \prec_i', \ldots, \prec_n) = b$ and $a \neq b$, then also $b \prec_i a$ and $a \prec_i' b$.

Then there cannot be any $\prec_1, \ldots, \prec_n, \prec_i' \in L$ such that $f(\prec_1, \ldots, \prec_i, \ldots, \prec_n) = a, f(\prec_1, \ldots, \prec_i', \ldots, \prec_n) = b$ and $a \prec_i b$.

Conversely, violated monotonicity implies that there is a possibility for strategic manipulation.

Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Preliminaries

Some Positive

Incentive Compatibility and Monotonicity



2<u>R</u>

Proposition

A social choice function is monotone iff it is incentive compatible.

Proof

Let f be monotone. If $f(\prec_1, \ldots, \prec_i, \ldots, \prec_n) = a$, $f(\prec_1, \ldots, \prec_i', \ldots, \prec_n) = b$ and $a \neq b$, then also $b \prec_i a$ and $a \prec_i' b$.

Then there cannot be any $\prec_1, \ldots, \prec_n, \prec_i' \in L$ such that $f(\prec_1, \ldots, \prec_i, \ldots, \prec_n) = a, f(\prec_1, \ldots, \prec_i', \ldots, \prec_n) = b$ and $a \prec_i b$.

Conversely, violated monotonicity implies that there is a possibility for strategic manipulation.

Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Preliminaries

Some Positive

Incentive Compatibility and Monotonicity



Proposition

A social choice function is monotone iff it is incentive compatible.

Proof

Let f be monotone. If $f(\prec_1, \ldots, \prec_i, \ldots, \prec_n) = a$, $f(\prec_1, \ldots, \prec_i', \ldots, \prec_n) = b$ and $a \neq b$, then also $b \prec_i a$ and $a \prec_i' b$.

Then there cannot be any $\prec_1, \ldots, \prec_n, \prec_i' \in L$ such that $f(\prec_1, \ldots, \prec_i, \ldots, \prec_n) = a, f(\prec_1, \ldots, \prec_i', \ldots, \prec_n) = b$ and $a \prec_i b$.

Conversely, violated monotonicity implies that there is a possibility for strategic manipulation.

Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Preliminaries

Some Positive

Results

> Gibbard-Satterthwaite Theorem

Motivation Preliminaries

Preliminaries

Definition (Dictatorship)

Voter i is a dictator in a social choice function f if for all $\prec_1, \ldots, \prec_i, \ldots, \prec_n \in L$, $f(\prec_1, \ldots, \prec_i, \ldots, \prec_n) = a$, where a is the unique candidate with $b \prec_i a$ for all $b \in A$ with $b \neq a$.

The function f is a dictatorship if there is a dictator in f.

Gibbard-Satterthwaite Theorem

Reduction to Arrow's Theorem

Arrow's

Proliminarios

Approach:

- We prove the result by Gibbard and Satterthwaite using Arrow's Theorem
- To that end, construct social welfare function from social choice function

Notation:

Let $S \subseteq A$ and $\prec \in L$. By \prec^S we denote the order obtained by moving all elements from S "to the top" in \prec , while preserving the relative orderings of the elements in S and of those in $A \setminus S$. More formally:

- \blacksquare for $a,b \in S$: $a \prec^S b$ iff $a \prec b$,
- \blacksquare for $a,b \notin S$: $a \prec^S b$ iff $a \prec b$.
- \blacksquare for $a \notin S$, $b \in S$: $a \prec^S b$.

These conditions uniquely define \prec^S .

Lemma (Top Preference)

Let f be an incentive compatible and surjective social choice function. Then for all $\prec_1, \ldots, \prec_n \in L$ and all $\emptyset \neq S \subseteq A$, we have $f(\prec_1^S, \ldots, \prec_n^S) \in S$.

Proof

Let $a \in S$.

Since f is surjective, there are $\prec'_1, \ldots, \prec'_n \in L$ such that $f(\prec'_1, \ldots, \prec'_n) = a$.

Now, sequentially, for i = 1, ..., n, change the relation \prec_i' to \prec_i^S . At no point during this sequence of changes will f output any candidate $b \notin S$, because f is monotone.

Arrow's Impossibility Theorem

> Gibbard-Satterthwaite Theorem

> > Preliminaries Main Theorem

Some Positive Results

Let f be an incentive compatible and surjective social choice function. Then for all $\prec_1, \ldots, \prec_n \in L$ and all $\emptyset \neq S \subseteq A$, we have $f(\prec_1^S, \ldots, \prec_n^S) \in S$.

Proof

Let $a \in S$.

Since f is surjective, there are $\prec'_1, \ldots, \prec'_n \in L$ such that $f(\prec'_1, \ldots, \prec'_n) = a$.

Now, sequentially, for i = 1, ..., n, change the relation \prec_i' to \prec_i^S . At no point during this sequence of changes will f output any candidate $b \notin S$, because f is monotone.

Arrow's Impossibility Theorem

Gibbard-Satterthwait Theorem

> Preliminaries Main Theorem

Main Theoren

Positive Results

The function $F: L^n \to L$ that extends the social choice function f is defined as $F(\prec_1, \ldots, \prec_n) = \prec$, where $a \prec b$ iff $f(\prec_1^{\{a,b\}}, \ldots, \prec_n^{\{a,b\}}) = b$ for all $a,b \in A, a \neq b$.

Lemma

If f is an incentive compatible and surjective social choice function, then its extension F is a social welfare function.

Proof

We show that \prec is a strict linear order, i.e., asymmetric, total and transitive.

. . .

Social Choice

Arrow's Impossibility

> Gibbard-Satterthwaite Theorem

Preliminaries Main Theorem

Some Positive

- Asymmetry and Totality: Because of the Top-Preference Lemma, $f(\prec_1^{\{a,b\}}, \ldots, \prec_n^{\{a,b\}})$ is either a or b, i.e., $a \prec b$ or $b \prec a$, but not both (asymmetry) and not neither (totality).
- Transitivity: We may already assume totality. Suppose that \prec is not transitive, i.e., $a \prec b$ and $b \prec c$, but not $a \prec c$, for some a, b and c. Because of totality, $c \prec a$. Consider $S = \{a,b,c\}$ and WLOG $f(\prec_1^{\{a,b,c\}},\ldots,\prec_n^{\{a,b,c\}}) = a$. Due to monotonicity of f, we get $f(\prec_1^{\{a,b\}},\ldots,\prec_n^{\{a,b\}}) = a$ by successively changing $\prec_i^{\{a,b,c\}}$ to $\prec_i^{\{a,b\}}$. Thus, we get $b \prec a$ in contradiction to our assumption

Arrow's Impossibility Theorem

> Satterthwaite Theorem Motivation

Preliminaries Main Theorem

Some Positive Results

- Asymmetry and Totality: Because of the Top-Preference Lemma, $f(\prec_1^{\{a,b\}}, \ldots, \prec_n^{\{a,b\}})$ is either a or b, i.e., $a \prec b$ or $b \prec a$, but not both (asymmetry) and not neither (totality).
- Transitivity: We may already assume totality. Suppose that \prec is not transitive, i.e., $a \prec b$ and $b \prec c$, but not $a \prec c$, for some a, b and c. Because of totality, $c \prec a$. Consider $S = \{a, b, c\}$ and WLOG $f(\prec_1^{\{a,b,c\}}, \ldots, \prec_n^{\{a,b,c\}}) = a$. Due to monotonicity of f, we get $f(\prec_1^{\{a,b\}}, \ldots, \prec_n^{\{a,b\}}) = a$ by successively changing $\prec_i^{\{a,b,c\}}$ to $\prec_i^{\{a,b\}}$. Thus, we get $b \prec a$ in contradiction to our assumption.

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Preliminaries Main Theorem

Some Positive Results

If f is an incentive compatible, surjective, and non-dictatorial social choice function, then its extension F is a social welfare function that satisfies unanimity, independence of irrelevant alternatives, and non-dictatorship.

Proof

We already know that F is a social welfare function and still have to show unanimity, independence of irrelevant alternatives, and non-dictatorship.

- Unanimity: Let $a \prec_i b$ for all i. Then $(\prec_i^{\{a,b\}})^{\{b\}} = \prec_i^{\{a,b\}}$. Because of the Top-Preference Lemma, $f(\prec_i^{\{a,b\}}, \ldots, \prec_n^{\{a,b\}}) = b$, hence $a \prec b$.
- Independence of irrelevant alternatives: ...

Social Choice Theory

Arrow's Impossibility Theorem

> Gibbard-Satterthwaite Theorem

Main Theorem

Some Positive

Gibbard-Satterthwaite Theorem

Extension Lemma



ZE ZE

Proof (ctd.)

- Independence of irrelevant alternatives: If for all $i, a \prec_i b$ iff $a \prec_i' b$, then $f(\prec_1^{\{a,b\}}, \ldots, \prec_n^{\{a,b\}}) = f(\prec_1'^{\{a,b\}}, \ldots, \prec_n'^{\{a,b\}})$ must hold, since due to monotonicity the result does not change when $\prec_i^{\{a,b\}}$ is successively replaced by $\prec_i'^{\{a,b\}}$.
- Non-dictatorship: Obvious.

Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Motivation
Preliminaries
Main Theorem

Some

Some Positive Results



Theorem (Gibbard-Satterthwaite)

If f is an incentive compatible and surjective social choice function with three or more alternatives, then f is a dictatorship.

The purpose of mechanism design is to alleviate the negative results of Arrow and Gibbard and Satterthwaite by changing the underlying model. The two usually investigated modifications are:

- Introduction of money
- Restriction of admissible preference relations

Social Choice Theory

Arrow's Impossibility

Gibbard-Satterthwaite Theorem

Preliminaries

Main Theorem

am I heorem

Some Positive Results



Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

May's Theorem Single-Peaked Preferences

Summary

Some Positive Results



We had some negative results on social choice and welfare functions so far: Arrow, Gibbard-Satterthwaite.

Question: Are there also positive results for special cases?

First special case: Only two alternatives.

Intuition: With only two alternatives, no point in misrepresenting preferences.

Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive

May's Theorem Single-Peaked





Axioms for voting systems:

- Neutrality: "Names" of candidates/alternatives should not be relevant
- Anonymity: "Names" of voters should not be relevant.
- Monotonicity: If a candidate wins, he should still win if one voter ranks him higher.

Theory
Arrow's

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive

May's Theorem Single-Peaked



AE .

Theorem (May, 1958)

A voting method for two alternatives satisfies anonymity, neutrality, and monotonicity if and only if it is the plurality method.

Proof.

←: Obvious.

⇒: For simplicity, we assume that the number of voters is odd.

Anonymity and neutrality imply that only the numbers of votes for the candidates matter.

Let A be the set of voters that prefer candidate a, and let B be the set of voters that prefer candidate b. Consider a vote with |A| = |B| + 1.

Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite

Some Positive Results

May's Theorem Single-Peaked



T T

Theorem (May, 1958)

A voting method for two alternatives satisfies anonymity, neutrality, and monotonicity if and only if it is the plurality method.

Proof.

←: Obvious.

⇒: For simplicity, we assume that the number of voters is odd.

Anonymity and neutrality imply that only the numbers of votes for the candidates matter.

Let A be the set of voters that prefer candidate a, and let B be the set of voters that prefer candidate b. Consider a vote with |A| = |B| + 1.

Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite

Some Positive

Results May's Theorem





Theorem (May, 1958)

A voting method for two alternatives satisfies anonymity, neutrality, and monotonicity if and only if it is the plurality method.

Proof.

: Obvious.

⇒: For simplicity, we assume that the number of voters is odd.

Anonymity and neutrality imply that only the numbers of votes for the candidates matter.

Arrow's Theorem

Satterthwaite

May's Theorem



H

Theorem (May, 1958)

A voting method for two alternatives satisfies anonymity, neutrality, and monotonicity if and only if it is the plurality method.

Proof.

←: Obvious.

 \Rightarrow : For simplicity, we assume that the number of voters is odd.

Anonymity and neutrality imply that only the numbers of votes for the candidates matter.

Let A be the set of voters that prefer candidate a, and let B be the set of voters that prefer candidate b. Consider a vote with |A| = |B| + 1.

Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive

Positive Results May's Theorem

Preferences

- Case 1: Candidate a wins. Then by monotonicity, a still wins whenever |A| > |B|. With neutrality, we also get that b wins whenever |B| > |A|. This uniquely characterizes the plurality method.
- Case 2: Candidate b wins. Assume that one voter for a changes his preference to b. Then |A'| + 1 = |B'|. By monotonicity, b must still win. This is completely symmetric to the original vote. Hence, by neutrality, a should win. This is a contradiction, implying that case 2 cannot occur.

Remark: For three or more alternatives, there are no voting methods that satisfy such a small set of desirable criteria.

Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

> May's Theorem Single-Peaked

- Case 1: Candidate a wins. Then by monotonicity, a still wins whenever |A| > |B|. With neutrality, we also get that b wins whenever |B| > |A|. This uniquely characterizes the plurality method.
- Case 2: Candidate b wins. Assume that one voter for a changes his preference to b. Then |A'| + 1 = |B'|. By monotonicity, b must still win. This is completely symmetric to the original vote. Hence, by neutrality, a should win. This is a contradiction, implying that case 2 cannot occur.

- Case 1: Candidate a wins. Then by monotonicity, a still wins whenever |A| > |B|. With neutrality, we also get that b wins whenever |B| > |A|. This uniquely characterizes the plurality method.
- Case 2: Candidate b wins. Assume that one voter for a changes his preference to b. Then |A'| + 1 = |B'|. By monotonicity, b must still win. This is completely symmetric to the original vote. Hence, by neutrality, a should win. This is a contradiction, implying that case 2 cannot occur.

- Case 1: Candidate a wins. Then by monotonicity, a still wins whenever |A| > |B|. With neutrality, we also get that b wins whenever |B| > |A|. This uniquely characterizes the plurality method.
- Case 2: Candidate b wins. Assume that one voter for a changes his preference to b. Then |A'| + 1 = |B'|. By monotonicity, b must still win. This is completely symmetric to the original vote. Hence, by neutrality, a should win. This is a contradiction, implying that case 2 cannot occur.



FRE

Proof (ctd.)

- Case 1: Candidate a wins. Then by monotonicity, a still wins whenever |A| > |B|. With neutrality, we also get that b wins whenever |B| > |A|. This uniquely characterizes the plurality method.
- Case 2: Candidate b wins. Assume that one voter for a changes his preference to b. Then |A'| + 1 = |B'|. By monotonicity, b must still win. This is completely symmetric to the original vote. Hence, by neutrality, a should win. This is a contradiction, implying that case 2 cannot occur.

Remark: For three or more alternatives, there are no voting methods that satisfy such a small set of desirable criteria.

Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite

Some Positive Results

May's Theorem Single-Peaked Preferences

- Case 1: Candidate a wins. Then by monotonicity, a still wins whenever |A| > |B|. With neutrality, we also get that b wins whenever |B| > |A|. This uniquely characterizes the plurality method.
- Case 2: Candidate *b* wins. Assume that one voter for *a* changes his preference to *b*. Then |A'|+1 = |B'|. By monotonicity, *b* must still win. This is completely symmetric to the original vote. Hence, by neutrality, *a* should win. This is a contradiction, implying that case 2 cannot occur.

Remark: For three or more alternatives, there are no voting methods that satisfy such a small set of desirable criteria.

Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite

Some Positive Results

May's Theorem Single-Peaked Preferences

- Case 1: Candidate a wins. Then by monotonicity, a still wins whenever |A| > |B|. With neutrality, we also get that b wins whenever |B| > |A|. This uniquely characterizes the plurality method.
- Case 2: Candidate *b* wins. Assume that one voter for *a* changes his preference to *b*. Then |A'| + 1 = |B'|. By monotonicity, *b* must still win. This is completely symmetric to the original vote. Hence, by neutrality, *a* should win. This is a contradiction, implying that case 2 cannot occur.

Proof (ctd.)

- Case 1: Candidate a wins. Then by monotonicity, a still wins whenever |A| > |B|. With neutrality, we also get that b wins whenever |B| > |A|. This uniquely characterizes the plurality method.
- Case 2: Candidate b wins. Assume that one voter for a changes his preference to b. Then |A'| + 1 = |B'|. By monotonicity, b must still win. This is completely symmetric to the original vote. Hence, by neutrality, a should win. This is a contradiction, implying that case 2 cannot occur.

Remark: For three or more alternatives, there are no voting methods that satisfy such a small set of desirable criteria.



FRE

Proof (ctd.)

- Case 1: Candidate a wins. Then by monotonicity, a still wins whenever |A| > |B|. With neutrality, we also get that b wins whenever |B| > |A|. This uniquely characterizes the plurality method.
- Case 2: Candidate b wins. Assume that one voter for a changes his preference to b. Then |A'| + 1 = |B'|. By monotonicity, b must still win. This is completely symmetric to the original vote. Hence, by neutrality, a should win. This is a contradiction, implying that case 2

Remark: For three or more alternatives, there are no voting methods that satisfy such a small set of desirable criteria.

Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

May's Theorem Single-Peaked Preferences

Proof (ctd.)

- Case 1: Candidate a wins. Then by monotonicity, a still wins whenever |A| > |B|. With neutrality, we also get that b wins whenever |B| > |A|. This uniquely characterizes the plurality method.
- Case 2: Candidate b wins. Assume that one voter for a changes his preference to b. Then |A'| + 1 = |B'|. By monotonicity, b must still win. This is completely symmetric to the original vote. Hence, by neutrality, a should win. This is a contradiction, implying that case 2 cannot occur.


Remark: For three or more alternatives, there are no voting methods that satisfy such a small set of desirable criteria.

JNI

The results by Arrow and Gibbard-Satterthwaite only apply is there are no restrictions on the preference orders.

Second special case: Let us now consider some special cases such as temperature or volume settings.





Temperature

Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

Single-Peaked Preferences

Summarv



FREIB

Definition (Single-peaked preference)

A preference relation \prec_i over the interval [0,1] is called a single-peaked preference relation if there exists a value $p_i \in [0,1]$ such that for all $x \in [0,1] \setminus p_i$ and for all $\lambda \in [0,1)$,

$$x \prec_i \lambda x + (1 - \lambda)p_i$$
.



Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

May's Theorem
Single-Peaked

Summary

Example

Single-peaked:



Not single-peaked:



-BURG



First idea: Use arithmetic mean of all peak values.

Example

Preferred room temperatures:

■ Voter 1: 10°C

■ Voter 2: 20°C

■ Voter 3: 21°C

Social Choice Theory

Arrow's Impossibility Theorem

Satterthwaite Theorem

Some Positive Results

May's Theorem Single-Peaked Preferences

II IBURG

First idea: Use arithmetic mean of all peak values.

Example

Preferred room temperatures:

■ Voter 1: 10°C

■ Voter 2: 20°C

■ Voter 3: 21 °C

Arithmetic mean: 17°C. Is this incentive compatible?

Social Choice Theory

Arrow's Impossibility Theorem

> Satterthwaite Theorem

Some Positive Results

May's Theorem
Single-Peaked

First idea: Use arithmetic mean of all peak values.

Example

Preferred room temperatures:

Voter 1: 10°C

■ Voter 2: 20°C

Voter 3: 21°C

Arithmetic mean: 17°C. Is this incentive compatible?

No! Voter 1 can misrepresent his peak value as, e.g., -11 °C.

Then the mean is 10°C, his favorite value!

Theory Arrow's

Theorem

Satterthwaite

Some

May's Theorem Single-Peaked Preferences



First idea: Use arithmetic mean of all peak values.

Example

Preferred room temperatures:

■ Voter 1: 10°C

■ Voter 2: 20°C

■ Voter 3: 21 °C

Arithmetic mean: 17°C. Is this incentive compatible?

No! Voter 1 can misrepresent his peak value as, e.g., $-11\,^{\circ}C$.

Then the mean is 10°C, his favorite value!

Question: What is a good way to design incentive compatible social choice functions for this setting?

Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

May's Theorem Single-Peaked Preferences

Let p_1, \ldots, p_n be the peaks for the preferences \prec_1, \ldots, \prec_n ordered such that we have $p_1 \leq p_2 \leq \cdots \leq p_n$. Then the median rule is the social choice function f with

$$f(\prec_1,\ldots,\prec_n)=p_{\lceil n/2\rceil}.$$

Theorem

The median rule is surjective, incentive compatible, anonymous, and non-dictatorial.

Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

May's Theorem Single-Peaked Preferences

Proof.

- Surjective: Obvious, because the median rule satisfies unanimity.
- Incentive compatible: Assume that p_i is below the median. Then reporting a lower value does not change the median (\rightsquigarrow does not help), and reporting a higher value can only increase the median (\rightsquigarrow does not help, either). Similarly, if p_i is above the median.
- Anonymous: Is implicit in the rule.
- Non-dictatorial: Follows from anonymity.

Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

May's Theorem Single-Peaked Preferences

Proof.

- Surjective: Obvious, because the median rule satisfies unanimity.
- Incentive compatible: Assume that p_i is below the median. Then reporting a lower value does not change the median (\rightsquigarrow does not help), and reporting a higher value can only increase the median (\rightsquigarrow does not help, either). Similarly, if p_i is above the median.
- Anonymous: Is implicit in the rule.
- Non-dictatorial: Follows from anonymity

Proof.

- Surjective: Obvious, because the median rule satisfies unanimity.
- Incentive compatible: Assume that p_i is below the median. Then reporting a lower value does not change the median (\rightsquigarrow does not help), and reporting a higher value can only increase the median (\rightsquigarrow does not help, either). Similarly, if p_i is above the median.
- Anonymous: Is implicit in the rule.
- Non-dictatorial: Follows from anonymity.

Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

May's Theorem Single-Peaked Preferences

- Surjective: Obvious, because the median rule satisfies unanimity.
- Incentive compatible: Assume that p_i is below the median. Then reporting a lower value does not change the median (\rightsquigarrow does not help), and reporting a higher value can only increase the median (\rightsquigarrow does not help, either). Similarly, if p_i is above the median.
- Anonymous: Is implicit in the rule.
- Non-dictatorial: Follows from anonymity.

Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite

Some Positive Results

May's Theorem Single-Peaked



Social Choice Theory

Arrow's Impossibility Theorem

Gibbard-Satterthwaite Theorem

Some Positive Results

Summary

- Multitude of possible social welfare functions (plurality voting with or without runoff, instant runoff voting, Borda count, Schulze method, ...).
- All social welfare functions for more than two alternatives suffer from Arrow's Impossibility Theorem.
- Typical handling of this issue: Use unanimous, non-dictatorial social welfare functions – violate independence of irrelevant alternatives.
- Thus: Strategic voting inevitable.
- The same holds for social choice functions (Gibbard-Satterthwaite Theorem).