

# Semantic Networks and Description Logics

## Description Logics – Reasoning Services and Reductions

Knowledge Representation and Reasoning

December 12, 2005

# Description Logics – Reasoning Services and Reductions

Motivation

Basic Reasoning Services

Eliminating the TBox

General TBox Reasoning Services

General ABox Reasoning Services

Summary and Outlook

# Example TBox & ABox

$\text{Male} \doteq \neg \text{Female}$   
 $\text{Human} \sqsubseteq \text{Living\_entity}$   
 $\text{Woman} \doteq \text{Human} \sqcap \text{Female}$   
 $\text{Man} \doteq \text{Human} \sqcap \text{Male}$   
 $\text{Mother} \doteq \text{Woman} \sqcap \exists \text{has-child.Human}$   
 $\text{Father} \doteq \text{Man} \sqcap \exists \text{has-child.Human}$   
 $\text{Parent} \doteq \text{Father} \sqcup \text{Mother}$   
 $\text{Grandmother}$   
 $\quad \doteq \text{Woman} \sqcap \exists \text{has-child.Parent}$   
 $\text{Mother-without-daughter}$   
 $\quad \doteq \text{Mother} \sqcap \forall \text{has-child.Male}$   
 $\text{Mother-with-many-children}$   
 $\quad \doteq \text{Mother} \sqcap (\geq 3 \text{has-child})$

DIANA:	Woman	
ELIZABETH:	Woman	
CHARLES:	Man	
EDWARD:	Man	
ANDREW:	Man	
DIANA:	Mother-without-daughter	
(ELIZABETH,	CHARLES):	has-child
(ELIZABETH,	EDWARD):	has-child
(ELIZABETH,	ANDREW):	has-child
(DIANA,	WILLIAM):	has-child
(CHARLES,	WILLIAM):	has-child

## Motivation: Reasoning Services

- ▶ What do we want to know?
- ▶ We want to check whether the *knowledge base* is reasonable:
  - ▶ Is each defined concept in a TBox satisfiable?
  - ▶ Is a given TBox satisfiable?
  - ▶ Is a given ABox satisfiable?
- ▶ What can we **conclude** from the represented knowledge?
  - ▶ Is concept  $X$  **subsumed** by concept  $Y$ ?
  - ▶ Is an object  $a$  **instance** of a concept  $X$ ?
- ▶ These problems can be **reduced** to logical satisfiability or implication – using the logical semantics.
- ▶ We take a different route: We will try to simplify these problems and then we specify *direct inference methods*.

# Satisfiability of Concept Descriptions in a TBox

- ▶ **Motivation:** Given a TBox  $\mathcal{T}$  and a concept description  $C$ , does  $C$  make sense, i.e., is  $C$  **satisfiable**?
- ▶ **Test:**
  - ▶ Does there exist a *model*  $I$  of  $\mathcal{T}$  such that  $C^I \neq \emptyset$ ?
  - ▶ Is the formula  $\exists x: C(x)$  together with the formulas resulting from the translation of  $\mathcal{T}$  satisfiable?
- ▶ **Example:**  $\text{Mother-without-daughter} \sqcap \forall \text{has-child.Female}$  is unsatisfiable.

# Satisfiability of Concept Descriptions (without a TBox)

- ▶ **Motivation:** Given a concept description  $C$  in “isolation”, i.e., in an *empty TBox*, does  $C$  make sense, i.e., is  $C$  **satisfiable**?
- ▶ **Test:**
  - ▶ Does there exist an *interpretation*  $I$  such that  $C^I \neq \emptyset$ ?
  - ▶ Is the formula  $\exists x: C(x)$  satisfiable?
- ▶ **Example:**  $\text{Woman} \sqcap (\leq 0 \text{ has-child}) \sqcap (\geq 1 \text{ has-child})$  is unsatisfiable.

## Reduction: Getting Rid of the TBox

- ▶ We can **reduce** satisfiability in a TBox to simple satisfiability.
- ▶ **Idea:**
  - ▶ Since TBoxes are *cycle-free*, one can understand a concept definition as a kind of “macro”
  - ▶ For a given TBox  $\mathcal{T}$  and a given concept description  $C$ , all defined concept symbols appearing in  $C$  can be *expanded* until  $C$  contains only undefined concept symbols
  - ▶ An *expanded* concept description is then satisfiable iff  $C$  is satisfiable in  $\mathcal{T}$
  - ▶ *Problem:* What do we do with partial definitions (using  $\sqsubseteq$ )?

## Normalized Terminologies

- ▶ A terminology is called **normalized** when it does not contain definitions using  $\sqsubseteq$ .
- ▶ In order to *normalize* a terminology, replace

$$A \sqsubseteq C$$

by

$$A \doteq A^* \sqcap C,$$

where  $A^*$  is a **fresh** concept symbol (not appearing elsewhere in  $\mathcal{T}$ ).

- ▶ If  $\mathcal{T}$  is a terminology, the normalized terminology is denoted by  $\tilde{\mathcal{T}}$ .



# Normalizing is Reasonable

## Theorem (Normalization Invariance)

*If  $I$  is a model of the terminology  $\mathcal{T}$ , then there exists a model  $I'$  of  $\tilde{\mathcal{T}}$  (and vice versa) such that for all concept symbols  $A$  appearing in  $\mathcal{T}$  we have:*

$$A^I = A^{I'}.$$

## Proof.

“ $\Rightarrow$ ”: Let  $I$  be a model of  $\mathcal{T}$ . This model should be *extended* to  $I'$  so that the freshly introduced concept symbols also get interpretations. Assume  $(A \sqsubseteq C) \in \mathcal{T}$ , i.e., we have  $(A \doteq A^* \sqcap C) \in \tilde{\mathcal{T}}$ . Then set  $A^{*I'} = A^I$ .  $I'$  obviously satisfies  $\tilde{\mathcal{T}}$  and has the same interpretation for all symbols in  $\mathcal{T}$ .

“ $\Leftarrow$ ”: Given a model  $I'$  of  $\tilde{\mathcal{T}}$ , its restriction to symbols of  $\mathcal{T}$  is the interpretation we looked for. □

# TBox Unfolding

- ▶ We say that a *normalized TBox* is **unfolded by one step** when all defined concept symbols on the right sides are replaced by their defining terms.
- ▶ **Example:**  $\text{Mother} \doteq \text{Woman} \sqcap \dots$  is unfolded to  $\text{Mother} \doteq (\text{Human} \sqcap \text{Female}) \sqcap \dots$
- ▶ We write  $U(\mathcal{T})$  to denote a one-step unfolding and  $U^n(\mathcal{T})$  to denote an *n-step unfolding*.
- ▶ We say  $\mathcal{T}$  is **unfolded** if  $U(\mathcal{T}) = \mathcal{T}$ .
- ▶ We say that  $U^n(\mathcal{T})$  is the **unfolding** of  $\mathcal{T}$  if  $U^n(\mathcal{T}) = U^{n+1}(\mathcal{T})$ . If such an unfolding exists, it is denoted by  $\widehat{\mathcal{T}}$

# Properties of Unfoldings (1): Existence

## Theorem (Existence of unfolded terminology)

*For each normalized terminology  $\mathcal{T}$ , there exists its unfolding  $\widehat{\mathcal{T}}$ .*

### Proof idea.

The main reason is that terminologies have to be *cycle-free*. The proof can be done by induction of the *definition depth* of concepts. □

## Properties of Unfoldings (2): Equivalence

### Theorem (Model equivalence for unfolded terminologies)

*$I$  is a model of a normalized terminology  $\mathcal{T}$  iff it is a model of  $\widehat{\mathcal{T}}$ .*

### Proof Sketch.

“ $\Rightarrow$ ”: Let  $I$  be a model of  $\mathcal{T}$ . Then it is also a model of  $U(\mathcal{T})$ , since on the right side of the definitions only terms with identical interpretations are substituted. However, then it must also be a model of  $\widehat{\mathcal{T}}$ .

“ $\Leftarrow$ ”: Let  $I$  be a model for  $U(\mathcal{T})$ . Clearly, this is also a model of  $\mathcal{T}$  (with the same argument as above). This means that any model  $\widehat{\mathcal{T}}$  is also a model of  $\mathcal{T}$ . □

## Generating Models

- ▶ All concept and role names *not appearing on the left hand side* in a terminology  $\mathcal{T}$  are called **primitive components**.
- ▶ Interpretations restricted to primitive components are called **initial interpretations**.

### Theorem (Model extension)

*For each initial interpretation  $\mathcal{J}$  of a normalized TBox, there exists a unique interpretation  $I$  extending  $\mathcal{J}$  and satisfying  $\mathcal{T}$ .*

### Proof idea.

Use  $\widehat{\mathcal{T}}$  and compute an interpretation for all defined symbols. □

### Corollary (Model existence for TBoxes)

*Each TBox has at least one model.*

# Unfolding of Concept Descriptions

- ▶ Similar to the unfolding of TBoxes, we can define **unfolding of concept descriptions**.
- ▶ We write  $\hat{C}$  for the **unfolded version** of  $C$ .

## Theorem (Satisfiability of unfolded concepts)

*An concept description  $C$  is satisfiable in a terminology  $\mathcal{T}$  iff  $\hat{C}$  is satisfiable in an empty terminology.*

### Proof.

“ $\Rightarrow$ ”: trivial.

“ $\Leftarrow$ ”: Use the interpretation for all the symbols in  $\hat{C}$  to generate an initial interpretation of  $\mathcal{T}$ . Then extend it to a full model  $I$  of  $\mathcal{T}$ . This satisfies  $\mathcal{T}$  as well as  $\hat{C}$ . Since  $\hat{C}^I = C^I$ , it satisfies also  $C$ . □

# Subsumption in a TBox

- ▶ **Motivation:** Given a terminology  $\mathcal{T}$  and two concept descriptions  $C$  and  $D$ , is  $C$  *subsumed by* (or a *sub-concept* of)  $D$  in  $\mathcal{T}$  ( $C \sqsubseteq_{\mathcal{T}} D$ )?
- ▶ **Test:**
  - ▶ Is  $C$  interpreted as a subset of  $D$  for all models  $I$  of  $\mathcal{T}$  ( $C^I \subseteq D^I$ )?
  - ▶ Is the formula  $\forall x : (C(x) \rightarrow D(x))$  a logical consequence of the translation of  $\mathcal{T}$  to predicate logic?
- ▶ **Example:** Grandmother  $\sqsubseteq_{\mathcal{T}}$  Mother

# Subsumption (Without a TBox)

- ▶ **Motivation:** Given two concept descriptions  $C$  and  $D$ , is  $C$  *subsumed by*  $D$  regardless of a TBox (or in an *empty TBox*), written  $C \sqsubseteq D$ ?
- ▶ **Test:**
  - ▶ Is  $C$  interpreted as a subset of  $D$  for *all interpretations*  $I$  ( $C^I \subseteq D^I$ )?
  - ▶ Is the formula  $\forall x : (C(x) \rightarrow D(x))$  *logically valid*?
- ▶ **Example:**  $\text{Human} \sqcap \text{Female} \sqsubseteq \text{Human}$




# Reductions

- ▶ Subsumption in a TBox can be reduced to subsumption in the empty TBox
- ▶ *Normalize* and *unfold* TBox and concept descriptions.
- ▶ Subsumption in the empty TBox can be reduced to unsatisfiability
- ▶  $C \sqsubseteq D$  iff  $C \sqcap \neg D$  is unsatisfiable
- ▶ Unsatisfiability can be reduced to subsumption
- ▶  $C$  is unsatisfiable iff  $C \sqsubseteq (C \sqcap \neg C)$

# Classification

- ▶ **Motivation:** Compute all subsumption relationships (and represent them using only a minimal number of relationships) in order to
  - ▶ check the modeling – does the terminology make sense?
  - ▶ use the precomputed relations later when subsumption queries have to be answered
  - ▶ reduce to subsumption
  - ▶ it is a *generalized sorting* problem!

## Example



# ABox Satisfiability

- ▶ **Motivation:** An ABox should *model* the real world, i.e., it should have a **model**.
- ▶ **Test:** Check for a model
- ▶ **Example:**

$$\begin{aligned} X & : (\forall r. \neg C) \\ Y & : C \\ (X, Y) & : r \end{aligned}$$

is not satisfiable.

## ABox Satisfiability in a TBox

- ▶ **Motivation:** Is a given ABox  $\mathcal{A}$  compatible with the terminology introduced in  $\mathcal{T}$ ?
- ▶ **Test:** Is  $\mathcal{T} \cup \mathcal{A}$  satisfiable?
- ▶ **Example:** If we extend our example with  
MARGRET: Woman  
(DIANA, MARGRET): has-child,  
  
then the ABox becomes unsatisfiable in the given TBox.
- ▶ **Reduction:**
  - ▶ to satisfiability of an ABox
  - ▶ *Normalize* terminology, then *unfold* all concept and role descriptions in the ABox

# Instance Relations

- ▶ **Motivation:** Which additional ABox formulas of the form  $a: C$  follow logically from a given ABox and TBox?
- ▶ **Test:**
  - ▶ Is  $a^I \in C^I$  true in all models of  $I$  of  $\mathcal{T} \cup \mathcal{A}$ ?
  - ▶ Does the formula  $C(a)$  logically follow from the translation of  $\mathcal{A}$  and  $\mathcal{T}$  to predicate logic?
- ▶ **Reductions:**
  - ▶ Instance relations wrt. an ABox and a TBox can be reduced to instance relations wrt. ABox.
  - ▶ Use *normalization* and *unfolding*
  - ▶ Instance relations in an ABox can be reduced to ABox unsatisfiability:

$a: C$  holds in  $\mathcal{A}$  iff  $\mathcal{A} \cup \{a: \neg C\}$  is unsatisfiable

# Examples

- ▶ ELIZABETH: Mother-with-many-children?
- ▶ yes
- ▶ WILLIAM:  $\neg$  Female?
- ▶ yes
- ▶ ELIZABETH: Mother-without-daughter?
- ▶ no (no CWA!)
- ▶ ELIZABETH: Grandmother?
- ▶ no (only male, but not necessarily human!)

# Realization

- ▶ **Idea**: For a given object  $a$ , determine the **most specialized concept symbols** such that  $a$  is an instance of these concepts
- ▶ **Motivation**:
  - ▶ Similar to *classification*
  - ▶ Is the minimal representation of the instance relations (in the set of concept symbols)
  - ▶ Will give us faster answers for instance queries!
- ▶ **Reduction**: Can be reduced to (a sequence of) instance relation tests.

# Retrieval

- ▶ **Motivation:** Sometimes, we want to get the set of instances of a concept (as in database queries)
- ▶ **Example:** Asking for all instances of the concept `Male`, we will get the answer `CHARLES, ANDREW, EDWARD, WILLIAM`.
- ▶ **Reduction:** Compute the set of instances by testing the instance relation for each object
- ▶ **Implementation:** Realization can be used to speed this up



# Reasoning Services – Summary

- ▶ Satisfiability of concept descriptions
  - ▶ in a given TBox or in an empty TBox
- ▶ Subsumption between concept descriptions
  - ▶ in a given TBox or in an empty TBox
- ▶ Classification
- ▶ Satisfiability of an ABox
  - ▶ in a given TBox or in an empty TBox
- ▶ Instance relations in an ABox
  - ▶ in a given TBox or in an empty TBox
- ▶ Realization
- ▶ Retrieval

# Outlook

- ▶ How to determine *subsumption* between two concept description (in the empty TBox)?
- ▶ How to determine *instance relations/ABox satisfiability*?
- ▶ How to implement the mentioned reductions *efficiently*?
- ▶ Does normalization and unfolding introduce another source of *computational complexity*?