

Theoretical Computer Science II

Prof. Dr. B. Nebel, Dr. C. Becker-Asano
E. Plaku
Winter semester 2011/2012

University of Freiburg
Department of Computer Science

Exercise Sheet 13

Due: February 6, 2012

Exercise 13.1 (Runtime, 2 marks)

You have implemented an algorithm that needs exactly $f(n)$ steps to terminate, where n is the size of the input. Assume that on your machine each step takes $1\mu s$.

For which maximal input size does your algorithm terminate within *one* day? Which input size can it maximally process in 10 days? Answer these (two!) questions for the following runtimes:

(a) $f(n) = n$

(b) $f(n) = n^2$

(c) $f(n) = 2^n$

(d) $f(n) = n^2 + n$

(e) $f(n) = n \log n$

(this question is optional, so you do not need to answer it to receive full marks.)

Exercise 13.2 (Big-O, 2 + 1 marks)

Consider the Turing machine below. The input alphabet is $\Sigma = \mathbb{N} = \{1, 2, 3, \dots\}$. The operator $|w|$ denotes the length of the string w , the relation $<$ is the smaller relation on the natural numbers.

```
M = "On input string w":
for i = 1 to |w|
  for j = |w| downto i + 1
    if  $w_j < w_{j-1}$ 
      swap  $w_j$  and  $w_{j-1}$ 
    endif
  endfor
endfor
```

Assume that the runtime of a swap and of a comparison of two natural numbers is constant.

(a) What is the smallest integer k such that the runtime of the Turing machine M is in $O(|w|^k)$? Justify your answer.

(b) What does M compute (i.e. what is written on the tape when M halts)?

Exercise 13.3 (Big-O, 1 + 2 + 1 + 1 marks)

Characterize the relationship between $f(n)$ and $g(n)$ in the following examples using the \mathcal{O} , Θ or Ω -notation.

1) $f(n) = n^{0.99998}$ $g(n) = \sqrt{n}$

2) $f(n) = 2^{\log^2(n)}$ $g(n) = \sum_{k=1}^{n^2} \frac{n}{2^k}$

3) $f(n) = n \cdot \log_2 n$ $g(n) = \sqrt[3]{n}$

4) $f(n) = \sqrt{n}$ $g(n) = 1000n$