

Principles of AI Planning

13. Planning as search: Partial-Order Reduction

Albert-Ludwigs-Universität Freiburg



Bernhard Nebel and Robert Mattmüller

January 7th, 2015

1 Motivation



- Motivation
- Preliminaries
- Stubborn Sets
- Conclusion

January 7th, 2015

B. Nebel, R. Mattmüller – AI Planning

3 / 42

Motivation



- Motivation
- Preliminaries
- Stubborn Sets
- Conclusion

- **Worst case:** Heuristic search may explore **exponentially** more states than necessary, even if heuristic is **almost perfect**.
- **Example:** A* search in GRIPPER domain explores all permutations of ball transportations if heuristic is off by a small constant.
- **Idea:** Complement heuristic search with **orthogonal technique** to reduce size of explored state space.
- **Desired properties of this technique:** preservation of **completeness** and, if possible, **optimality**.

January 7th, 2015

B. Nebel, R. Mattmüller – AI Planning

4 / 42

Partial-Order Reduction




- Motivation
- Preliminaries
- Stubborn Sets
- Conclusion

Idea:

- **Enforce particular ordering among operators.**
- **Ignore all other orderings.**

Example



January 7th, 2015

B. Nebel, R. Mattmüller – AI Planning

5 / 42

- Setting
- Basic Definitions
- Operator Dependencies
- Active Operators
- Necessary Enabling Sets and Disjunctive Action Landmarks

Motivation
 Preliminaries
 Setting
 Basic Definitions
 Operator Dependencies
 Active Operators
 Necessary Enabling Sets and Disjunctive Action Landmarks
 Stubborn Sets
 Conclusion

Assumption: For the rest of the chapter, we assume that all planning tasks are SAS⁺ planning tasks $\Pi = (V, I, O, \gamma)$.

For convenience, we assume that operators have the form $o = \langle pre(o), eff(o) \rangle$, where $pre(o)$ and $eff(o)$ are both **partial states** over V , i.e., partial functions mapping variables v to values in \mathcal{D}_v . Similarly, we assume that γ is a partial state describing the goal.

Example

Operator $o = \langle pre(o), eff(o) \rangle$ with

- $pre(o) = \{v_1 \mapsto d_1, v_5 \mapsto d_5\}$ and
- $eff(o) = \{v_2 \mapsto d_2, v_3 \mapsto d_3\}$

corresponds to $o = \langle \chi, e \rangle$ with $\chi = (v_1 = d_1 \wedge v_5 = d_5)$ and $e = (v_2 := d_2 \wedge v_3 := d_3)$.

Motivation
 Preliminaries
 Setting
 Basic Definitions
 Operator Dependencies
 Active Operators
 Necessary Enabling Sets and Disjunctive Action Landmarks
 Stubborn Sets
 Conclusion

Definition (Operators)

Let $\Pi = (V, I, O, \gamma)$ be a SAS⁺ planning task and $o \in O$ an operator. Then

- $prevars(o) := vars(pre(o))$ are the variables that occur in the precondition of o .
- $effvars(o) := vars(eff(o))$ are the variables that occur in the effect of o .
- o **reads** $v \in V$ iff $v \in prevars(o)$.
- o **modifies** $v \in V$ iff $v \in effvars(o)$.

Variable $v \in V$ is **goal-related** iff $v \in vars(\gamma)$.

Assumption: $effvars(o) \neq \emptyset$ for all $o \in O$.

Motivation
 Preliminaries
 Setting
 Basic Definitions
 Operator Dependencies
 Active Operators
 Necessary Enabling Sets and Disjunctive Action Landmarks
 Stubborn Sets
 Conclusion

Definition (Domain transition graph)

Let $\Pi = (V, I, O, \gamma)$ be a SAS⁺ planning task and $v \in V$. The **domain transition graph** for v is the directed graph $DTG(v) = \langle \mathcal{D}_v, E \rangle$ where $(d, d') \in E$ iff there is an operator $o \in O$ with

- $eff(o)(v) = d'$, and
- $v \notin prevars(o)$ or $pre(o)(v) = d$.

Motivation
 Preliminaries
 Setting
 Basic Definitions
 Operator Dependencies
 Active Operators
 Necessary Enabling Sets and Disjunctive Action Landmarks
 Stubborn Sets
 Conclusion

Example


move-a-b = $\langle \text{pos} = a, \text{pos} := b \rangle$

move-b-c = $\langle \text{pos} = b, \text{pos} := c \rangle$

move-c-d = $\langle \text{pos} = c, \text{pos} := d \rangle$

reset = $\langle \top, \text{pos} := a \wedge \text{othervar} := \text{otherval} \rangle$

Then $DTG(\text{pos})$:



- Motivation
- Preliminaries
- Setting
- Basic Definitions
- Operator Dependencies
- Active Operators
- Necessary Enabling Sets and Disjunctive Action Landmarks
- Stubborn Sets
- Conclusion

Definition (Operator dependencies)

Let $\Pi = \langle V, O, I, \gamma \rangle$ be a planning task and $o, o' \in O$.

- 1 o **disables** o' iff there exists $v \in \text{effvars}(o) \cap \text{prevars}(o')$ such that $\text{eff}(o)(v) \neq \text{pre}(o')(v)$.
- 2 o **enables** o' iff there exists $v \in \text{effvars}(o) \cap \text{prevars}(o')$ such that $\text{eff}(o)(v) = \text{pre}(o')(v)$.
- 3 o and o' **conflict** iff there is $v \in \text{effvars}(o) \cap \text{effvars}(o')$ such that $\text{eff}(o)(v) \neq \text{eff}(o')(v)$.
- 4 o and o' **interfere** iff o disables o' , or o' disables o , or o and o' conflict.
- 5 o and o' are **commutative** iff o and o' do not interfere, and neither o enables o' , nor o' enables o .

- Motivation
- Preliminaries
- Setting
- Basic Definitions
- Operator Dependencies
- Active Operators
- Necessary Enabling Sets and Disjunctive Action Landmarks
- Stubborn Sets
- Conclusion

Example

wear-left = $\langle \text{pos} = \text{home} \wedge \text{left} = f, \text{left} := t \rangle$

wear-right = $\langle \text{pos} = \text{home} \wedge \text{right} = f, \text{right} := t \rangle$

go-to-uni = $\langle \text{left} = t \wedge \text{right} = t, \text{pos} := \text{uni} \rangle$

go-to-gym = $\langle \text{left} = t \wedge \text{right} = t, \text{pos} := \text{gym} \rangle$

Then:

- go-to-uni and go-to-gym disable wear-left and wear-right.
- wear-left and wear-right enable go-to-uni and go-to-gym.
- go-to-uni and go-to-gym conflict.
- wear-left and wear-right are commutative.

- Motivation
- Preliminaries
- Setting
- Basic Definitions
- Operator Dependencies
- Active Operators
- Necessary Enabling Sets and Disjunctive Action Landmarks
- Stubborn Sets
- Conclusion

Definition (Active operators)

Let $\Pi = \langle V, I, O, \gamma \rangle$ be a planning task and let s be a state. The set of **active operators** $Act(s) \subseteq O$ in s is defined as the set of operators such that for all $o \in Act(s)$:

- For every variable $v \in \text{prevars}(o)$, there is a path in $DTG(v)$ from $s(v)$ to $\text{pre}(o)(v)$. If v is goal-related, then there is also a path from $\text{pre}(o)(v)$ to the goal value $\gamma(v)$.
- For every goal-related variable $v \in \text{effvars}(o)$, there is a path in $DTG(v)$ from $\text{eff}(o)(v)$ to the goal value $\gamma(v)$.

- Motivation
- Preliminaries
- Setting
- Basic Definitions
- Operator Dependencies
- Active Operators
- Necessary Enabling Sets and Disjunctive Action Landmarks
- Stubborn Sets
- Conclusion

Proposition

- 1 $Act(s)$ can be identified efficiently for a given state s by considering paths in the projection of Π onto v .
- 2 Operators not in $Act(s)$ can be treated as nonexistent when reasoning about s because they are not applicable in all states reachable from s , or they lead to a dead-end from s .

Proof

- 1 Homework: Specify efficient algorithm for identification of $Act(s)$.
- 2 Obvious. □

- Motivation
- Preliminaries
 - Setting
 - Basic Definitions
 - Operator Dependencies
 - Active Operators
 - Necessary Enabling Sets and Disjunctive Action Landmarks
- Stubborn Sets
- Conclusion

Definition (Necessary enabling set)

Let $\Pi = \langle V, I, O, \gamma \rangle$ be a planning task, s a state, and $o \in O$ an operator that is not applicable in s . A set N of operators is a **necessary enabling set** (NES) for o in s if all operator sequences that lead from s to a goal state and include o contain an operator in N before the first occurrence of o .

Note: NESs not uniquely determined for given o and s . (E.g., supersets of NESs are still NESs.)

- Motivation
- Preliminaries
 - Setting
 - Basic Definitions
 - Operator Dependencies
 - Active Operators
 - Necessary Enabling Sets and Disjunctive Action Landmarks
- Stubborn Sets
- Conclusion

Definition (Disjunctive action landmark)

Let $\Pi = \langle V, I, O, \gamma \rangle$ be a planning task and s a state. A **disjunctive action landmark** (DAL) L in s is a set of operators such that all operator sequences that lead from s to a goal state contain some operator in L .

Observation

For state s and operator o that is not applicable in s , disjunctive action landmarks for task $\langle V, I, O, pre(o) \rangle$ are necessary enabling sets for o in s .

- Motivation
- Preliminaries
 - Setting
 - Basic Definitions
 - Operator Dependencies
 - Active Operators
 - Necessary Enabling Sets and Disjunctive Action Landmarks
- Stubborn Sets
- Conclusion

Proof

Let L be such a disjunctive action landmark.

Then each operator sequence that leads from s to a state satisfying $pre(o)$ contains some operator in L .

Thus, each operator sequence that leads from s to a goal state and includes o contains an operator in L before the first occurrence of o .

Therefore, L is an NES for o in s .

- Motivation
- Preliminaries
 - Setting
 - Basic Definitions
 - Operator Dependencies
 - Active Operators
 - Necessary Enabling Sets and Disjunctive Action Landmarks
- Stubborn Sets
- Conclusion

3 Stubborn Sets



- Strong Stubborn Sets
- Weak Stubborn Sets
- Algorithms
- Properties of Stubborn Sets
- Some Experiments

- Motivation
- Preliminaries
- Stubborn Sets**
- Strong Stubborn Sets
- Weak Stubborn Sets
- Algorithms
- Properties of Stubborn Sets
- Some Experiments
- Conclusion

Stubborn Sets



Back to the motivation:

If, in state s , some set of operators can be **applied in any order** and the order does not matter, we want to **commit to one such order** and **ignore all other orders**.

One idea:

Identify operators that can be “postponed” since they are independent of all operators that are not “postponed”. E.g., wear-right-shoe could be postponed, since it is independent of wear-left-shoe (that is not postponed).

Second idea (roughly):

Identify operators that **have** to be applied and cannot be postponed because they are not independent of other operators also not postponed.

- Motivation
- Preliminaries
- Stubborn Sets**
- Strong Stubborn Sets
- Weak Stubborn Sets
- Algorithms
- Properties of Stubborn Sets
- Some Experiments
- Conclusion

Strong Stubborn Sets



Following the second idea:

First attempt at a definition:

Definition (Strong stubborn set)

Let $\Pi = \langle V, I, O, \gamma \rangle$ be a planning task and s a state. A set $T_s \subseteq O$ is a **strong stubborn set in s** if

- 1 T_s contains a disjunctive action landmark in s , and
- 2 for all $o \in T_s$ that are applicable in s , T_s contains all operators that **interfere with o** , and
- 3 for all $o \in T_s$ that are not applicable in s , T_s contains a necessary enabling set for o and s .

Instead of applying all applicable operators in s only apply those that are applicable and contained in T_s .

- Motivation
- Preliminaries
- Stubborn Sets
- Strong Stubborn Sets**
- Weak Stubborn Sets
- Algorithms
- Properties of Stubborn Sets
- Some Experiments
- Conclusion

Strong Stubborn Sets



Following the second idea:

Improved attempt at a definition:

Definition (Strong stubborn set)

Let $\Pi = \langle V, I, O, \gamma \rangle$ be a planning task and s a state. A set $T_s \subseteq O$ is a **strong stubborn set in s** if

- 1 T_s contains a disjunctive action landmark in s , and
- 2 for all $o \in T_s$ that are applicable in s , T_s contains all operators that **are active in s and interfere with o** , and
- 3 for all $o \in T_s$ that are not applicable in s , T_s contains a necessary enabling set for o and s .

Instead of applying all applicable operators in s only apply those that are applicable and contained in T_s .

- Motivation
- Preliminaries
- Stubborn Sets
- Strong Stubborn Sets**
- Weak Stubborn Sets
- Algorithms
- Properties of Stubborn Sets
- Some Experiments
- Conclusion

Strong Stubborn Sets



- Motivation
- Preliminaries
- Stubborn Sets
- Strong Stubborn Sets
- Weak Stubborn Sets
- Algorithms
- Properties of Stubborn Sets
- Some Experiments
- Conclusion

Remark 1: Even when excluding **inactive** operators, this preserves completeness and even optimality of a search algorithm (see proof below).

Remark 2: Excluding **inactive** operators can “cascade” in the sense that additional **active** operators need not be considered.

Strong Stubborn Sets

Why operator activity matters



- Motivation
- Preliminaries
- Stubborn Sets
- Strong Stubborn Sets
- Weak Stubborn Sets
- Algorithms
- Properties of Stubborn Sets
- Some Experiments
- Conclusion

Example

Let $\Pi = \langle V, I, O, \gamma \rangle$ be a planning task with the following components:

- $V = \{u_1, u_2, v, w\}$
- $O = \{o_1, o_2, o_3\}$
- $pre(o_1) = \{u_1 \mapsto 0\}, eff(o_1) = \{u_1 \mapsto 1, w \mapsto 2\}$
- $pre(o_2) = \{u_2 \mapsto 0\}, eff(o_2) = \{u_2 \mapsto 1, w \mapsto 2\}$
- $pre(o_3) = \{u_1 \mapsto 0, u_2 \mapsto 0\}, eff(o_3) = \{v \mapsto 1, w \mapsto 1\}$
- $I = \{u_1 \mapsto 0, u_2 \mapsto 0, v \mapsto 0, w \mapsto 0\}$
- $\gamma = \{v \mapsto 0, u_1 \mapsto 1, u_2 \mapsto 1\}$

Strong Stubborn Sets

Why operator activity matters



- Motivation
- Preliminaries
- Stubborn Sets
- Strong Stubborn Sets
- Weak Stubborn Sets
- Algorithms
- Properties of Stubborn Sets
- Some Experiments
- Conclusion

Example

- **Case 1** (first attempt at definition where non-active interfering operators are included in T_s):
 - Include o_1 (or o_2) in T_s as disjunctive action landmark.
 - Include o_3 in T_s since it interferes with o_1 (or o_2).
 - Include o_2 (or o_1) in T_s since it interferes with o_3 . \Rightarrow all applicable operators included in T_s , no pruning.
- **Case 2** (improved attempt without non-active interfering operators):
 - o_3 is not active in any reachable state.
 - $T_s = \{o_1\}$ strong stubborn set in I .
 - Even **active** operator o_2 is not included in $T_s = \{o_1\}$. \Rightarrow nice amount of pruning occurs.

Weak Stubborn Sets

With **weak** stubborn sets, some operators that disable an operator in T_s need not be included in T_s .

Therefore, weak stubborn sets potentially allow more pruning than strong stubborn sets.

Definition (Weak stubborn set)

Let $\Pi = \langle V, I, O, \gamma \rangle$ be a planning task and s a state. A set $T_s \subseteq O$ is a **weak stubborn set in s** if

- 1 T_s contains a disjunctive action landmark in s , and
- 2 for all $o \in T_s$ that are applicable in s , T_s contains the active operators in s that have conflicting effects with o or that are disabled by o , and
- 3 for all $o \in T_s$ that are not applicable in s , T_s contains a necessary enabling set for o and s .

Weak Stubborn Sets



For weak stubborn sets, it suffices to include active operators o' that **are disabled** or **conflict** with applicable operators $o \in T_s$. However, o' **does not need to be included** if o' **disables** an applicable operator $o \in T_s$.

No computational overhead of computing weak stubborn sets over computing strong stubborn sets.

Theorem

In the best case, weak stubborn sets admit **exponentially more pruning** than strong stubborn sets.

Proof

Homework. □

Motivation
Preliminaries
Stubborn Sets
Strong Stubborn Sets
Weak Stubborn Sets
Algorithms
Properties of Stubborn Sets
Some Experiments
Conclusion

Algorithms



compute-DAL: Compute a disjunctive action landmark.

Procedure compute-DAL

```
def compute-DAL( $\gamma$ ):  
  select  $v \in vars(\gamma)$  with  $s(v) \neq \gamma(v)$   
   $L \leftarrow \{o' \in Act(s) \mid eff(o')(v) = \gamma(v)\}$   
  return  $L$ 
```

Selection of $v \in vars(\gamma)$ arbitrary. Any variable will do.
Selection heuristics?

Motivation
Preliminaries
Stubborn Sets
Strong Stubborn Sets
Weak Stubborn Sets
Algorithms
Properties of Stubborn Sets
Some Experiments
Conclusion

Algorithms



compute-NES: Compute a necessary enabling set.

Procedure compute-NES

```
def compute-NES( $o, s$ ):  
  select  $v \in prevars(o)$  with  $s(v) \neq pre(o)(v)$   
   $N \leftarrow \{o' \in Act(s) \mid eff(o')(v) = pre(o)(v)\}$   
  return  $N$ 
```

Selection of $v \in prevars(o)$ arbitrary. Any variable will do.
Selection heuristics?

Motivation
Preliminaries
Stubborn Sets
Strong Stubborn Sets
Weak Stubborn Sets
Algorithms
Properties of Stubborn Sets
Some Experiments
Conclusion

Algorithms



compute-interfering-operators: Compute interfering operators.

Procedure compute-interfering-operators (for strong SS)

```
def compute-interfering-operators( $o$ ):  
  disablers  $\leftarrow \{o' \in O \mid o' \text{ disables } o\}$   
  disablees  $\leftarrow \{o' \in O \mid o \text{ disables } o'\}$   
  conflicting  $\leftarrow \{o' \in O \mid o \text{ and } o' \text{ conflict}\}$   
  return disablers  $\cup$  disablees  $\cup$  conflicting
```

Procedure compute-interfering-operators (for weak SS)

```
def compute-interfering-operators( $o$ ):  
  disablees  $\leftarrow \{o' \in O \mid o \text{ disables } o'\}$   
  conflicting  $\leftarrow \{o' \in O \mid o \text{ and } o' \text{ conflict}\}$   
  return disablees  $\cup$  conflicting
```

Motivation
Preliminaries
Stubborn Sets
Strong Stubborn Sets
Weak Stubborn Sets
Algorithms
Properties of Stubborn Sets
Some Experiments
Conclusion

Computing (strong and weak) stubborn sets for planning can be achieved with a **fixed-point iteration** until the constraints of T_s are satisfied:

compute-stubborn-set: Compute (strong or weak) stubborn set.

Precedure compute-stubborn-set

def compute-stubborn-set(s):

$T_s \leftarrow \text{compute-DAL}(\gamma)$

while no fixed-point of T_s reached **do**

for $o \in T_s$ applicable in s :

$T_s \leftarrow T_s \cup \text{compute-interfering-operators}(o)$

for $o \in T_s$ not applicable in s :

$T_s \leftarrow T_s \cup \text{compute-NES}(o, s)$

end while

return T_s

- Motivation
- Preliminaries
- Stubborn Sets
- Strong Stubborn Sets
- Weak Stubborn Sets
- Algorithms
- Properties of Stubborn Sets
- Some Experiments
- Conclusion

Observation: stubborn sets are state-dependent, but not path-dependent.

This allows filtering the applicable operators in s in graph search algorithms like A* that perform duplicate detection, too.

Instead of applying all applicable operators $app(s)$ in s , only apply operators in $T_{app(s)} := T_s \cap app(s)$.

- Motivation
- Preliminaries
- Stubborn Sets
- Strong Stubborn Sets
- Weak Stubborn Sets
- Algorithms
- Properties of Stubborn Sets
- Some Experiments
- Conclusion

Theorem

Weak stubborn sets are completeness and optimality preserving.

Proof

Let $T_{app(s)} := T_s \cap app(s)$ for a weak stubborn set T_s .

We show that for all states s from which an optimal plan consisting of $n > 0$ operators exists, $T_{app(s)}$ contains an operator that starts such a plan.

We show by induction that A* restricting successor generation to $T_{app(s)}$ is optimal.

Let T_s be a weak stubborn set and $\pi = o_1, \dots, o_n$ be an optimal plan that starts in s .

...

- Motivation
- Preliminaries
- Stubborn Sets
- Strong Stubborn Sets
- Weak Stubborn Sets
- Algorithms
- Properties of Stubborn Sets
- Some Experiments
- Conclusion

Proof (ctd.)

As T_s contains a disjunctive action landmark, π must contain an operator from T_s .

Let o_k be the operator with smallest index in π that is also contained in T_s , i.e., $o_k \in T_s$ and $\{o_1, \dots, o_{k-1}\} \cap T_s = \emptyset$.

We observe:

1. $o_k \in app(s)$: otherwise by definition of weak stubborn sets, a necessary enabling set N for o_k in s would have to be contained in T_s , and at least one operator from N would have to occur before o_k in π to enable o_k , contradicting that o_k was chosen with smallest index.
2. ...

- Motivation
- Preliminaries
- Stubborn Sets
- Strong Stubborn Sets
- Weak Stubborn Sets
- Algorithms
- Properties of Stubborn Sets
- Some Experiments
- Conclusion

Proof (ctd.)

1. ...
2. o_k does not disable any of the operators o_1, \dots, o_{k-1} , and all these operators have non-conflicting effects with o_k : otherwise, as $o_k \in \text{app}(s)$, and by definition of weak stubborn sets, at least one of o_1, \dots, o_{k-1} would have to be contained in T_s , again contradicting the assumption.

Hence, we can move o_k to the front:

$o_k, o_1, \dots, o_{k-1}, o_{k+1}, \dots, o_n$ is also a plan for Π .

It has the same cost as π and is hence optimal.

Thus, we have found an optimal plan of length n started by an operator $o_k \in T_{\text{app}(s)}$, completing the proof. \square

- Motivation
- Preliminaries
- Stubborn Sets
- Strong Stubborn Sets
- Weak Stubborn Sets
- Algorithms
- Properties of Stubborn Sets
- Some Experiments
- Conclusion

Remark: The argument to move o_k to the front also holds for strong stubborn sets: in this case, o_k is not even disabled by any of o_1, \dots, o_{k-1} (and hence, o_k is independent of o_1, \dots, o_{k-1}), which is a stronger property than needed in the proof.

Corollary

Strong stubborn sets are completeness and optimality preserving. \square

- Motivation
- Preliminaries
- Stubborn Sets
- Strong Stubborn Sets
- Weak Stubborn Sets
- Algorithms
- Properties of Stubborn Sets
- Some Experiments
- Conclusion

Some Experiments: Overview

Optimal Planning, A* with LM-cut Heuristic, Selected Domains

Domain (problems)	Coverage		Nodes generated	
	A*	+SSS	A*	+SSS
PARCPINTER-O8 (30)	18	+12	2455181	<1%
PARCPINTER-OPT11 (20)	13	+7	2454533	<1%
WOODWORKING-OPTO8 (30)	17	+10	26796212	<1%
WOODWORKING-OPT11 (20)	12	+7	26795517	<1%
SATELLITE (36)	7	+5	5116312	2%
ROVERS (40)	7	+2	1900691	22%
AIRPORT (50)	28	± 0	545072	93%
OPENSTACKS-OPTO8 (30)	19	+2	56584063	51%
OPENSTACKS-OPT11 (20)	14	+2	56456969	51%
DRIVERLOG (20)	13	+1	3679376	82%
SCANALYZER-O8 (30)	15	-3	14203012	100%
SCANALYZER-OPT11 (20)	12	-3	14202884	100%
PARKING-OPT11 (20)	3	-1	560914	100%
SOKOBAN-OPTO8 (30)	30	-1	20519270	100%
VISITALL-OPT11 (20)	11	-1	1991169	100%
REMAINING DOMAINS (980)	544	± 0	436017004	93%
SUM (1396)	763	+39	670278179	77%

- Motivation
- Preliminaries
- Stubborn Sets
- Strong Stubborn Sets
- Weak Stubborn Sets
- Algorithms
- Properties of Stubborn Sets
- Some Experiments
- Conclusion

Some Experiments

Weak compared to strong stubborn sets

Domain (problems)	Coverage		Nodes generated		# problems w. diff. gen.
	SSS	WSS	SSS	WSS	
OPENSTACKS-OPTO8 (30)	21	± 0	152711917	99.936%	18
OPENSTACKS-OPT11 (20)	16	± 0	152642101	99.936%	16
PATHWAYS-NONEG (30)	5	± 0	162347	99.702%	2
PSR-SMALL (50)	49	± 0	18119489	99.998%	6
SATELLITE (36)	12	± 0	70299721	92.804%	12

\Rightarrow In practice (or, at least, in the standard benchmark problems) there is no significant difference between weak and strong stubborn sets.

- Motivation
- Preliminaries
- Stubborn Sets
- Strong Stubborn Sets
- Weak Stubborn Sets
- Algorithms
- Properties of Stubborn Sets
- Some Experiments
- Conclusion

4 Conclusion



Motivation
Preliminaries
Stubborn
Sets
Conclusion

Conclusion



Motivation
Preliminaries
Stubborn
Sets
Conclusion

- Need for **techniques orthogonal to heuristic search**, complementing heuristics.
- One idea: **Commit to one order of operators** if they are independent. Prune other orders.
- Class of such techniques: **partial-order reduction** (POR)
- One such technique: **strong/weak stubborn sets**
- Can lead to **substantial pruning** compared to plain A*.
- Many other POR techniques exist.
- Other pruning techniques exist as well, e.g., symmetry reduction.